SANCO ELECTRONICS CO., LTD.


A. SCOPE

This specification applies Piezo buzzer, SPB-1470A-05040KJ

B. SPECIFICATION

No.	ltem	Unit	Specification	Condition
1	Oscillation Frequency	KHz	4.0±0.5	
2	Operating Voltage	VDC	3~16	
3	Rated Voltage	VDC	5	
4	Current Consumption	mA	MAX. <mark>5</mark>	at Rated Voltage
5	Sound Pressure Level	dB	MIN. 80	at 10cm at Rated Voltage
6	Tone Nature		Single	
7	Operating Temperature	°C	-20~ +70	
8	Storage Temperature	°C	-30 ~ +80	
9	Dimension	mm	14 x14 x H7	See appearance drawing
10	Weight (MAX)	gram	2.0	
11	Housing Material		LCP(Black)	
12	Leading Pin		Plated Brass(Au)	See appearance drawing
13	Environmental Protection Regulation		RoHS	

C. APPEARANCE DRAWING





Unit: mm

SANCO ELECTRONICS CO., LTD. TEL: +86-574-83851068 FAX: +86-574-83851096 EMAIL: <u>Sales@sancoelectronics.com</u>


D.TESTING METHOD

Standard Measurement conditions


Temperature:25±2°C Humidity:45-65%

Acoustic Characteristics:


The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below



In the measuring test, buzzer is placed as follows:



E. Typical Frequency Response Curve



SANCO ELECTRONICS CO., LTD. TEL: +86-574-83851068 FAX: +86-574-83851096 EMAIL: <u>Sales@sancoelectronics.com</u>


F. Soldering Condition

(1)Recommendable reflow soldering condition is as follows

(Reflow soldering is twice)

Note: It is requested that reflow soldering should be executed

after heat of product goes down to normal.



Heat resistant line

(Used when heat resistant reliability test is performed)

(2)Manual soldering


Manual soldering temperature 350 °C within 5 sec.

G. RELIABILITY TEST

NO.	ITEM	TEST CONDITION AND REQUIREMENT		
	Llich Torrer another	After being placed in a chamber with 80±2°C for 96 hours and then		
1	High Temperature Test (Storage)	being placed in normal condition for 2 hours.		
	rest (Storage)	Allowable variation of SPL after test: ±10dB.		
	Low Temperature	After being Placed in a chamber with -30±2°C for 96 hours and then		
2	Test (Storage)	being placed in normal condition for 2 hours.		
		Allowable variation of SPL after test: ±10dB.		
		After being Placed in a chamber with 90-95% R.H. at 40±2°C for 96		
3	Humidity Test	hours and then being placed in normal condition for 2 hours.		
		Allowable variation of SPL after test: ±10dB.		
		The part shall be subjected to 5 cycles. One cycle shall be consist of :		
		+70°C		
	Temperature Cycle Test			
		+25°C +25°C		
4				
		- 20°C		
		$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		
		3hours		
		Allowable variation of SPL after test: ±10dB.		
	Drop Test	Drop on a hard wood board of 4cm thick, any directions ,6 times,		
5		at the height of 75cm.		
		Allowable variation of SPL after test: ±10dB.		
	Vibration Test	After being applied vibration of amplitude of 1.5mm with 10 to 55 Hz		
6		band of vibration frequency to each of 3 perpendicular directions for		
		2 hours.		
		Allowable variation of SPL after test: ±10dB.		
	Coldombility	Lead terminals are immersed in rosin for 5 seconds and then		
7	Solderability	immersed in solder bath of +300±5°C for 3±1 seconds . 90% min. lead terminals shall be wet with solder		
	Test	(Except the edge of terminals).		
8	Terminal Strength	The force of 9.8N(1.0kg) is applied to each terminal in axial direction for 10 seconds.		
0	Pulling Test	No visible damage and cutting off.		
		No visible damage and cutting off		

Standard Test Condition	:	a) Temperature : +5 ~ +35 $^\circ \!\!\!\!\mathrm{C}$	b) Humidity : 45-85%	c) Pressure : 860-1060mbar
一般测试条件	:	a) 温度 : +5 ~ +35 ℃	b) 湿度 : 45-85%	c) 气压 : 860-1060mbar
Judgment Test Condition	:	a) Temperature : +25 \pm 2°C	b) Humidity : 60-70%	c) Pressure : 860-1060mbar
争议时测试条件	:	a) 温度 : +25 ± 2℃	b) 湿度 : 60-70%	c) 气压 : 860-1060mbar

H. PACKING STANDARD



SANCO ELECTRONICS CO., LTD. TEL: +86-574-83851068 FAX: +86-574-83851096 EMAIL: <u>Sales@sancoelectronics.com</u>