

### 1.3Megapixel Mini Pinhole HD-AHD Hidden Camera



#### Features

- 1, Using the high performance sensor, image is clear and delicate;
- 2, Support IR-CUT dual filter switch, to achieve day and night monitoring, color is not partial and distortion;
- 3, Analog HD 1.3/2.0MP AHD video output;
- 4, Support the ultra low illumination;
- 5, Support automatic electronic shutter function, adapt to different monitoring environment;
- 6, DC12V
- 7, Mini size, 15\*15mm, with microphone

#### Accessories

- User Manual
- Warranty Card
- Screw fittings
- Desiccant

#### Specification

Product Name	1.3Megapixel Mini Pinhole HD-AHD Hidden Camera
Model No.	WDM-FT6415B
<b>Video</b>	
Sensor	FH8532+H62
Output resolution	1.3MP(1280*960)
D/N Mode	IR cut Auto switching
Minimum Illumination	0.001LUX/F1.2(Led on)
Effective Pixel	PAL: 1280*960 @25fps
	NTSC: 1280*960@30fps
Signal System	PAL/NTSC
Video Standard	AHD and CVBS Standard
Video Output	1CH AHD HD/CVBS Standard Singal Output(Switchable)
Max Transmission Distance	Common 75-3 cables can be up to 500m
<b>Lens and IR</b>	
Lens	3.7mm Wide-angle Pinhole lens
Audio	Support
<b>Function</b>	
Microphone	Support
Shutter Speed	4/25s-1/45,000s
BLC	Off/Low/Medium/High/Highest
White Balance	Auto White Balance
HLC	Support
Operation Temperature	-10°C~55°C
Power Supply	DC12V
Dimension	black; 15*15mm