



- \* Using the high performance sensor, image is clear and delicate;
- \* Support IR-CUT dual filter switch, to achieve day and night monitoring, color is not partial and distortion;
- \* AHD/TVI/CVI/1200TVL 4 in 1 video output;
- \* can access to many brands HD DVR;
- \* Support the ultra low illumination;
- \* Support automatic electronic shutter function, adapt to different monitoring environment;
- \* 50m night vision distance, 2pcs 4rd Generation (Lattice type) Array LED, DC12V
- \* Metal, Waterproof IP66

Specification			
Product Name	4 in 1 CCTV 1.3MP IR Bullet Video Surveillance AHD Camera		
Model No.	WDM-AHD6103N	WDM-AHD6103B	WDM-AHD6103E
Video			
Sensor	NVP2441H+Sony IMX322	NVP2441H+Sony IMX291	FH8550M+Sony IMX290
Output resolution	1.3MP(1280x960)		
D/N Mode	IR cut Auto switching		
DNR	2D DNR	3D DNR	3D DNR
Minimum Illumination	0.000LUX/F1.2(Led on)		
Effective Pixel	PAL: (1280*960)@25fps		
	NTSC: (1280*960)@30fps		
Signal System	PAL/NTSC		
Video Standard	AHD/TVI/CVI/CVBS standard		
Video Output	1CH AHD/TVI/CVI/CVBS standard Standard Singal Output(Switchable)		
Max Transmission Distance	Common 75-3 cables can be up to 500m		
Lens and IR			
Lens	4/6/8mm fixed iris lens		
IR distance	50m night vision distance, 2pcs 4rd Generation (Lattice type) Array LED		
Function			
Shutter Speed	4/25s-1/45,000s		
BLC	Off/Low/Medium/High/Highest		
White Balance	Auto White Balance		
HLC	Support		
Operation Temperature	-10°C~55°C		
Power Supply	DC12V		