

SHANDONG GAOXIN CHEMICAL CO.,LTD

Add: Binhai zone,Weifang City,Shandong,China

Email:lily@gaoxinchemical.com Tel:86-13791640488

Gaoxin -CPVC

Shandong Gaoxin Chemical Co.,Ltd(Gaoxin chemical) is a high-tech enterprise of research and development,productin and management of new type of high polymer materials.Gaoxin chemical is pioneer manufacturer of CPVC in China.It was founded in 1993 and is one of the earliest manufacturers that engaged in Chlor-Alkali industry in China.CHLORINATED POLYVINYL CHLORIDE(CPVC)is mainly used for hot and cold water plumbing systems..In 2014,we set up modern Automatic equipments to meet customers demand. Now our supply capacity is up 40000ton per year ,welcome new and old customers inquiry!



SHANDONG GAOXIN CHEMICAL CO.,LTD

Add: Binhai zone,Weifang City,Shandong,China

Email:lily@gaoxinchemical.com Tel:86-13791640488



This resin can be used alone or mixed with PVC in all types of rigid and plasticized applications.

Model	APPLICATION
J-700	CPVC resin for extrusion of hot water or industrial pressure pipes,and extrusion of profiles and sheets
Z-500	CPVC resin for injection moulding of pressure pipe fittings for hot water and Chemical tower

SHANDONG GAOXIN CHEMICAL CO.,LTD

Add: Binhai zone,Weifang City,Shandong,China

Email:lily@gaoxinchemical.com Tel:86-13791640488

Main Characteristics of J-700

ITEM	UNIT	METHOD	VALUE
K-VALUE(PVC)	-	GB/T 3401 (Eqv ISO 1628-2)	65
CHLORIN CONTENG	(weight)	GB/T 7139 (Eqv ISO 1158)	67-69
CONTAMINATION	Number/100g	GB/T 9348 (Eqv ISO 1265)	<20
BULK DENSITY	g/cm ³	GB/T20022 (Eqv ISO 60)	0.50-0.70

Main Characteristics of Z-500

ITEM	UNIT	METHOD	VALUE
K-VALUE(PVC)	-	GB/T 3401 (Eqv ISO 1628-2)	57
CHLORIN CONTENG	(weight)	GB/T 7139 (Eqv ISO 1158)	67-69
CONTAMINATION	Number/100g	GB/T 9348 (Eqv ISO 1265)	<20
BULK DENSITY	g/cm ³	GB/T20022 (Eqv ISO 60)	0.60-0.75

SHANDONG GAOXIN CHEMICAL CO.,LTD

Add: Binhai zone,Weifang City,Shandong,China

Email:lily@gaoxinchemical.com Tel:86-13791640488


Packaging:

Standard bag:net weight 25kgs per bag

Small container(1*20'):16.5mts (660bags) without pallets 14mts(560bags)with pallets

Big containers(1*40'):28mts(1120bags)

Also can pack with Jumbo bag, such as 500kg/bag 700kg/bag



CPVC PIPES



CPVC FITTINGS



CPVC OTHER APPLICATIONS



CPVC Wig



CPVC Plate



CPVC Cable Sleeve



CPVC Corrugated Pipe



CPVC Valves and Fitting



SHANDONG GAOXIN CHEMICAL CO.,LTD

Add: Binhai zone,Weifang City,Shandong,China

Email:lily@gaoxinchemical.com Tel:86-13791640488



THE WAVE PLASTE



CORRUGATED BOARD



EQUIPMENT



BURIED TYPE POWDER LAYING PIPE



SHANDONG GAOXIN CHEMICAL CO.,LTD

Add: Binhai zone,Weifang City,Shandong,China

Email:lily@gaoxinchemical.com Tel:86-13791640488

