




HTLL Quotation

walt@cnhtll.cn +8613558985980 We chat:NT453128887

Model	Picture	description	MOQ	Price	Packaging
JX-148		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA (1000MA is \$0.28)	200~1000pcs	2.53	White box packaging 100pcs/carton 32.5*30.5*28.5 CM W.G.:12KG
			1000~5000pcs	2.5	
			5000+pcs	2.47	
HT-113		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA (1000MA is \$0.28 less)	200~1000pcs	3.4	White box packaging 100pcs/carton 32.5*30.5*28.5 CM W.G.:12KG
			1000~5000pcs	3.35	
			5000+pcs	3.2	
JX-931		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	100~2000pcs	0.82	White box packaging 100pcs/carton 42*27*40.5 W.G.:12.7KG
			2000~10000pcs	0.81	
			10000+pcs	0.78	
JX-9625		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	500~1000pcs	0.32	100PCS/bag 500/pcs 41*41*27 CM W.G.:12KG
			1000~5000pcs	0.3	
			5000+pcs	0.25	
JX-9628		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	500~5000pcs	0.34	100PCS/bag 500/pcs 41*41*27 CM W.G.:12KG
			5000~10000pcs	0.31	
			10000+pcs	0.28	
JX-931C		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:1000MA	100~2000pcs	2.15	White box packaging 100pcs/carton 42*27*40.5 W.G.:12.7KG
			2000~5000pcs	2.1	
			5000+pcs	2.02	

JX-126		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	100~2000pcs	0.9	52*27*38cm 200pcs/carton W.G.: 20.34kg
			2000~5000pcs	0.86	
			5000+pcs	0.84	
JX-127		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	1000~5000pcs	0.88	52*27*38cm 200pcs/carton W.G.: 20.34kg
			5000~10000pcs	0.85	
			10000+pcs	0.8	
JX-128		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:1000MA	200~2000pcs	2.02	53.5*27.5*25.5cm 366pcs/carton W.G.: 25kg
			2000~5000pcs	1.98	
			5000+pcs	1.94	
JX-129		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA	200~2000pcs	2.15	53.5*27.5*25.5cm 366pcs/carton W.G.: 25kg
			2000~5000pcs	2.08	
			5000+pcs	2.02	
JX-158		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	200~2000pcs	0.82	37*27*27.5cm 366pcs/carton W.G.: 25kg
			2000~5000pcs	0.78	
			5000+pcs	0.74	
JX-159		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A	200~2000pcs	0.8	37*27*27.5cm 366pcs/carton W.G.: 25kg
			2000~5000pcs	0.75	
			5000+pcs	0.71	

JX-160		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:1000MA	200~2000pcs	2.01	37*27*27.5cm 366pcs/carton W.G.: 27kg
			2000~5000pcs	1.98	
			5000+pcs	1.94	
JX-161		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:1000MA	200~2000pcs	2.05	37*27*27.5cm 366pcs/carton W.G.: 27kg
			2000~5000pcs	2.01	
			5000+pcs	1.98	
JX-153		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:1000MA	200~2000pcs	2.34	33.5*27*38.5cm 366pcs/carton W.G.: 25kg
			2000~5000pcs	2.3	
			5000+pcs	2.26	
JX-154		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA (1000MA is \$0.28 less)	200~2000pcs	2.34	white box 40.5*31.5*31cm 100pcs/外箱 W.G.: 14kg
			2000~5000pcs	2.32	
			5000+pcs	2.3	
JX-155		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA (1000MA is \$0.28 less)	200~2000pcs	2.83	40*34.5*38cm 224pcs/carton W.G.: 20.34kg
			2000~5000pcs	2.8	
			5000+pcs	2.75	

JX-156		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA	200~2000pcs	2.65	40*34.5*38cm 224pcs/carton W.G.: 20.34kg
			2000~5000pcs	2.61	
			5000+pcs	2.58	
JX-168		Material : ABS/PC Metal: copper Rated voltage: 110-250V Rated current: 10A USB output:2100/1000MA	200~2000pcs	3.1	33.2*30.2*32cm 366pcs/carton W.G.: 15kg
			2000~5000pcs	2.8	
			5000+pcs	2.75	