

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
1.90X002.8	P3	1.90	2.80
1.90X003.8	P4	1.90	3.80
1.90X004.8	P5	1.90	4.80
1.90X005.8	P6	1.90	5.80
1.90X006.8	P7	1.90	6.80
1.90X007.8	P8	1.90	7.80
1.90X008.8	P9	1.90	8.80
1.90X009.8	P10	1.90	9.80
2.40X009.8	P10A	2.40	9.80
2.40X010.8	P11	2.40	10.80
2.40X011	P11.2	2.40	11.00
2.40X011.8	P12	2.40	11.80
2.40X012.3	P12.5	2.40	12.30
2.40X012.8	P13	2.40	12.80
2.40X013.8	P14	2.40	13.80
2.40X014.8	P15	2.40	14.80
2.40X015.8	P16	2.40	15.80
2.40X016.8	P17	2.40	16.80
2.40X017.8	P18	2.40	17.80
2.40X018.8	P19	2.40	18.80
2.40X019.8	P20	2.40	19.80
2.40X020.8	P21	2.40	20.80
2.40X021.8	P22	2.40	21.80
3.50X021.7	P22A	3.50	21.70
3.50X022.1	P22.4	3.50	22.10
3.50X023.7	P24	3.50	23.70
3.50X024.7	P25	3.50	24.70
3.50X025.2	P25.5	3.50	25.20
3.50X025.7	P26	3.50	25.70
3.50X027.7	P28	3.50	27.70
3.50X028.7	P29	3.50	28.70
3.50X029.2	P29.5	3.50	29.20
3.50X029.7	P30	3.50	29.70
3.50X030.7	P31	3.50	30.70
3.50X031.2	P31.5	3.50	31.20
3.50X031.7	P32	3.50	31.70
3.50X032.7	P33	3.50	32.70

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
3.50X032.7	P33	3.50	32.70
3.50X033.7	P34	3.50	33.70
3.50X034.7	P35	3.50	34.70
3.50X035.2	P35.5	3.50	35.20
3.50X035.7	P36	3.50	35.70
3.50X037.7	P38	3.50	37.70
3.50X038.7	P39	3.50	38.70
3.50X039.7	P40	3.50	39.70
3.50X040.7	P41	3.50	40.70
3.50X041.7	P42	3.50	41.70
3.50X043.7	P44	3.50	43.70
3.50X044.7	P45	3.50	44.70
3.50X045.7	P46	3.50	45.70
3.50X047.7	P48	3.50	47.70
3.50X048.7	P49	3.50	48.70
3.50X049.7	P50	3.50	49.70
5.70X047.6	P48A	5.70	47.60
5.70X049.6	P50A	5.70	49.60
5.70X051.6	P52	5.70	51.60
5.70X052.6	P53	5.70	52.60
5.70X054.6	P55	5.70	54.60
5.70X055.6	P56	5.70	55.60
5.70X057.6	P58	5.70	57.60
5.70X059.6	P60	5.70	59.60
5.70X061.6	P62	5.70	61.60
5.70X062.6	P63	5.70	62.60
5.70X064.6	P65	5.70	64.60
5.70X066.6	P67	5.70	66.60
5.70X069.6	P70	5.70	69.60
5.70X070.6	P71	5.70	70.60
5.70X074.6	P75	5.70	74.60
5.70X079.6	P80	5.70	79.60
5.70X084.6	P85	5.70	84.60
5.70X089.6	P90	5.70	89.60
5.70X094.6	P95	5.70	94.60
5.70X099.6	P100	5.70	99.60
5.70X101.6	P102	5.70	101.60

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
5.70X104.6	P105	5.70	104.60
5.70X109.6	P110	5.70	109.60
5.70X111.6	P112	5.70	111.60
5.70X114.6	P115	5.70	114.60
5.70X119.6	P120	5.70	119.60
5.70X124.6	P125	5.70	124.60
5.70X129.6	P130	5.70	129.60
5.70X131.6	P132	5.70	131.60
5.70X134.6	P135	5.70	134.60
5.70X139.6	P140	5.70	139.60
5.70X144.6	P145	5.70	144.60
5.70X149.6	P150	5.70	149.60
8.40X149.5	P150A	8.40	149.50
8.40X154.5	P155	8.40	154.50
8.40X159.5	P160	8.40	159.50
8.40X164.5	P165	8.40	164.50
8.40X169.5	P170	8.40	169.50
8.40X174.5	P175	8.40	174.50
8.40X179.5	P180	8.40	179.50
8.40X184.5	P185	8.40	184.50
8.40X189.5	P190	8.40	189.50
8.40X194.5	P195	8.40	194.50
8.40X199.5	P200	8.40	199.50
8.40X204.5	P205	8.40	204.50
8.40X208.5	P209	8.40	208.50
8.40X209.5	P210	8.40	209.50
8.40X214.5	P215	8.40	214.50
8.40X219.5	P220	8.40	219.50
8.40X224.5	P225	8.40	224.50
8.40X229.5	P230	8.40	229.50
8.40X234.5	P235	8.40	234.50
8.40X239.5	P240	8.40	239.50
8.40X244.5	P245	8.40	244.50
8.40X249.5	P250	8.40	249.50
8.40X254.5	P255	8.40	254.50
8.40X259.5	P260	8.40	259.50
8.40X264.5	P265	8.40	264.50

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
8.40X269.5	P270	8.40	269.50
8.40X274.5	P275	8.40	274.50
8.40X279.5	P280	8.40	279.50
8.40X284.5	P285	8.40	284.50
8.40X289.5	P290	8.40	289.50
8.40X294.5	P295	8.40	294.50
8.40X299.5	P300	8.40	299.50
8.40X304.5	P305	8.40	304.50
8.40X309.5	P310	8.40	309.50
8.40X314.5	P315	8.40	314.50
8.40X319.5	P320	8.40	319.50
8.40X334.5	P335	8.40	334.50
8.40X339.5	P340	8.40	339.50
8.40X349.5	P350	8.40	349.50
8.40X354.5	P355	8.40	354.50
8.40X359.5	P360	8.40	359.50
8.40X374.5	P375	8.40	374.50
8.40X379.5	P380	8.40	379.50
8.40X384.5	P385	8.40	384.50
8.40X389.5	P390	8.40	389.50
8.40X399.5	P400	8.40	399.50
8.40X409.5	P410	8.40	409.50
8.40X419.5	P420	8.40	419.50
8.40X439.5	P440	8.40	439.50
8.40X449.5	P450	8.40	449.50
8.40X469.5	P470	8.40	469.50
8.40X479.5	P480	8.40	479.50

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
3.10X024.4	G25	3.10	24.40
3.10X029.4	G30	3.10	29.40
3.10X034.4	G35	3.10	34.40
3.10X039.4	G40	3.10	39.40
3.10X044.4	G45	3.10	44.40
3.10X049.4	G50	3.10	49.40
3.10X054.4	G55	3.10	54.40
3.10X059.4	G60	3.10	59.40
3.10X064.4	G65	3.10	64.40
3.10X069.4	G70	3.10	69.40
3.10X074.4	G75	3.10	74.40
3.10X079.4	G80	3.10	79.40
3.10X084.4	G85	3.10	84.40
3.10X089.4	G90	3.10	89.40
3.10X094.4	G95	3.10	94.40
3.10X099.4	G100	3.10	99.40
3.10X104.4	G105	3.10	104.40
3.10X109.4	G110	3.10	109.40
3.10X114.4	G115	3.10	114.40
3.10X119.4	G120	3.10	119.40
3.10X124.4	G125	3.10	124.40
3.10X129.4	G130	3.10	129.40
3.10X134.4	G135	3.10	134.40
3.10X139.4	G140	3.10	139.40
3.10X144.4	G145	3.10	144.40
5.70X149.3	G150	5.70	149.30
5.70X154.3	G155	5.70	154.30
5.70X159.3	G160	5.70	159.30
5.70X164.3	G165	5.70	164.30
5.70X169.3	G170	5.70	169.30
5.70X174.3	G175	5.70	174.30
5.70X179.3	G180	5.70	179.30
5.70X184.3	G185	5.70	184.30
5.70X189.3	G190	5.70	189.30
5.70X194.3	G195	5.70	194.30
5.70X199.3	G200	5.70	199.30
5.70X204.3	G205	5.70	204.30

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
5.70X209.3	G210	5.70	209.30
5.70X214.3	G215	5.70	214.30
5.70X219.3	G220	5.70	219.30
5.70X224.3	G225	5.70	224.30
5.70X229.3	G230	5.70	229.30
5.70X234.3	G235	5.70	234.30
5.70X239.3	G240	5.70	239.30
5.70X244.3	G245	5.70	244.30
5.70X249.3	G250	5.70	249.30
5.70X254.3	G255	5.70	254.30
5.70X259.3	G260	5.70	259.30
5.70X264.3	G265	5.70	264.30
5.70X269.3	G270	5.70	269.30
5.70X279.3	G280	5.70	279.30
5.70X284.3	G285	5.70	284.30
5.70X289.3	G290	5.70	289.30
5.70X299.3	G300	5.70	299.30
5.70X304.3	G305	5.70	304.30
5.70X309.3	G310	5.70	309.30
5.70X314.3	G315	5.70	314.30
5.70X319.3	G320	5.70	319.30
5.70X324.3	G325	5.70	324.30
5.70X329.3	G330	5.70	329.30
5.70X334.3	G335	5.70	334.30
5.70X339.3	G340	5.70	339.30
5.70X344.3	G345	5.70	344.30
5.70X349.3	G350	5.70	349.30
5.70X354.3	G355	5.70	354.30
5.70X359.3	G360	5.70	359.30
5.70X364.3	G365	5.70	364.30
5.70X369.3	G370	5.70	369.30
5.70X374.3	G375	5.70	374.30
5.70X379.3	G380	5.70	379.30
5.70X384.3	G385	5.70	384.30
5.70X389.3	G390	5.70	389.30
5.70X394.3	G395	5.70	394.30
5.70X399.3	G400	5.70	399.30

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
5.70X404.3	G405	5.70	404.30
5.70X409.3	G410	5.70	409.30
5.70X414.3	G415	5.70	414.30
5.70X419.3	G420	5.70	419.30
5.70X424.3	G425	5.70	424.30
5.70X429.3	G430	5.70	429.30
5.70X435.3	G435	5.70	435.30
5.70X439.3	G440	5.70	439.30
5.70X444.3	G445	5.70	444.30
5.70X449.3	G450	5.70	449.30
5.70X454.3	G455	5.70	454.30
5.70X459.3	G460	5.70	459.30
5.70X464.3	G465	5.70	464.30
5.70X469.3	G470	5.70	469.30
5.70X474.3	G475	5.70	474.30
5.70X479.3	G480	5.70	479.30
5.70X484.3	G485	5.70	484.30
5.70X489.3	G490	5.70	489.30
5.70X494.3	G495	5.70	494.30
5.70X499.3	G500	5.70	499.30
5.70X509.3	G510	5.70	509.30
5.70X519.3	G520	5.70	519.30

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART			
PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
1.50X002.5	S3	1.50	2.50
1.50X003.5	S4	1.50	3.50
1.50X004.5	S5	1.50	4.50
1.50X005.5	S6	1.50	5.50
1.50X006.5	S7	1.50	6.50
1.50X007.5	S8	1.50	7.50
1.50X008.5	S9	1.50	8.50
1.50X009.5	S10	1.50	9.50
1.50X010.7	S11.2	1.50	10.70
1.50X011.5	S12	1.50	11.50
1.50X012	S12.5	1.50	12.00
1.50X013.5	S14	1.50	13.50
1.50X014.5	S15	1.50	14.50
1.50X015.5	S16	1.50	15.50
1.50X017.5	S18	1.50	17.50
1.50X019.5	S20	1.50	19.50
1.50X021.5	S22	1.50	21.50
2.00X021.9	S22.4	2.00	21.90
2.00X023.5	S24	2.00	23.50
2.00X024.5	S25	2.00	24.50
2.00X025.5	S26	2.00	25.50
2.00X027.5	S28	2.00	27.50
2.00X028.5	S29	2.00	28.50
2.00X029.5	S30	2.00	29.50
2.00X031	S31.5	2.00	31.00
2.00X031.5	S32	2.00	31.50
2.00X033.5	S34	2.00	33.50
2.00X034.5	S35	2.00	34.50
2.00X035	S35.5	2.00	35.00
2.00X035.5	S36	2.00	35.50
2.00X037.5	S38	2.00	37.50
2.00X038.5	S39	2.00	38.50
2.00X039.5	S40	2.00	39.50
2.00X041.5	S42	2.00	41.50
2.00X043.5	S44	2.00	43.50
2.00X044.5	S45	2.00	44.50
2.00X045.5	S46	2.00	45.50

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
2.00X047.5	S48	2.00	47.5
2.00X049.5	S50	2.00	49.5
2.00X052.5	S53	2.00	52.5
2.00X054.5	S55	2.00	54.5
2.00X055.5	S56	2.00	55.5
2.00X059.5	S60	2.00	59.5
2.00X062.5	S63	2.00	62.5
2.00X064.5	S65	2.00	64.5
2.00X066.5	S67	2.00	66.5
2.00X069.5	S70	2.00	69.5
2.00X070.5	S71	2.00	70.5
2.00X074.5	S75	2.00	74.50
2.00X079.5	S80	2.00	79.50
2.00X084.5	S85	2.00	84.50
2.00X089.5	S90	2.00	89.50
2.00X094.5	S95	2.00	94.50
2.00X099.5	S100	2.00	99.50
2.00X104.5	S105	2.00	104.50
2.00X109.5	S110	2.00	109.50
2.00X111.5	S112	2.00	111.50
2.00X114.5	S115	2.00	114.50
2.00X119.5	S120	2.00	119.50
2.00X124.5	S125	2.00	124.50
2.00X129.5	S130	2.00	129.50
2.00X131.5	S132	2.00	131.50
2.00X134.5	S135	2.00	134.50
2.00X139.5	S140	2.00	139.50
2.00X144.5	S145	2.00	144.50
2.00X149.5	S150	2.00	149.50

JAPANESE INDUSTRIAL STANDARD (JIS) O-RING SIZE CHART

PART NUMBER FORMAT	JIS NUMBER	CS (MM)	ID (MM)
4.00X014.5	V15	4.00	14.50
4.00X023.5	V24	4.00	23.50
4.00X033.5	V34	4.00	33.50
4.00X039.5	V40	4.00	39.50
4.00X054.5	V55	4.00	54.50
4.00X069	V70	4.00	69.00
4.00X084	V85	4.00	84.00
4.00X099	V100	4.00	99.00
4.00X119	V120	4.00	119.00
4.00X148.5	V150	4.00	148.50
4.00X173	V175	4.00	173.00
6.00X222.5	V225	6.00	222.50
6.00X272	V275	6.00	272.00
6.00X321.5	V325	6.00	321.50
6.00X376	V380	6.00	376.00
6.00X425.5	V430	6.00	425.50
10.00X475	V480	10.00	475.00
10.00X524.5	V530	10.00	524.50
10.00X579	V585	10.00	579.00
10.00X633.5	V640	10.00	633.50
10.00X683	V690	10.00	683.00
10.00X732.5	V740	10.00	732.50
10.00X782	V790	10.00	782.00
10.00X836.5	V845	10.00	836.50
10.00X940.5	V950	10.00	940.50
10.00X1044	V1055	10.00	1044.00