



HABIN ZEPHYR TRADING CO., LTD

QLB-10(10tph) Asphalt Mixing Plant :

Item	Pic	Description	Unit
Main parts	 <p style="text-align: center;">QLB10 (10tph)</p>	Chassis (Front、 rear axle)	1set
		Burner(Oil)	1unit
		Drying drum and drive system	1unit
		Forced mixer and drive system	1unit
		Cyclone dust filter	1unit
		Aggregate elevator and weighing scale	1set
		Filler elevator and weighing scale	1set
		Bitumen Scale	1set
		Finished Silo (3t)	1unit
Control System		PLC	1set
		Control panel	1set
		Touch screen	1unit
<p>Total amount is <u>46100 USD</u> factory price.Total need one 40HQ container.</p>			
Optional			
30m3 Asphalt tank		<p>EXW price is 18300 USD Container:One 40HQ</p>	

Note:

1. Payment: we usually accept 30% by T/T as down payment and 70% by T/T before shipment.
2. Delivery: in 28 days after receipt of Down Payment.
3. Warranty terms: 12 month.
4. Erection, commissioning and training:

(1) When the user finish the preparation for the foundation, the seller can dispatch technical 1~2 personnel to assist in erection, commissioning and training. Within 20days, buyer should pay 80USD to per man per day, however, the buyer pay 100USD to per man per day during the extra time.

Email: summer@hrbzephyr.com Tel: +86-451-87002245 Fax: +86-451-87000678 Web: www.hrbzephyr.en.alibaba.com
Address:Room 501, No.209 Changjiang Road, Nangang District,Harbin city, Heilongjiang Province, China. 1 / 4



(2) Visa, Flight ticket and accommodation are at the buyer's charge.

(3) The transport fee of the technical personnel (from the manufacturer's factory to the site of erection and return) is born by the buyer. Usually, buyer should remit the amount to the seller's account before the technician start off.



Appendix I : QLB-10 Technical Specification

1. Technical parameters		
Capacity	10 tph	
Area	15m×12m	
Feeder hopper capacity	0.35m ³	
Concrete output	0.35m ³	
Aggregate size	<=50mm	
Aggregate Bins	3X2.3m ³ each, accumulative scale	
Weighting Accuracy	Aggregate	≤700kg±3%
	Filler	≤80kg±2%
	Bitumen	≤80kg±2%
Product temperature	120~165 °C, adjustable	
Total consumption	62 kW (Oil burner)	



HABIN ZEPHYR TRADING CO., LTD

Appendix II : QLB-10 Mobile Asphalt Batching Plant Supply Scope

Item	Description	Specification	Unit
1.Burner	Burner		1unit
	Blower	9-19No4A右180,	1unit
	Blower motor	Y ₂ -90L—2.2KW-2	1unit
	Main oil pump	CB-13 , 1.1kW	1set
	Triangle belt	A787	1unit
	High pressure oil pump	CB-B6 , 0.55kW	1set
	fire-resistant brick		1set
	electronic ignition system		1unit
2.Dryer	Drying drum(Ø2100mm)	16Mn alloy steel	1unit
	Big gear loop	ZG310-570	1unit
	Decelerate case	ZD150-6.3- II	1unit
	Motor	Y112M-4 4kw	1unit
	Triangle belt	B1575	4units
	Seal loop	Ø700,lynbrath seal	2units
	Roller		1set
	Limited roller		1set
3.Aggregate elevator system	trail and skip		1set
	Feeder bucket device		1unit
	Reducer	XWD4-29-3KW	1unit
	Limit switch	XCE-145	3units
4.Filler scale	Weighing hopper	80kg±2%	1unit
	screw conveyor	Ø159-3.7m-1.5kW	1unit
	Reducer	BLY15-9-1.5KW	1unit
	Sensor	TSC-300kg	1unit
	Cylinder	φ80×200	2units
5.Bitumen Scale	Weighing tank	80kg±2%	1unit
	Bitumen pump Motor	Y100L1-4, N=2.2kW	1unit
	Bitumen pump	CLB50	1unit
	Pipelines		1set
	antiflow device		1unit
	Sensor	TSC300kg★★★★	1unit
	Cylinder	80×50	1unit
6. Mixer	Mixer	1.2m ³ ,Twin-shaft type	1unit

Email: summer@hrbzephyr.com Tel: +86-451-87002245 Fax: +86-451-87000678 Web: www.hrbzephyr.en.alibaba.com
 Address:Room 501, No.209 Changjiang Road, Nangang District,Harbin city, Heilongjiang Province, China. 3 / 4



HABIN ZEPHYR TRADING CO., LTD

	Reducer	XWD8-11-15kW	1units
	Hand-operated oil pump		1sets
	Upper cover		1unit
	Cylinder	φ100×250	2units
	Waiting hopper		1unit
	Cylinder	φ80×200	1unit
7.Finished elevator system	storage bin	3t	1unit
	成品料储仓		
	trail and skip		1set
	Reducer	XWD4-29-3KW	1unit
	Cylinder	φ100×200	1unit
	Limit switch	XCE-145	3units
8.Dust collecting system	Cyclone filter	level one	1unit
	Vent	Y5-47NO5C	1unit
	Vent motor	Y ₂ -132S1-5.5kW-2	1unit
	Pipeline and chimney		1set
9.Framework	Chassis		1set
	Front、 rear axle	Front tire:825-12×2pc	1set
	Jacks(Support)	5t	6units
	Outside Staircase		1set
10. Air System	Air compressor	W-0.25/2.2kW	1set
	Pipelines		1set
	Solenoid valve		1set
	3-way connecting kits	QFLJWC-L15	3units
11. Control System	Touch screen	MPT-510L	1unit
	Control panel		1unit
	Electronic cabin		1unit
	Cable		1set
	PLC		1set