



## HABIN ZEPHYR TRADING CO., LTD

### SLB-8(8tph) Asphalt Mixing Plant

Item	Pic	Description	Unit
Main parts		Chassis (Front、 rear axle)	1set
		Burner(Oil)	1unit
		Drying drum and drive system	1unit
		Mixing drum and drive system	1unit
		Cyclone dust filter	1unit
		Aggregate elevator and weighing scale	1set
		Bitumen Scale	1set
Control System		PLC	1set
		Control panel	1set
		Touch screen	1unit
The price is <b><u>EXW 18600 USD</u></b> .			

#### Note:

1. Payment: we usually accept 50% by T/T as down payment and 50% by T/T before shipment.
2. Delivery: in 7 days after receipt of Down Payment.
3. Warranty terms: 12 month.
4. Erection, commissioning and training:  
(1) When the user finish the preparation for the foundation, the seller can dispatch technical 1 personnel to assist in erection, commissioning and training. Within 20days, buyer should pay 80USD to per man per day, however, the buyer pay 100USD to per man per day during the extra time.



## HABIN ZEPHYR TRADING CO., LTD

(2) Visa, Flight ticket and accommodation are at the buyer's charge.

(3) The transport fee of the technical personnel (from the manufacturer's factory to the site of erection and return) is born by the buyer. Usually, buyer should remit the amount to the seller's account before the technician start off.

### Appendix I : SLB-8 Technical Specification

1. Technical parameters		
Capacity	8 tph	
Feeder hopper capacity	0.3m <sup>3</sup>	
Asphalt output	0.3m <sup>3</sup>	
	Filler	≤70kg±2%
	Bitumen	≤60kg±2%
Product temperature	120~165 °C , adjustable	
Total consumption	23.7 kW (Oil burner)	
Diesel compumption	5.5-7.5kg/t	

### Appendix II : SLB-8 Mobile Asphalt Batching Plant Supply Scope

Item	Description	Specification	Unit	Remark
1. Burner	Burner		1units	Quanzhou
	Blower	9-19No4 RIG180,	1units	Fujian
	Blower motor	Y90L-2-2.2KW-2	1units	Jiangsu
	Main oil pump	GC-13 , 1.1kW	1sets	Jiangsu
	Triangle belt	A787	1units	Zhejiang



## HABIN ZEPHYR TRADING CO., LTD

	High pressure oil pump	CB-B6 , 0.55kW	1sets	Jiangsu
	fire-resistant brick	65×45×23	1sets	Quanzhou
	electronic ignition		1units	Quanzhou
2.Dryer	Drying drum	16Mn alloy steel	1units	Fujian shishi
	Big gear loop	ZG310-570	1units	Fujian nancheng
	Decelerate case	ZD150-6.3-II	1units	Jiangsu
	Motor	Y <sub>2</sub> -132S1-5.5KW-4	1units	Quanzhou
	Triangle belt	B1473	3units	Zhejiang
	Seal loop	lynbrath seal	2units	Quanzhou
3.Aggregate elevator system	trail and skip		1sets	Quanzhou
	Feeder bucket device		1units	Quanzhou
	Reducer	XWD4-29-3KW	1units	Jiangsu
	Limit switch	XCE-145	3units	Jiangsu
4.Bitumen Scale	Weighing tank	60±2%	1unit	Quanzhou
	Bitumen pump Motor	Y100L1-4,N=2.2kW	2unit	Jiangsu
	Bitumen pump	CLB50	2unit	Fujian fuzhou
	Pipelines		1set	Quanzhou
5. Drum mixer	MixerØ1200		1unit	Fujian Nan'an
	Waiting hopper		1unit	Quanzhou
	electric push pole	0.55KW	2unit	Zhejiang
6.Dust collecting	Cyclone filter	level one	1unit	Quanzhou
	Vent	Y5-47NO4C	1unit	Fujian



## HABIN ZEPHYR TRADING CO., LTD

system	Vent motor	Y112M-2, 4kW	1unit	Jiangsu
	Pipeline and chimney		1set	Quanzhou
7.Framework	Chassis		1sets	Quanzhou
	Front、 rear axle		1set	Quanzhou
	Jacks(Support)	8t	6units	Quanzhou
	Outside Staircase		1set	Quanzhou
8. Control System	Touch screen	MPT-506T	1unit	Taiwan
	Control panel		1unit	Fujian
	Electronic cabin		1unit	Quanzhou
	Cable		1set	
	PLC		1set	Mitsubishi