

Tel: +86-0769-8173 1593 Fax: +86-0769-8173 2885

#### AKP PVC Material And Locking Buckle Sleeving



AKP Buckle Sleeve is made by PVC material and locking buckle, which can be used for electric wire and cables for neatening and beautifying.



the product can be used repeatedly, and has excellent insulation effect, good flame retardancy. It's good to be used to modify the wire line and reinstall for the multi-strand wire harnesses. And easy to maintain and service.

**Product application** 

AKP buckle sleeving are widely used in the neatening and protecting electric wires and cables of distribution cabinet, computer, TV, high-speed rail, automation equipment, etc.


## **Technology parameters**

- 1, Material : PVC
- 2, Operating temperature: -15  $^\circ\!\mathrm{C}$  ~85  $^\circ\!\mathrm{C}$
- 3, Flame rating: UL94V0
- 4, Standard color: dark-gray, gray
- 5, Certification: ROHS




Tel: +86-0769-8173 1593 Fax: +86-0769-8173 2885

6, Cutting tools: scissors



# Product size chart



## **Product dimension**

Product	Inside diameter	Flattening width	Packaging
models	(mm)	(mm)	(m/roll)
AKP-012	12	60	50 M/Roll
AKP-013	19	80	50 M/Roll
AKP-025	25	100	50 M/Roll

### DONGGUAN KE YU HEAT SHRINK MATERIALS CO., LTD

#### KEYUACE MATERIALS CO., TLD



Tel: +86-0769-8173 1593 Fax: +86-0769-8173 2885

AKP-031	31	120	50 M/Roll
AKP-037	37	140	50 M/Roll
AKP-044	44	160	50 M/Roll
AKP-050	50	180	50 M/Roll
AKP-057	57	202	50 M/Roll
AKP-070	70	242	50 M/Roll
AKP-100	100	335	50 M/Roll
AKP-150	150	495	50 M/Roll

Remark:

1, inner diameter mean the diameter when sleeve is positive circle, not the fold diameters.

2, special packaging, special colors, etc, can be customized according to customer's requirements.

3, product detail parameters, please refer to our sample approved sheet.