

NLPAM Nylon Multifilament Braided Retiform Sleeve

Description




Multifilament Nylon braided retiform sleeving is weave by a lot of root nylon yarn densely, it has high abrasion resistance, good corrosion resistance, excellent flexibility, reducing machine noise and other function.

Product application

Products are widely used in automotive wiring harness, ships' wiring harness, war industry wiring harness, Marine wiring harness, hose and other industries to provide lasting protection.



Product size drawing:



Technical parameters:

- 1, Material quality: Nylon
- 2, Working temperature: - 60 °C to + 125 °C
- 3, Melting point: 220 ± 10°C
- 4, Level of flame retardant: VW - 1
- 4, Standard color: black, gray, color
- 6, Certification: comply with ROHS
- 7, Cutting tools: keen knife

Product dimension

Part NO.	Lay flat(W)		Bundle DIA		Packaging(L)
	Inch	MM	Min.(mm)	Max.(mm)	
NLPA 003	1/8"	3	2	4	350m/roll
NLPA 006	1/4"	6	4	7	350m/roll
NLPA 008	5/16"	8	5	9	350m/roll
NLPA 010	3/8"	10	6	11	350m/roll
NLPA 012	1/2"	12	8	13	300m/roll
NLPA 016	5/8"	16	10	17	250m/roll
NLPA 019	3/4"	19	12	20	200m/roll
NLPA 023	29/32"	23	15	24	200m/roll

NLPA 025	1"	25	16	26	200m/roll
NLPA 032	1-1/4"	32	20	33	150m/roll
NLPA 038	1-1/2"	38	24	39	100m/roll
NLPA 050	2"	50	32	51	100m/roll
NLPA 064	2-1/2"	64	40	64	100m/roll

Remark:

- 1, inner diameter is the diameter when the sleeving is roundness, not the lay plat width.
- 2, special packaging, special color, etc, can be customized according to customer's requirements.
- 3, product detail parameters, please refer to our approval sample sheet.
- 4, Net sleeving has scalability, the lay flat width tolerance is quite big.

KEYUACE



High-quality in China 

sales@keyuace.com