




创新彩光电

Shenzhen Color Optoelectronics provides LED display solutions; focusing on LED display design, R&D, production and sales.



Nothing can stop your pursuit of innovation

High-end 500X500A Die Cast Aluminum Leasing Series




	Pitch	LED Standard	Density	Brightness	Moudule Size	Cabinet size	Driving method	Rate
Indoor	P2.97	SMD1515	112607	≥900CD	250*250	500*500	1/28	≥1800HZ
	P3.91	SMD2121	65410	≥1000CD	250*250	500*500	1/16	≥1920HZ
outdoor	P3.91	SMD1921	65410	≥4500CD	250*250	500*500	1/16	≥1920HZ
	P4.81	SMD2727	43222	≥4500CD	250*250	500*500	1/13	≥1920HZ

500X500 B and 500X1000 renting screen for die casting aluminum cabinet



The inner part of the cabinet body is made of gold plated pin, no row connection, which ensures the stability of the product. The cabinet can be equipped with angle adjuster, and the curve LED display screen is assembled.







Technical parameters of product

	Pitch	LED Standard	Density	Brightness	Moudule Size (mm)	Cabinet size (mm)	Driving method	Rate
Indoor	P2.97	SMD1515	112607	≥900cd	250*250	500*500/500*1000	1/28	≥1800 HZ
	P3.91	SMD2121	65410	≥1000cd	250*250	500*500/500*1000	1/16	≥1920 HZ
	P4.81	SMD2121	43222	≥1000cd	250*250	500*500/500*1000	1/13	≥1920 HZ
	P6.25	SMD3528	15625	≥1000cd	250*250	500*500/500*1000	1/10	≥1920 HZ
Outdoor	P3.91	SMD1921	65410	≥4500cd	250*250	500*500/500*1000	1/16	≥1920 HZ
	P4.81	SMD2727	43222	≥4500cd	250*250	500*500/500*1000	1/13	≥1920 HZ
	P5.95	SMD2727	28246	≥4000cd	250*250	500*500/500*1000	1/14	≥1920 HZ

Dance floor LED screen





Floor/Dance led screen series parameters

	Pitch	LED Standard	Density	Brightness	Moudule Size	Cabinet size	Driving method	Rate
Indoor	P3.91	SMD2121	65410	≥1000CD	250*250	500*500	1/16	≥1920HZ
	P4.81	SMD2121	43222	≥1000CD	250*250	500*500	1/16	≥1920HZ
	P6.25	SMD3528	15625	≥1200CD	250*250	500*500	1/10	≥1920HZ
outdoor	P4.81	SMD2727	43222	≥4500CD	250*250	500*500	1/13	≥1920HZ
	P5.95	SMD2727	43222	≥4000CD	250*250	500*500	1/14	≥1920HZ




480/512/576/640 Die Cast Aluminum Stage Rental Product Series



	Indoor					Outdoor					
Pitch	P2	P2.5	P3	P4	P5	P3	P4	P5	p6	P8	p10
LED Standard	1515	2121	2121	2121	2121	1921	1921	2727	3535	3535	3535
Density	250000	160000	111111	62500	40000	111111	62500	40000	27777	15625	10000
Brightness	800cd	900cd	1000cd	1000cd	1000cd	4500cd	6000cd	6000cd	5500cd	6000cd	5000cd
Moudule Size	256*128	160*160	192*192	256*128	320*160	192*192	256*128	320*160	192*192	320*160	320*160
Cabinet size	512*512	480*480	576*576	512*512	640*640	576*576	512*512	640*640	576*576	640*640	640*640
Driving method	1/64	1/32	1/32	1/16	1/16	1/16	1/8	1/8	1/8	1/5	1/4
Rate	1200hz	1200hz	1200hz	1920hz	1920hz	1200hz	1920hz	1920hz	1200hz	1200hz	1200hz


LED carbon fiber cabinet series products



	Pitch	LED Standard	Density	Brightness	Moudule Size	Cabinet size	weight(KG)	Rate
Indoor	P2	SMD1515	250000	≥800CD	256*128	512*512	4.5	≥1000HZ
	P2.5	SMD2121	160000	≥900CD	160*160	480*480	4.3	≥1200HZ
	p3	SMD2121	111111	≥900CD	192*192	576*576	4.9	≥1200HZ
	P4	SMD2121	62500	≥1000CD	256*128	512*512	4.5	≥1920HZ

The cabinet uses nano materials, Particularly light and thin, The cabinet can be maintained before, can do a variety of modeling effects

LED transparent screen series




Pitch	LED Standard	Density	Brightness	Moudule Size	Cabinet size	SCAN	Rate
P3.91-7.81	SMD1921	32768	≥2500CD	250*250	1000*500	1/16	≥1000HZ
P7.81-7.81	SMD2525	16384	≥3000CD	250*250	1000*500	1/8	≥1200HZ
P10.4-10.4	SMD3535	111111	≥3000CD	192*192	1000*500	1/4	≥1200HZ

LED high-definition small pitch product series



Pitch	LED Standard	Density	Brightness	Moudule Size	Cabinet size	SCAN	Rate
P1.923	SMD1515	270421	≥800CD	200*150	400*300	1/26	≥1920HZ
P1.875	SMD1515	284444	≥800CD	240*240	480*480	1/32	≥1920HZ
P1.56	SMD1010	409600	≥600CD	200*150	400*300	1/32	≥1920HZ
P1.25	SMD0808	640000	≥600CD	200*150	400*300	1/30	≥1920HZ

LED mirror screen product series



Pitch	LED Standard	Density	Moudule Size	Moudule Size	Screen Size	Frame Size	Materials	Weight(KG)
P2	SMD1515	250000	256*128	250*250	512*1920	590.4*1998.4*67.2	Aluminum frame	13.5
P2.5	SMD2121	160000	160*160	250*250	640*1920	718.4*1998.4*67.2	Aluminum frame	17.5
P3	SMD2121	111111	192*192	192*192	576*1920	654.4*1998.4*67.2	Aluminum frame	19

LED globe screen product series



P4					
diameter	0.8m	1m	1.2m	1.5m	2m
Sphere area	2 m ²	3.14 m ²	4.52 m ²	7.06 m ²	12.56 m ²
Unit Price(USD)	3800.00	3700.00	3700.00	3600.00	3600.00
Total(USD)	7600.00	11618.00	16724.00	25416.00	45216.00

Note: This price includes control system, Pre maintenance

Function: Rotatable

Delivery:45 days

P5		
diameter	1m	1.5m
Sphere area	3.14 m ²	7.06 m ²
Unit Price(USD)	3550.00	3500.00
Total(USD)	11147.00	24710.00

Note: This price includes control system, Pre maintenance

Function: Rotatable

Delivery:45 days



THANKS