



XCD

METAL PROCESSOR FOR THE WORLD

QINGDAO XIANGCHENGDA MACHINE


Qingdao Xiangchengda machine Co.,ltd . we are founding in 2008 . the factory have created in 1999, it have many years history in metal process . Base on our company equipment ,technician ,now we have 2 serial of product : hydraulic pneumatic fitting and rigging hardware . the factory have supplied for deep sea engineering and get high appraising by the customer .

we are a professional manufacturer & exporter of , compressor fitting ,hydraulic hose, hydraulic fittings, hydraulic adapters, hose crimping machine and other related products in China. We also produce and trade in rigging hardware such as :shackle ,turnbukle, hook,Thimbles and else .

"Quality, Speed, Credit" is our company guide line. With stable quality, timely delivery and competitive prices, our products are widely used in construction machinery, coal mining and power transmission industry, oil exploration, forging metallurgy, ships, agricultural machinery and various machines tools.

We sincerely welcome friends from all over the world to visit us and cooperate with us!

软管总成订货代号 How To Order Hose Assembly




如上图示，液压软管总成由软管、接头1、接头2、套筒扣压而成。接头1与接头2可以相同，也可以不同，可以是直芯也可以是弯芯，弹簧护套可以不用。

As the above fig, the hydraulic hose assembly consists of hose, fitting1, fitting2 and ferrule. The fitting1 maybe the same or different as the fitting2. They can be straight or elbow. The spring guard may not be used.

软管总成的订货代号按下述方法表示：

Hose Assembly Part Number:



订货示例 1: 22641-08-08/22691-12-08X1T08X1000V90/SSX+RS;

当无装配角、自然弯曲方向或弹簧护套时，则代号中这些内容可省去不写。

订货示例 2: 当接头1与接头2相同时，只标一个接头的代号。

22691-08-08X1T08X1000V90



















Example 1: 22641-08-08/22691-12-08X1T08X1000V90/SSX+RS;

Without displacement angle, natural bending direction or spring guard, these part number may be omitted.

Example 2: The assembly with two fittings of the same part number is called out with only one fitting part number.







































22691-08-08X1T08X1000V90

接头目录 Fitting Index

扣压式软管接头 Swaged Hose Fitting	套筒 Ferrule	 00110-A P10	 00110 P10	 03310 P11	 00210 P11	 00400 P12	 00401 P12	
	公制螺纹 平面密封 Flat Seal	 20241, 20242 P13	 20211, 20212 P14	 20291, 20292 P15				
	公制螺纹74° 锥密封 74° Cone Seal	 20711, 20712 P16	 20741, 20742 P17	 20791, 20792 P17				
	公制螺纹24° 锥密封轻系列 24° Cone O-Ring Seal L.T.	 10411, 10412 P18	 20411, 20412 P19	 20441, 20442 P20	 20491, 20492 P21			
	公制螺纹24° 锥密封重系列 24° Cone O-Ring Seal H.T.	 10511, 10512 P22	 20511, 20512 P23	 20541, 20542 P24	 20591, 20592 P25			
	英锥管螺纹 BSPT	 13011-SP, 13012-SP P26						
	英管螺纹 球面密封 BSP Multiseal	 22111, 22112 P27	 22141, 22142 P28	 22191, 22192 P29				
	英管螺纹 60° 锥面密封 BSP60° Cone Seal	 22611, 22612 P30	 22641, 22642 P31	 22691, 22692 P32				
	美制锥螺纹 NPT	 15611, 15612 P33						
	美制JIC螺纹 74° 锥密封 JIC 74° Cone Seal	 16711, 16712 P34	 26711, 26712 P35	 26741, 26742 P36	 26791, 26792 P37			
	SAE法兰式 轻系列 SAE Flange L.T.	 87311, 87312 P38	 87341, 87342 P39	 FL P39	 87391, 87392 P40			
	SAE法兰式 重系列 SAE Flange H.T.	 87611, 87612 P41	 87641, 87642 P41	 87691, 87692 P42	 FS P42			


























公制螺纹卡套接头 METRIC THREAD BITE TYPE TUBE FITTINGS

公制螺纹卡套接头 Metric Thread Bite Type Tube Fittings

 1C, 1D P52	 1C9, 1D9 P53	 AC, AD P54	 2C, 2D P55/56	 2C9, 2D9 P58	 BC, BD P59
 CC, CD P60	 3C, 3D P61	 4C, 4D P62	 9C, 9D P63	 6C, 6D P64	 6C9, 6D9 P65
 1CN, 1DN P66	 1CN9, 1DN9 P67	 1CT-SP, 1DT-SP P68	 1CT9-SP, 1DT9-SP P69	 1CH, 1DH P70/71	 1CH9-OG, 1DH9-OG P72
 ACCH-OG, ADDH-OG P73	 1CG, 1DG P74	 1CG9-OG, 1DG9-OG P75	 ACCG-OG, ADDG-OG P76	 1CO9-OG, 1DO9-OG P77	 ACCO-OG, ADDO-OG P78
 1CO, 1DO P79	 1CB-WD, 1DB-WD P80	 2BC-WD, 2BD-WD P81	 1CM-WD, 1DM-WD P82	 2MC-WD, 2MD-WD P83	 1CJ, 1DJ P84
 1CW, 1DW P85	 2GC, 2GD P86	 1CI, 1DI P87	 NL, NS P88	 RL-S, RS-S P89	 700M P90
 1CFL, 1DFS P90	 1CFL9, 1DFS9 P91				
























英制管螺纹锥面密封接头 BSP THREAD FITTINGS

英管螺纹60° 锥面密封接头 BSP Thread 60° Cone Fittings

 1B P103	 1B9 P104	 AB P105	 2B P106	 2B4 P107	 BB P107
 CB P108	 9B P108	 6B P109	 6B9 P109	 1BT-SP P110	 1BT4-SP P111
 1BT9-SP P112	 1BG P113	 1BG4-OG P114	 1BG9-OG P114	 1BH P115	 1BH4-OG P116
 1BH9-OG P117	 1BO P118	 1B-WD P119	 4BN-WD P120	 4B-WD P120	 7B9-PK P121
 GB-PK P121					

美制螺纹 74° 锥面扩口接头 JIC 74° CONE FLARED TUBE FITTINGS

美制螺纹74° 锥面扩口接头 JIC 74° Cone Flared Tube Fittings

 1J P137	 1J4 P138	 1J9 P139	 AJ P140	 2J P141	 2J9 P142
 4J P143	 5JT P144	 1JT-SP P145	 1JT4-SP P146	 1JT9-SP P147	 1JO P148
 AJOJ-OG P149	 1JO4-OG P150	 1JO9-OG P151	 1JG P152	 1JG4-OG P153	 1JG9-OG P154
 AJGJ-OG P155	 1JB-WD P156	 NB200 P157	 NB300 P158	 NB500 P158	

Contents



Straight Male Double Taper Thread Adaptor



Bulkhead BSP Parallel Thread With Nut Fitting



Tailpiece Adaptor For Rubber Hose Male BSPT Thread



Compressor Female BSP Taper Thread Elbow Fitting



Male BSPT Stud Elbow Female BSPP Connector



Brass Female BSPP Thread Tee Junction Fittings



Brass Male BSPT To Female NPT Adaptor



Internal Hexagon Head Male BSPT NPT Thread Plug



Square Headed BSPT Thread Plug



Brass Female BSPP Cross Accessory Fitting

Straight Fittings

Unions



Union,
Reducing Union,



Bulkhead Union
and Bulkhead
Reducing
Union,

Male Connectors



NPT,
ISO/BSP Tapered
Thread (RT),
ISO/BSP Parallel
Thread (RS),
ISO/BSP Parallel
Thread (RP),



Bulkhead
NPT,



SAE/MS
Straight Thread
(ST) and Long
SAE/MS Straight
Thread (ST),



O-Seal (SAE/MS
Straight Thread
and NPT),



AN and
AN Bulkhead
Fitting,



10-32 Thread,
M5 x 0.8 Thread,
and Metric
Thread (RS),

Weld Connectors



Tube Socket,



Male Pipe,

Female Connectors



NPT,
ISO/BSP Tapered
Thread (RT),
ISO/BSP Parallel
Thread (RJ and
RP),
ISO/BSP Parallel
Thread (RG,
Gauge), 25



Bulkhead
NPT,

Reducers



Reducer,
Long Reducer,



Bulkhead
Reducer,

Port Connectors



Port Connector
and Reducing
Port Connector,

Contents

Caps and Plugs



Vent Protectors



90° Elbows

Unions



Male



Weld



Female



45° Elbows

Male




Tees

Unions



Male



Female



Cross



Application-Specific Fittings





Bored-Through Fittings

For thermocouples, dip tubes, and heat exchanger tees,

Tube Adapters

Tube Adapter Information,

Male



Qingdao Xiangchengda machine Co.,Ltd

Address : Chengyang ,Qingdao , China

Tell : +86 150 5421 5361

Web : www.xiangchengda.com

F-mail : kendyxcd@gmail.com

Kendy_lee@163.com