



- * Using the high performance sensor, image is clear and delicate;
- * Support IR-CUT dual filter switch, to achieve day and night monitoring, color is not partial and distortion;
- * AHD/TVI/CVI/1200TVL 4 in 1 video output;
- * can access to many brands HD DVR;
- * Support the ultra low illumination;
- * Support automatic electronic shutter function, adapt to different monitoring environment;
- * 50m night vision distance, 2pcs 4rd Generation (Lattice type) Array LED, DC12V
- * Metal, Waterproof IP66

Specification

| | |
|---------------------------|---|
| Product Name | CCTV 3.0MP HD Video Security Surveillance IR Bullet AHD Camera |
| Model No. | WDM-AHD6103V |
| Video | |
| Sensor | V30E+AR0330 |
| Output resolution | 3.0MP(2048x1536) |
| D/N Mode | IR cut Auto switching |
| Minimum Illumination | 0.000LUX/F1.2(Led on) |
| Effective Pixel | PAL: (2048x1536)@25fps |
| | NTSC: (2048x1536)@30fps |
| Signal System | PAL/NTSC |
| Video Standard | AHD/TVI/CVI/CVBS standard |
| Video Output | 1CH AHD/TVI/CVI/CVBS standard Standard Singal Output(Switchable) |
| Max Transmission Distance | Common 75-3 cables can be up to 500m |
| Lens and IR | |
| Lens | 4/6/8mm fixed iris lens |
| IR distance | 50m night vision distance, 2pcs 4rd Generation (Lattice type) Array LED |
| Function | |
| Shutter Speed | 4/25s-1/45,000s |
| BLC | Off/Low/Medium/High/Highest |
| White Balance | Auto White Balance |
| HLC | Support |
| Operation Temperature | -10°C~55°C |
| Power Supply | DC12V |