



**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**

**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:**0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

## Quotation List

**Seller:** HARBIN QIAN FAN XI FENG MACHINERY CO.LTD **Buyer:**

**Date:** **Client code:** **Valid time:** 30 days

**GMF series steam high pressure washers, mobile, single / three phase**

**Features :**

- 1. Industrial lubricated ceramic piston pump, wrought copper head, pressure stepless adjustment, imported seals, high reliability, long life;**
- 2. With advanced helical ultra-long alloy pipeline design, high heating efficiency and long service life, ensure a continuous supply of high-temperature steam;**
- 3. With over-pressure protection, lack of water protection, close gun ,heating stopped, open gun, heating recover, anti-dry function;**
- 4. Adjustable intelligent temperature control, with overheating, overload and electricity leakage protection design to ensure the safety of users;**
- 5. Steam / hot water modular design, improve the cleaning strength, suitable for a variety of conditions using;**



**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**

**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:** 0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

**6. Stainless steel shockproof pressure gauge, precision water filtration;**

**7. The metal frame gantry structure design, surface plastic spray, simple operation, easy maintenance;**

**8. Industrial design, durable, stainless steel heating apparatus;**

**9. The pneumatic wheels and heavy-duty casters with brakes, easy to move;**

**10. A unique transmission design, high installation precision of pump and motor , the pump is running with low vibration, low temperature, low noise.**

**Steam high pressure washer can jet 185 °C high pressure steam to dissolve any stubborn grease; high pressure steam can be cut into small cracks, peel, remove the residue, low water consumption, low electricity consumption, oil and other intractable problem can be easily solved.**

### **Application**

**1. oil drilling company rigs, clean drilling rigs and other drilling equipment, remove oil plant wellhead heavy oil;**

**2. Clean asphalt paver, asphalt concrete trucks and other construction vehicles;**

**3. thaw pipes in cold areas, maintenance of equipment before winter maintenance;**

**4. Before the engine, transmission and other maintenance dried grease removal;**

**5. Clean the outer surface of the need to be dried quickly spare parts.**



# SHANDONG WAMIT CNC TECHNOLOGY CO.LTD

## International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:**0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

GMF1.75/6 Instructions			
<p><b>A</b></p> <p><b>STEAM/HOT/ COLD WATER HIGH PRESSURE CLEANER</b></p>		1. steam flow rate: 108L/H	<p>Accessories:</p> <p>1. 10 m high pressure output pipe, 1pcs</p> <p>2. HP NOZZLE (0,15.25.40 DEGREE), 1 SET</p> <p>3. 10M input water pipe. 1pcs</p> <p>4. high pressure gun, 1 set</p> <p>5. High pressure rotating nozzle, 1 pcs</p>
		2.Steam pressure:17.5bar	
		3.Steam Temperature:145-185 degree	
		4.motor: 2.5kw	
		5.90℃ hot water pressure Mpa/bar: 100bar	
		6. Hot water flow rate: 360L/H	
		7. Heater method:diesel heating	
		8. <b>Weight: 145kg</b>	
		9.Power: 220V/50HZ	
		10.Automatic shutdown	



# SHANDONG WAMIT CNC TECHNOLOGY CO.LTD

## International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3


**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:**0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

		11.Dimension: 1100*740*930MM	<b>FOB SHANGHAI USD 3500/SET</b>
--	--	---------------------------------	----------------------------------

### GMF1.75/9 Instructions

<p><b>B</b> <b>STEAM/HOT/ COLD WATER HIGH PRESSURE CLEANER</b></p>		1. steam flow rate: 108L/H	<p><b>Accessories:</b> 1. 10 m high pressure output pipe, 1pcs 9. HP NOZZLE (0,15.25.40 DEGREE), 1 SET 10. 10M input water pipe. 1pcs 11. high pressure gun, 1 set 12. High pressure rotating nozzle, 1 pcs</p>
		2.Steam pressure:17.5bar	
		3.Steam Temperature:145-185 degree	
		4.motor: 3kw	
		5.90℃ hot water pressure Mpa/bar: 130bar	
		6.Hot water flow rate: 540L/H	
		7.Heater method:diesel heating	
		<b>8.Weight: 156kg</b>	
		9.Power: 380V/50HZ	



# SHANDONG WAMIT CNC TECHNOLOGY CO.LTD

## International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3


**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:**0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

		10. Automatic shutdown	
		11. Dimension: 1100*740*930MM	<b>FOB SHANGHAI USD 3700/SET</b>

### GMF1.75/11 Instructions

<p><b>C</b> <b>STEAM/HOT/ COLD WATER HIGH PRESSURE CLEANER</b></p>		1. steam flow rate: 120L/H	<p><b>Accessories:</b> 1. 10 m high pressure output pipe, 1pcs 13. HP NOZZLE (0,15.25.40 DEGREE), 1 SET 14. 10M input water pipe. 1pcs 15. high pressure gun, 1 set 16. High pressure rotating nozzle, 1 pcs</p>
		2. Steam pressure: 17.5bar	
		3. Steam Temperature: 145-185 degree	
		4. motor: 3kw	
		5. 90°C hot water pressure Mpa/bar: 170bar	
		6. Hot water flow rate: 660L/H	
		7. Heater method: diesel heating	
		8. Weight: 168kg	



## SHANDONG WAMIT CNC TECHNOLOGY CO.LTD

### International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:**0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

		9.Power: 380V/50HZ	
		10.Automatic shutdown	
		11.Dimension: 1100*740*930MM	<b>FOB SHANGHAI USD 4000/SET</b>

<b>Price and delivery terms</b>	
Quantity Terms	1 set
Payment Terms	50% T/T as deposit, 50%TT before delivery.
Quality Terms	The whole set of machine is guaranteed for one year
Delivery Time Terms	time of delivery is 20 days after receipt of payment.
Brand's Terms	Use the factory's own brand



## SHANDONG WAMIT CNC TECHNOLOGY CO.LTD

### International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:** 0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](https://www.facebook.com/waterjetcuttingsystems)

#### ADVANTAGES:

1. Italy imported RIELLO brand heater. Temperature limit switch, lack of oil alarm. Germany imported seals, can make the machine longer time working.





**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**

**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA


**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:**0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

2. Multiple protection against dry burning, Ultra-low energy consumption, that is, open heat, cold water instantly turns hot water, all stainless steel heating coils, prolong the life of heating pipelines. lacks water protection, shuts off guns and stops heating.







**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**

**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:** 0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

3. Directly connected with high-performance 4-stage motor, low noise, low vibration, simple operation panel, hot water cold water mode can be changed at any time.





**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**

**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:** 0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](http://www.facebook.com/waterjetcuttingsystems)

#### 4. Other details





**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**

**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

**Address:** No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

**Mobile:** 86-18945047060, **skype:** shuangtai3

**Email:** sale@waterjetwamit.com, lgmmachinery@foxmail.com

**Website:** [www.machinery.net](http://www.machinery.net), [www.waterjetwamit.com](http://www.waterjetwamit.com) **WECHAT:** dergirl, **whatsapp:** 0086-18945047060

**Facebook:** [www.facebook.com/waterjetcuttingsystems](https://www.facebook.com/waterjetcuttingsystems)

