

**SHANDONG WAMIT CNC TECHNOLOGY CO.LTD**  
**International branch: HARBIN QIAN FAN XI FENG MACHINERY CO.LTD**

Address: No.1341 of KECHUANG ROAD, GAOXIN DISTRICT, JINAN CITY, CHINA

Mobile: 86-18945047060, skype: shuangtai3

Email:sale@waterjetwamit.com, lgmmachinery@foxmail.com

Website: www.machinery.net, www.waterjetwamit.com WECHAT: dergirl, whatsapp:0086-18945047060

Facebook: www.facebook.com/waterjetcuttingsystems

If the washer with E-START the price will be add USD65 every unit.  
 if you only need 1 set, we can also provide





Photo	Item NO.	Description			Carton Size	G.W./N.W.	FOB SHANGHAI
	CA-GW01	Pump	Pump Type	Axial Pump	47×37×50CM MOQ: 10 SETS	21/18KG	\$190.00
			Rated pressure	9Mpa(1300PSI)			
			Flow Rated	7L/min(1.85gpm)			
			Max Pressure	13Mpa(1900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Starting System	Recoil			
			Displacement	81cc			
			Max Output	2.4HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	1.6L			
			Oil Volum	0.37L			
		Fuel Type	Unleaded Gasoline				
		Ambient	0℃-60℃				
Certificate:CE,GS							
Accessory* 5m pressure hose with quick connects; * Performance-proven OHV engines with low-oil protection * Professional-grade insulated trigger gun with safety lock-off * Pneumatic tires with tubes * One-year limited parts and labor warranty * Low and high pressure detergent injection							


Photo	Item NO.	Description			Carton Size	G.W./N.W.	FOB SHANGHAI
		Pump	Pump Type	Axial Pump			
			Rated Pressure	9Mpa(1300PSI)			
			Flow Rated	7L/min(1.85GPM)			
			Max Pressure	13Mpa(1900PSI)			

	CA-GW02	Engine	Engine Type	OHV 4-strok	51.5×42×56CM MOQ: 10 SETS	21/18KG	\$196.00
			Starting System	Recoil			
			Displacement	814cc			
			Max Output	2.4HP/3600RPM			
			Engine Speed	3600PRM			
			Fuel Volum	1.6L			
			Oil Volum	0.37L			
			Fuel Type	Unleaded Gasoline			
Certificate:CE,GS	Ambient	0℃-60℃					

Accessory \*5m pressure hose with quick connets  
 \*Performance-proven OHV engines with low-oil protection  
 \*Professional-grade insulated trigger gun with safety lock-off  
 \*Pneumatic tires with tubes  
 \*Quick-connect nozzles(0°,15°40°,Detergent)  
 \*One-year limited parts and labor warranty  
 \*Low and high pressure detergent injection

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW02-1	Pump	Pump Type	Axial Pump	51.5×42×56CM MOQ: 10 SETS	21/18KG	\$195.00
			Rated Pressure	9Mpa(1300PSI)			
			Flow Rated	7L/min(1.85GPM)			
			Max Pressure	13Mpa(1900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Starting System	Recoil			
			Displacement	814cc			
			Max Output	2.4HP/3600RPM			
			Engine Speed	3600PRM			
			Fuel Volum	1.6L			
			Oil Volum	0.37L			
			Fuel Type	Unleaded Gasoline			
Certificate:CE,GS		Ambient	0℃-60℃				

Accessory \*5m pressure hose with quick connets  
 \*Performance-proven OHV engines with low-oil protection  
 \*Professional-grade insulated trigger gun with safety lock-off  
 \*Pneumatic tires with tubes  
 \*Quick-connect nozzles(0°,15°40°,Detergent)  
 \*One-year limited parts and labor warranty  
 \*Low and high pressure detergent injection

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI
		Pump	Pump Type	Axial Pump		
			Rated Pressure	10Mpa(1450PSI)		
			Flow Rated	7L/min(1.85GPM)		
			Max Pressure	14Mpa(2030PSI)		


	CA-GW03	Engine	Engine Type	OHV 4-strok	51×42.5×50CM MOQ: 10 SETS	27/25KG	\$202.00
			Staring System	Recoil			
			Displacement	118CC			
			Max Output	4.0HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	2.5L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				
Certificate:CE,GS							
Accesson	*5m pressure hose with quick connets *Performance-proven OHV engines with low-oil protection *Professional-grade insulated trigger gun with safety lock-off *Pneumatic tires with tubes *One-year limited parts and labor warranty *Low and high pressure detergent injection						



Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW04	Pump	Pump Type	Axial Pump	55×45.5×51CM MOQ: 10 SETS	27/25KG	\$204.00
			Rated Pressure	13.5Mpa(2000PSI)			
			Flow Rated	8L/min(2.13GPM)			
			Max Pressure	19Mpa(2800PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	118CC			
			Max Output	4.0HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	2.5L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
			Ambient	0℃-60℃			
Certificate:CE,GS							
Accesson	*5m pressure hose with quick connets *Performance-proven OHV engines with low-oil protection *Professional-grade insulated trigger gun with safety lock-off *Pneumatic tires with tubes *Quick-connect nozzles(0°, 15°40°,Detergent) *One-year limited parts and labor warranty *Low and high pressure detergent injection						

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI
		Pump	Pump Type	Axial Pump		
			Rated Pressure	15Mpa(2200PSI)		
			Flow Rated	10L/min(2.65GPM)		
			Max Pressure	20Mpa(2900PSI)		




CA-GW05	Engine	Engine Type	OHV 4-strok	62×50×56CM MOQ: 10 SETS	37/35KG	\$235.00
		Starting System	Recoil			
		Displacement	163CC			
		Max Output	5.5HP/3600RPM			
		Engine Speed	3600RPM			
		Fuel Volum	3.6L			
		Oil Volum	0.6L			
		Fuel Type	Unleaded Gasoline			
	Ambient	0°C-60°C				

Certificate:CE,GS

Accessories

- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°, 15° 40°, Detergent)
- \*One-year limited parts and labor warranty
- \*Low and high pressure detergent injection
- \*Brass unloader valve


Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW05-1	Pump	Pump Type	Axial Pump	62×50×56CM MOQ: 10 SETS	37/35KG	\$256.00
			Rated Pressure	15Mpa(2200PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	20Mpa(2900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	163CC			
			Max Output	5.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				

Certificate:CE,GS

Accessories


- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°, 15° 40°, Detergent)
- \*One-year limited parts and labor warranty
- \*Low and high pressure detergent injection
- \*Brass unloader valve
- \*Pump can be sucked water by itself

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI
		Pump	Pump Type	Axial Pump		
			Rated Pressure	15Mpa(2200PSI)		
			Flow Rated	10L/min(2.65GPM)		
			Max Pressure	20Mpa(2900PSI)		

	CA-GW05-2	Engine	Engine Type	OHV 4-strok	62×50×56CM MOQ: 10 SETS	37/35KG	\$235.00
			Staring System	Recoil			
			Displacement	163CC			
			Max Output	5.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Certificate:CE,GS	Ambient	0℃-60℃			

Certificate:CE,GS


Accessories	<ul style="list-style-type: none"> <li>*5m pressure hose with quick connets</li> <li>*Performance-proven OHV engines with low-oil protection</li> <li>*Professional-grade insulated trigger gun with safety lock-off</li> <li>*Pneumatic tires with tubes</li> <li>*Quick-connect nozzles(0°,15°40°,Detergent)</li> <li>*One-year limited parts and labor warranty</li> <li>*Low and high pressure detergent injection</li> <li>*Brass unloader valve</li> </ul>						
-------------	--	--	--	--	--	--	--

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW05-3	Pump	Pump Type	Axial Pump	62×50×56CM MOQ: 10 SETS	37/35KG	\$271.00
			Rated Pressure	15Mpa(2200PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	20Mpa(2900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	163CC			
			Max Output	5.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
Ambient	0℃-60℃						


Certificate:CE,GS

Certificate:CE,GS


Accessories	<ul style="list-style-type: none"> <li>*5m pressure hose with quick connets</li> <li>*Performance-proven OHV engines with low-oil protection</li> <li>*Professional-grade insulated trigger gun with safety lock-off</li> <li>*Pneumatic tires with tubes</li> <li>*Quick-connect nozzles(0°,15°40°,Detergent)</li> <li>*One-year limited parts and labor warranty</li> <li>*Low and high pressure detergent injection</li> <li>*Brass unloader valve</li> <li>*Pump can be sucked water by itself, *A detergent injection pot</li> </ul>						
-------------	---	--	--	--	--	--	--

Photo	Item NO.	Description			Carton Size	G.W./N.W	FOB SHANGHAI
		Pump	Pump Type	Axial Pump			
			Rated Pressure	15Mpa(2200PSI)			
			Flow Rated	10L/min(2.65GPM)			




	A-GW05-20	Engine	Max Pressure	20Mpa(2900PSI)	59×42×47.5CM MOQ: 10 SETS	43/41KG	\$235.00
			Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	163CC			
			Max Output	5.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
	Certificate:CE,GS		Ambient	0℃-60℃			

Accessory	*5m pressure hose with quick connets *Performance-proven OHV engines with low-oil protection *Professional-grade insulated trigger gun with safety lock-off *Pneumatic tires with tubes *Quick-connect nozzles(0°,15°40°,Detergent) *Brass unloader valve *One-year limited parts and labor warranty *Low and high pressure detergent injection						
-----------	--	--	--	--	--	--	--

Photo	Item NO.	Description			Carton Size	G.W./N.W	FOB SHANGHAI
	CA-GW06	Pump	Pump Type	Axial Pump	61.5×41.5×57.5CM MOQ: 10 SETS	37/35KG	\$240.00
			Rated Pressure	17Mpa(2500PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	22Mpa(2900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	196CC			
			Max Output	6.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
Certificate:CE,GS		Ambient	0℃-60℃				

Accessory	*5m pressure hose with quick connets *Performance-proven OHV engines with low-oil protection *Professional-grade insulated trigger gun with safety lock-off *Pneumatic tires with tubes *Quick-connect nozzles(0°,15°40°,Detergent) *Brass unloader valve *One-year limited parts and labor warranty *Low and high pressure detergent injection						
-----------	--	--	--	--	--	--	--


Photo	Item NO.	Description		Carton Size	G.W./N.W.	FOB SHANGHAI
		Pump	Pump Type	Axial Pump		
			Rated Pressure	17Mpa(2500PSI)		
			Flow Rated	10L/min(2.65GPM)		



CA-GW06-1	Engine	Max Pressure	22Mpa(2900PSI)	61.5×41.5×57.5CM MOQ: 10 SETS	37/35KG	\$261.00
		Engine Type	OHV 4-strok			
		Staring System	Recoil			
		Displacement	196CC			
		Max Output	6.5HP/3600RPM			
		Engine Speed	3600RPM			
		Fuel Volum	3.6L			
		Oil Volum	0.6L			
		Fuel Type	Unleaded Gasoline			
Certificate:CE,GS	Ambient	0℃-60℃				

#### Accesson

- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°,15°40°,Detergent)
- \*Brass unloader valve
- \*One-year limited parts and labor warranty
- \*Low and high pressure detergent injection
- \*Pump can be sucked water by itself

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW06-2	Pump	Pump Type	Axial Pump	61.5×41.5×57.5CM MOQ: 10 SETS	37/35KG	\$261.00
			Rated Pressure	17Mpa(2500PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	22Mpa(2900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	196CC			
			Max Output	6.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				

Certificate:CE,GS

Certificate:CE,GS

#### Accesson

- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°,15°40°,Detergent)
- \*Brass unloader valve
- \*One-year limited parts and labor warranty, \*Low and high pressure detergent injection

Photo	Item NO.	Description		Carton Size	G.W./N.W.	FOB SHANGHAI
		Pump	Pump Type	Axial Pump		
			Rated Pressure	17Mpa(2500PSI)		
			Flow Rated	10L/min(2.65GPM)		


	CA-GW06-201	Engine	Max Pressure	22Mpa(2900PSI)	61.5×41.5×57.5CM MOQ: 10 SETS	37/35KG	\$282.00
			Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	196CC			
			Max Output	6.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Certificate:CE,GS	Ambient	0℃-60℃			
Accesson	*5m pressure hose with quick connets *Performance-proven OHV engines with low-oil protection *Professional-grade insulated trigger gun with safety lock-off *Pneumatic tires with tubes *Quick-connect nozzles(0°, 15° 40°, Detergent) *Brass unloader valve *One-year limited parts and labor warranty *Low and high pressure detergent injection *Pump can be sucked water by itself						


Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW06-4	Pump	Pump Type	Axial Pump	59×42×47.5CM MOQ: 10 SETS	43/41KG	\$256.00
			Rated Pressure	15Mpa(2200PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	20Mpa(2900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	163CC			
			Max Output	5.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				
Certificate:CE,GS							
Accessory							
*5m pressure hose with quick connets							
*Performance-proven OHV engines with low-oil protection							
*Professional-grade insulated trigger gun with safety lock-off							
*Pneumatic tires with tubes							
*Quick-connect nozzles(0°, 15° 40°, Detergent)							
*Brass unloader valve							
*One-year limited parts and labor warranty							
*Low and high pressure detergent injection							
*Pump can be sucked water by itself							

Photo	Item NO.	Description	Carton Size	G.W./N.W.	FOB SHANGHAI
-------	----------	-------------	-------------	-----------	--------------






CA-GW07	Pump	Pump Type	Axial Pump	64×54×51CM MOQ: 10 SETS	37/35KG	\$280.00
		Rated Pressure	19Mpa(2800PSI)			
		Flow Rated	10L/min(2.65GPM)			
		Max Pressure	24Mpa(3500PSI)			
	Engine	Engine Type	OHV 4-strok			
		Staring System	Recoil			
		Displacement	196CC			
		Max Output	6.5HP/3600RPM			
		Engine Speed	3600RPM			
		Fuel Volum	3.6L			
		Oil Volum	0.6L			
		Fuel Type	Unleaded Gasoline			
	Ambient	0℃-60℃				


Certificate:CE.GS

- Accessory
- \*5m pressure hose with quick connets
  - \*Performance-proven OHV engines with low-oil protection
  - \*Professional-grade insulated trigger gun with safety lock-off
  - \*Pneumatic tires with tubes
  - \*Brass unloader valve
  - \*One-year limited parts and labor warranty
  - \*Low and high pressure detergent injection

Photo	Item NO.	Description			Carton Size	G.W./N.W	FOB SHANGHAI
	CA-GW07-1	Pump	Pump Type	Radio-pump	64×54×51CM MOQ: 10 SETS	37/35KG	\$361.00
			Rated Pressure	19Mpa(2800PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	24Mpa(3500PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	196CC			
			Max Output	6.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				


Certificate:CE.GS

- Accessory
- \*5m pressure hose with quick connets
  - \*Performance-proven OHV engines with low-oil protection
  - \*Professional-grade insulated trigger gun with safety lock-off
  - \*Pneumatic tires with tubes
  - \*Brass unloader valve
  - \*One-year limited parts and labor warranty
  - \*Low and high pressure detergent injection
  - \*Pump can be sucked water by itself

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW08	Pump	Pump Type	Radio-pump	68×50×56CM MOQ: 10 SETS	48/46KG	\$290.00
			Rated Pressure	17Mpa(2500PSI)			
			Flow Rated	10L/min(2.65GPM)			
			Max Pressure	22Mpa(2900PSI)			
		Engine	Engine Type	OHV 4-strok			
			Staring System	Recoil			
			Displacement	196CC			
			Max Output	6.5HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	3.6L			
			Oil Volum	0.6L			
			Fuel Type	Unleaded Gasoline			
Ambient	0℃-60℃						

Certificate:CE,GS


- \*5m pressure hose with quick connets
  - \*Performance-proven OHV engines with low-oil protection
  - \*Professional-grade insulated trigger gun with safety lock-off
- Accesson**
- \*Pneumatic tires with tubes
  - \*Quick-connect nozzles(0°,15°,25°,40°,Detergent)
  - \*Brass unloader valve
  - \*One-year limited parts and labor warranty
  - \*Low and high pressure detergent injection

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW09	Pump	Pump Type	Radio-pump	64×56.5×60CM MOQ: 10 SETS	63/60KG	\$375.00
			Rated Pressure	21Mpa(3000PSI)			
			Flow Rated	14L/min(3.7GPM)			
			Max Pressure	27Mpa(4000PSI)			
		Engine	Engine Type	OHV 4-stroke			
			Staring System	Recoil			
			Displacement	270CC			
			Max Output	9.0HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	6L			
			Oil Volum	1.1L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				


Certificate:CE,GS

- \*5m pressure hose with quick connets
  - \*Performance-proven OHV engines with low-oil protection
  - \*Professional-grade insulated trigger gun with safety lock-off
- Accesson**
- \*Pneumatic tires with tubes
  - \*Quick-connect nozzles(0°,15°40°,Detergent)
  - \*Brass unloader valve
  - \*One-year limited parts and labor warranty

\*Low and high pressure detergent injection


Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW10	Pump	Pump Type	Radio-pump	74×48×69CM MOQ: 10 SETS	63/60KG	\$375.00
			Rated Pressure	21Mpa(3000PSI)			
			Flow Rated	14L/min(3.7GPM)			
			Max Pressure	27Mpa(4000PSI)			
		Engine	Engine Type	OHV 4-stroke			
			Staring System	Recoil			
			Displacement	270CC			
			Max Output	9.0HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	6L			
			Oil Volum	1.1L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				
Certificate:CE,GS							

- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°,15°40°,Detergent)
- \*Brass unloader valve
- \*One-year limited parts and labor warranty
- \*Low and high pressure detergent injection

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI			
	CA-GW10-1	Pump	Pump Type	Radio-pump	74×48×69CM MOQ: 10 SETS	63/60KG	\$390.00		
			Rated Pressure	21Mpa(3000PSI)					
			Flow Rated	14L/min(3.7GPM)					
			Max Pressure	27Mpa(4000PSI)					
		Engine	Engine Type	OHV 4-stroke					
			Staring System	Recoil					
			Displacement	270CC					
			Max Output	9.0HP/3600RPM					
			Engine Speed	3600RPM					
			Fuel Volum	6L					
			Oil Volum	1.1L					
			Fuel Type	Unleaded Gasoline					
		Ambient	0℃-60℃						
Certificate:CE,GS									


- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°,15°40°,Detergent)
- \*Brass unloader valve
- \*One-year limited parts and labor warranty

- \*Low and high pressure detergent injection
- \*A suck detergent pot
- \*A suck detergent pot
- \*two solid wheels

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW11	Pump	Pump Type	Radio-pump(Crankshaft)	74.5×52×71CM MOQ: 10 SETS	71/67KG	\$397.00
			Rated Pressure	25Mpa(3600PSI)			
			Flow Rated	14L/min(3.7GPM)			
			Max Pressure	30Mpa(4350PSI)			
		Engine	Engine Type	OHV 4-stroke			
			Staring System	Recoil			
			Displacement	389CC			
			Max Output	13HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	6L			
			Oil Volum	1.1L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				
Certificate:CE,GS							


- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off
- \*Pneumatic tires with tubes
- \*Quick-connect nozzles(0°, 15°, 40°, Detergent)
- \*Brass unloader valve
- \*One-year limited parts and labor warranty
- \*Low and high pressure detergent injection

#### Accessories

Photo	Item NO.	Description		Carton Size	G.W./N.W.	FOB SHANGHAI	
	CA-GW12	Pump	Pump Type	Radio-pump(Crankshaft)	74.5×52×71CM MOQ: 10 SETS	71/67KG	\$397.00
			Rated Pressure	25Mpa(3600PSI)			
			Flow Rated	14L/min(3.7GPM)			
			Max Pressure	30Mpa(4350PSI)			
		Engine	Engine Type	OHV 4-stroke			
			Staring System	Recoil			
			Displacement	389CC			
			Max Output	13HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	6L			
			Oil Volum	1.1L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				
Certificate:CE,GS							

- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off

- Accessories**
- \*Pneumatic tires with tubes
  - \*Quick-connect nozzles(0°, 15°40°, Detergent)
  - \*Brass unloader valve
  - \*One-year limited parts and labor warranty
  - \*Low and high pressure detergent injection

Photo	Item NO.	Description		Carton Size	G.W./N.W	FOB SHANGHAI	
	CA-GW13	Pump	Pump Type	Radio-pump(Crankshaft)	85×53×55CM MOQ: 10 SETS	85/82KG	\$429.00
			Rated Pressure	25Mpa(3600PSI)			
			Flow Rated	14L/min(3.7GPM)			
			Max Pressure	30Mpa(4350PSI)			
		Engine	Engine Type	OHV 4-stroke			
			Staring System	Recoil			
			Displacement	389CC			
			Max Output	13HP/3600RPM			
			Engine Speed	3600RPM			
			Fuel Volum	6L			
			Oil Volum	1.1L			
			Fuel Type	Unleaded Gasoline			
		Ambient	0℃-60℃				
Certificate:CE,GS							

- \*5m pressure hose with quick connets
- \*Performance-proven OHV engines with low-oil protection
- \*Professional-grade insulated trigger gun with safety lock-off

- Accessories**
- \*Pneumatic tires with tubes
  - \*Quick-connect nozzles(0°, 15°40°, Detergent)
  - \*Brass unloader valve
  - \*One-year limited parts and labor warranty
  - \*Low and high pressure detergent injection