



HSF



MATERIALS AND FINISH


SHELL: STEEL MATERIAL, FRONT SHELL NICKEL FINISHED
BACK SHELL NICKEL FINISHED

INSULATOR: PBT THERMOPLASTIC, 30% GLASS
FILLED, UL 94V-0 RATED, WHITE COLOR


CONTACT MATERIAL: BRASS
CONTACT FINISH: FULL 2u" GOLD

ELECTRICAL CHARACTERISTICS






CONTACT CURRENT RATING : 5.0 AMPS
CONTACT RESISTANCE : 30 MILLIOHMS MAX.
DIELECTRIC WITHSTANDING VOLTAGE : 1000 V AC MIN
INSULATION RESISTANCE : 5000 MEGAOHMS MIN
TEMPERATURE RATING : -55°C ~ +105°C
Ordering Code:



DIMENSIONS							
No. OF PINS	A	B	C	D	E	F	G
9	30.80	24.99	17.00	8.40	19.20	12.60	10.90
15	39.15	33.32	25.30	8.40	27.51	12.60	10.90
25	53.04	47.04	39.00	8.40	41.40	12.60	10.90
37	69.32	63.50	55.40	8.40	57.81	12.60	10.90
50	66.93	61.11	52.80	11.10	55.42	15.20	13.60








ALL CLINCH-NUTS ARE 4-40 INTERNAL THREADS



NOT: 4-40 FEMALE SCREW LOCK IS REMOVABLE

TOLERANCE: ALL DIMENSIONS ARE ±0.25



* TYP. ON ALL SIZES
DO NOT SCALE FROM DRAWING

MDP01 - F - X - X - X - X
① ② ③ ④ ⑤ ⑥

- ① MDP Series
- ② Contact Type:
F: Female
- ③ Contact NO.:
09=09Pin 15=15Pin
25=25Pin 37=37Pin
50=50Pin
- ④ Mounting Option:
A: NOHARDWARE
B: 4.0" CLINCH NUT (BOARD SIDE)
C: 5.8" CLINCH NUT (BOARD SIDE)
D: 5.8" CLINCH NUT (MOUNTING SIDE)
E: 5.8" 4-40 BOARD LOCK
F: 5.8" BOARD LOCK, BOARD SIDE
4.80" SCREW LOCK, MATING SIDE
G: 5.8" BOARD LOCK, BOARD SIDE
5.80" SCREW LOCK, MATING SIDE
- ⑤ Insulation Color Code:
B: Black G: Grey
W: White L: Blue
- ⑥ Contact Plating
S: Selective Gold
S1: Selective 3u" Gold
S2: Selective 5u" Gold
S3: Selective 10u" Gold
S4: Selective 15u" Gold
S5: Selective 30u" Gold
G0: Gold flash
G1: 3u" Gold over
G2: 5u" Gold over
G3: 10u" Gold over
G4: 15u" Gold over
G5: 30u" Gold over

Unless Otherwise specified tolerance
X. ±0.35 X.XX: ±0.20
X.X: ±0.25 X.XXX: ±0.15



ANTENK ELECTRONICS CO., LTD
Http://www.antenk.com
E-mail: sales@antenk.com

SCALE: As Shown UNIT: mm

DRAW Lv Yun Hua DATE 04/03/2019

CHECK BobYang DATE 04/03/2019

TITLE:

D-SUB FEMALE Straight PCB Machine Pin



DRAWING NO: MDP01-FXXXX

REV

PRODUCT NO: MDP01-FXXXX

DESCRIPTION

DATE

1

2

3

4

5

6

7

8