

Multi-function track light

TS-NO-0001(Track)/TS-NO-0002(Input connector)/TS-NO-0003(Connector)/
TS-NO-0004(90° Corner connector)/TS-NO-0005(270° Corner connector)




Features

- ▶ Flexible application
- ▶ Easy for installation
- ▶ Installation: recess mounted and surface mounted
- ▶ Modularity design
- ▶ No LED dot visible for ribbons
- ▶ Warranty: 5 years


Parameter

Voltage	12V/24V
Max. Current(Track)	10A
CRI	>90
Efficiency	80Lm/W
Protection	IP20
Beam angle(spot light)	30°/60°





Accessories



Dimension(mm)




Connection method




Recess mounted


- ① Slot on the side of the board that needs the rail:
W 18.5mm*H 13.5mm




- ② Add the connectors at both ends first, then press down on the rail




- ③ Install the track profile at both sides




- ④ Sticker the strip inside the profile, then add the strip connector



- ④-1 install spot or PC cover as requirement, then add the Driver connector.




- ⑤ Power on the Driver 12V/24V




Surface mounted


- ① Fix the installation position, open the power input port $\Phi 8\text{mm}$




- ② Install the connector at both side, then fix the profile by screws.




- ③ Install the track profile at both side




- ④ Sticker the strip into profile, fix by strip connector.




- ④-1 Install the spot or PC cover as requirement, then install the Driver connector.




- ⑤ Power on the Driver 12V/24V.






Vertical mounted


- ① Open the hole $\Phi 28\text{mm}$



- ② Fix the screw and put in the profile, then install the Input connector.



Packing



MODEL	Packing Size	N.W.	G.W.	QTY
	20*14*16cm	1.4KG	1.8KG	100PCS
	20*14*16cm	1.4KG	1.8KG	100PCS
	20*14*16cm	0.9KG	1.3KG	100PCS
	20*14*16cm	0.8KG	1.2KG	100PCS
	20*14*16cm	0.5KG	0.9KG	100PCS
	20*14*16cm	2.25KG	2.55KG	50PCS
	152*8*12cm	15.75KG	16.15KG	50PCS