

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Our factory can provide equipment for complete stone crushing and screening plant, the main equipment mainly consists of jaw crusher, impact crusher, cone crusher, hammer crusher, vsi crusher, fine sand making machine, double roller crusher, compound crusher, vibrating screen, rotary screen, and so on.





Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Mobile Stone Crusher station

Mobile stone crusher, also named as mobile stone crushing station, mobile crusher, which combined different kinds of crushers machines with the vibrating screen and the trailer, according to the crusher it uses in the combined work, it can be divided into mobile jaw crusher station, mobile impact crusher station, mobile vsi crusher station, mobile cone crusher station, mobile vibrating screen, usually two of these crushing stations can form a combined mobile crushing station, which then can crush various kinds of materials into different sizes. Mingyuan can provide the complete crushing and screening solution for you, with both the stationary type or mobile type.



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Highlights of Mobile jaw crusher plant /mobile jaw crusher

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

1. V-shaped structure crushing cavity is able to meet a big feeding.
2. Movable jaw assembly adopts a high-quality steel casting and heavy eccentric shaft has also adopted forging billet for processing.
3. Use of finite element analysis technology helps to reach both light weight and high reliability.
4. Equipped with wedge adjustment devices, enable to realize automatic control and stepless adjustment.
5. Suitable for various kinds of materials with good working performance.
6. Can be powered either by motor or diesel generator.
7. Easy to move and maintain
8. Less wear parts, which make the mobile jaw crusher plant a cost effective crushing machine.

Technical Parameter of mobile jaw crusher plant

| Model | Trailer | Feeder | | | Jaw Crusher | | | Belt Conveyor | Engine (Optional) | Overall dimension (mm) |
|-----------|---------------|------------|-------------------|------------|-------------|-------------------|------------|---------------|-------------------|------------------------|
| | | Model | Feeding Size (mm) | Power (kw) | Model | Feeding Size (mm) | Power (kw) | Size(m) | Power(kw) | |
| 938E69 | Two-Spindle | ZSW380×96 | 500 | 6-11 | PE600×900 | 500 | 6-75 | B800×8.5 | 200 | 12600×2550×3870 |
| 1142E710 | Three-Spindle | ZSW420×110 | 580 | 6-11 | PE750×1060 | 630 | 8-90 | B1000×9.5 | 250 | 13900×2750×4320 |
| 1349E912 | Three-Spindle | ZSW490×130 | 750 | 6-22 | PE900×1200 | 750 | 8-130 | B1200×10.5 | 270 | 15450×2950×4380 |
| 1349EW86 | Three-Spindle | ZSW490×130 | 750 | 6-22 | PEW860 | 720 | 6-132 | B1200×10.5 | 320 | 15450×2950×4380 |
| 1349EW110 | Three-Spindle | ZSW490×130 | 750 | 6-22 | PEW1100 | 930 | 8-185 | B1200×10.5 | 400 | 15450×2950×4380 |

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Our Service for Mobile Jaw Crusher plant

- 1: Providing a suitable solution based on client's requirement.
- 2: Provide the quality products according to the specification described in the contract.
- 3: After delivery, we'll dispatch our engineer to the client's mining site to guide the installation, commissioning and training, until the client's workers can operate the project smoothly.

The application of mobile jaw crusher plant /mobile jaw crusher

1. Various kinds of stone crushing, such as limestone, granite, diabase, basalt, andesite, Coal, river stone, bauxite for sand and gravel making production
2. Various kinds of mines such as chromite ore, Iron ore, Gold ore, Lead Zinc ore, Nickel ore and so on,
3. Used in some chemical production plant, such as for the oil proppant production plant to crush the raw materials.
4. Used in the cement production plant to crush the limestone, and cement clinker.
5. Used in the concrete mixing station for aggregate production purpose
6. Used for construction waste recycling, which is commonly called mobile construction waste crusher

Technical parameter of mobile VSI Crusher station

| Standard Model | Screening/Crushing Equipment | | Auxiliary Equipment | | Max. preparedness capacity(t/h) | Overall Dimension Transport dimension(mm) need tear-down length×width×height |
|----------------|------------------------------|---------|-----------------------|-------------|---------------------------------|---|
| | Model | Model | Max. Feeding Size(mm) | output(t/h) | | |
| KV9526-2X | 3YZS1860 | VSI9526 | 40 | 150-190 | 170-220 | 14760×3850×7100 (mm) |

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

2XL-915

| | | | | | | |
|-----------|----------|-----------|----|---------|---------|----------------------|
| KV9532-2X | 3YZS1860 | VSI5X9532 | 40 | 180-280 | 200-300 | 14760×3850×7100 (mm) |
|-----------|----------|-----------|----|---------|---------|----------------------|

2XL-915

| | | | | | | |
|-----------|----------|---------|----|---------|---------|----------------------|
| KV8518-2X | 3YZS1848 | VSI8518 | 35 | 100-130 | 120-150 | 14760×3850×7100 (mm) |
|-----------|----------|---------|----|---------|---------|----------------------|

XL-915

| | | | | | | |
|-----------|----------|-----------|----|---------|---------|----------------------|
| KV8522-2X | 3YZS1860 | VSI5X8522 | 35 | 120-200 | 140-230 | 14760×3850×7100 (mm) |
|-----------|----------|-----------|----|---------|---------|----------------------|

2XL-915

| | | | | | | |
|---------|----------|-------|---------|---|-----------|----------------------|
| KC75-2X | 3YZS1848 | CS75B | 102-175 | A | A+(20~50) | 14760×3850×7100 (mm) |
|---------|----------|-------|---------|---|-----------|----------------------|

XL-915

| | | | | | | |
|----------|----------|--------|---------|---|-----------|----------------------|
| KC160-2X | 3YZS1860 | CS160B | 168-192 | A | A+(20~50) | 14760×3850×7100 (mm) |
|----------|----------|--------|---------|---|-----------|----------------------|

XL-915

| | | | | | | |
|----------|----------|----------|--------|---|-----------|----------------------|
| KH300-2X | 3YZS1860 | HPT300C2 | 84-168 | A | A+(30~70) | 14760×3850×7100 (mm) |
|----------|----------|----------|--------|---|-----------|----------------------|

2XL-915

| | | | | | | |
|----------|----------|----------|--------|---|-----------|----------------------|
| KT250-2X | 3YZS1860 | HST250H1 | 88-360 | A | A+(30~70) | 14760×3850×7100 (mm) |
|----------|----------|----------|--------|---|-----------|----------------------|

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Technical parameter of mobile impact crusher station

| Model | Vibrating Screen | Impact Crusher | Belt Conveyor | Capacity (t/h) | Power (kw) | Overall Dimension L×W×H (mm) | weight (t) |
|--------------|------------------|----------------|---------------|----------------|-------------|------------------------------|------------|
| Y3S1548F1010 | 3YZS1548 | PF1010 | B500×7M | 50-250 | 70-90 | 12500×2800×6000 | 42 |
| Y3S1848F1210 | 3YZS1848 | PF1210 | B650×7M | 70-300 | 128.5-150.5 | 12500×3000×6500 | 46 |
| Y3S1860F1214 | 3YZS1860 | PF1214 | B650×8M | 90-400 | 154-190 | 13500×3000×6500 | 51 |
| Y3S2160F1315 | 3YZS2160 | PF1315 | B800×8M | 120-450 | 210-297 | 14000×3200×6800 | 57 |

Technical parameter of mobile Cone crusher station

| Model | Vibrating Screen | Cone Crusher | Belt Conveyor | Capacity (t/h) | Power (kw) | Overall Dimension L×W×H (mm) | Weight (t) |
|-------------|------------------|--------------|---------------|----------------|-------------|------------------------------|------------|
| Y3S1548Y900 | 3YZS1548 | PYB900 | B500×7M | 50-200 | 75 | 13000×2800×6400 | 43 |
| Y3S1848S36 | 3YZS1848 | ZYS36 | B650×7M | 70-300 | 99-134 | 13000×3000×6700 | 47 |
| Y3S1860S51 | 3YZS1860 | ZYS51 | B650×8M | 120-400 | 212.5-220.5 | 14000×3000×6700 | 53 |
| Y3S2160H220 | 3YZS2160 | HP220 | B800×8M | 140-450 | 257.5-264.5 | 14000×3200×6700 | 58 |

Combined mobile crusher station

| Model | Vibrating Feeder | Jaw Crusher | Cone Crusher /Impact Crusher | Vibrating Screen | Capacity (t/h) | Dimension (M) | Weight (T) | Power (KW) |
|-------------|------------------|-------------|------------------------------|------------------|----------------|---------------|------------|------------|
| Y3SY9E46 | GZD850*3000 | PE400*600 | PYB900 | 3YZS1237 | 40-50 | 15*2.5*4.5 | 42 | 115 |
| Y3SS36E57 | GZD850*3000 | PE500*700 | ZYS36B | 3YZS1548 | 60-80 | 16.5*3*4.5 | 58 | 160 |
| Y3SF1210E57 | GZD850*3000 | PE500*700 | PF1210 | 3YZS1548 | 60 | 16.5*3*4.5 | 58 | 150 |
| Y2SY9E57 | GZD850*3000 | PE500*700 | PYB900 | 2YZS1237 | 40-50 | 15*2.5*4.5 | 47 | 130 |
| Y3SF1010E46 | GZD850*3000 | PE400*600 | PF1010 | 3YZS1237 | 40-50 | 15*2.5*4.5 | 42 | 115 |

For further questions or quotes, please contact us. www.heavyequipmentchina.com