

# NINGBO ZHONGWANG AUTO FITTINGS CO.,LTD

NO.50-1 TIANFENG ROAD,FENGHUA,ZHEJIANG,CHINA



TEL/FAX:0086-574-88956210/ WhatsApp: 0086-13515886684/ Whechat: 48655709




www.zowoparts.com




zwautoparts@vip.163.com







## REGULATOR LIST









NO.	ZW NO.	OEM NO.	WAI NO.	DESCRIPTION	USED ON	FOTO
1	ZWD-001-RU	Replaces: Daewoo 276010 Unit Nos: Daewoo 00219091, 219139, 29219091, 96190262, 96221945, 96224431, 96252115, 96252547, 96258990, 96288095, 96303556, 96404012; Delco 10480073, 10490000, 219187, 96221945, 96224432, 96252548; GM 96221945, 96303550, 96303556; Marelli 063532634010, 062522626010	DELCO 276010 MOBILETRON VR-D276 CARGO 139467 DAEWOO 276010 TRANSP0 D403	A-Circuit Voltage Set Point 14.60 V For use on: Daewoo Espero GM Satum Lemans & Prince Delco Korea / Daewoo IR/IF Alternators	Chevrolet - Europe (2005- 2009) , Daewoo (1999- 2002) , Daewoo - Europe (1994-2005)	
2	ZWD-002-RU	Replaces: Delco 10475019, 19009701, 19009716, 9742, GM 140475019, Marelli 940038030, Opel 1204270 Unit Nos: Delco 10457917, 10479384, 10479914, 10479923, 10479947, 10479955, 3493455, 3493923, 3493955, 855, 856, 955; Isuzu 8104799230; Marelli 943356539010, 944390392500; Opel 10480409, 1204145, 2402814, 2402815, 2402822	DELCO 19009701 10475019 10479914 10479923 10479947 10479955 1204270 MOBILETRON VR-D701 USI 71-10022 WAI 35-152 CARGO 135336 TRANSP0 DE701	A-Circuit Voltage Set Point 14.80 V 01-015 Voltage Set Point 14.50 V 01-002 Voltage Set Point 14.60 V With RFI Capacitor Delco European CS130D Series IR/IF Alternators	Isuzu (1998-2001) , Opel - Europe (1992-2004) , Vauxhall - Europe (1988- 2001)	




3	ZWD-003-RU	Replaces: Delco 10514474, 10516505, 10526697, Original Reference Number 4152 Unit Nos: Cummins 3972732, 3972734, 4936876, 493878; Delco 19020900, 19020901, 19020902, 19020903, 8600009, 8600018, 8600032, 8600043, 8600068, 8600081, 8600096, 8600100, 8600142, 8600143, 8600153, 8600166, 8600167, 8600168, 8600402, 8600403, 8600404, 8700008, 8700009, 8700010, 8700011	DELCO 1051-4474/4152 860- 0032/0096/0100/0151/0152 /0164/0165/1661/0167/0168 1902-0900/1901/0902 LESTER 8701/2/3/4/5/6/7 TRANSPO D4152	B-Circuit Voltage Set Point 14.40 V Soft Start 30 % Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function Self Exciting Function For use on: Delco 24SI series	Freightliner (2000-2009) , International (2005-2007) , Kenworth (2002-2008) , Mack (1999-2008) , Peterbilt (2003-2008) , Sterling Truck (2001-2007) , Volvo (2001-2007)	
4	ZWD-004-RU	Replaces: Delco 19009705, 705, Delco ASVR 19009763 Unit Nos: Delco 10464409, 10480307; GM 10464409 Lester Nos: 8224-11, 8297	DELCO 19009705 MOBILETRON VR-D705H UNIPOINT YR-860 USI 71-10030 WAI 35-137 CARGO 231184 TRANSPO D7	B-Circuit Voltage Set Point 14.70 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under / Over Voltage Indication DFM Function For use on: Buick Skylark, Chevrolet Cavalier, Pontiac Grand-Am, Sunfire REGULATOR CS-130D 705, 729	Chevrolet (1999-1999) , Pontiac (1999-1999)	
5	ZWD-005-RU	Replaces: Delco 19009702, 19009719, 702, 9719, Delco ASVR 19009719, Delco Electronics 16228299, DE102 Unit Nos: Delco 10463390, 10463405, 10463406, 10463407, 10463408, 10463412, 10463443, 10463631, 10463632, 10463652, 10463653, 10463654, 10463685, 10463690, 10463884, 10463940, 10463964, 10463965, 10464065, 10464066	DELCO 19009702 13120469 1116411 1116437 1116429 1116436 USI 71-10044 TRANSPO D702HD	B-Circuit Voltage Set Point 14.70 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication 01-036 Voltage Set Point 14.15 V DELCO 19009702 13120469 1116411 1116437 1116429 1116436 USI 71-10044 TRANSPO D702HD REGULATOR CS-130D 19009702	Buick (1994-1997) , Cadillac (1999-2000) , Chevrolet (1994-2002) , GMC (1994-2000) , Isuzu (1996-1997) , Oldsmobile (1993-1997) , Pontiac (1994-2002) , Saturn (1998-2002)	

6	ZWD-006-RU	Replaces: Caterpillar 3E5451, 9G5235, 9L6774, Delco 1116360, 1116389, 1116390, 1116406, 1116407, 1116433, 1116435, 1116442, 13001740, 1876388, 1894489, 9343233, D672, D686, D687, D690, Ford F3HS-10316-A, F3HZ-10316-A, GR809, Original Reference Number 433, 4330E30, 4334C18, 4337C20, 4339A14, 4339C24, 4339E07, 435, 4358H03, 442 Unit Nos: Case 22-702; Caterpillar	DELCO 1116360 1116390 1116407 1116433 1116435 1116442 USI 71-10053 WAI 35-126 35-126-2 TRANSPO D21/D33	A-Circuit Voltage Set Point 14.10 V Field Shorted Circuit Protection O.E. Grade Delco 10SI, 21SI, 22SI Alternators	Agco Allis (1994-2007), Agco Gleaner (1992-2007), Agco Star (1993-2002), Agco White (1993-2000), Bluebird (1998-2008), Buhler Genesis (2002-2007), Buhler Versatile (2002-2007), Case (1986-1990), (1985-2011), Champion (1975-1998), Chevrolet (1976-1993), Clark (1979-1980), Consolidated Diesel (1991-1992), Cummins Engines (1980-1993), Detroit Diesel (1988-1998)	
7	ZWD-007-RU	Replaces: Caterpillar 3T6354, 6N1874, 7N7799, 9N1207, Delco 1116388, 1116404, 1116405, 1894460, 1984287, 1987518, Original Reference Number 404, 405, 460, 518 Unit Nos: Case 104257A1, 683594C91, A167152, A47484, A49652, L101465, L112091, L114250, L59901, L72955, L78103; Caterpillar OR-9938, OR2698, OR3614, OR3615, OR3749, OR5201, OR5203, OR5206, OR5217, OR9440, 1077077	DELCO 1105510 1116388 1116404 1894460 1984287 1987518 USI 71-10056 WAI 35-106 35-106-1 TRANSPO D30	A-Circuit Voltage Set Point 28.10 V O.E. Grade 01-022 Voltage Set Point 27.50 V O.E. Grade 01-030 Voltage Set Point 28.10 V Delco 10SI/Type 116, 20SI, 21SI, 22SI, 23SI, 26SI, 27SI/Type 200, 29SI, 30SI, 33SI, 34SI Series IR/EF Alternators	Allis Chalmers (1978-1986), Atlas Copco (1996-2007), Case (1970-2003), Caterpillar Ag. & Ind. (1970-2016), Champion (1975-1998), Clark (1973-1986), Consolidated Diesel (1991-1992), Cummins Engines (1980-1994), Cummins Marine Engines (1986-1987), Dresser (1984-1992), Drott Mfg. (1976-1978), Fiat-Allis (1974-1995), Freightliner (2004-2008), International (1974-1996), Jet Edge	
8	ZWD-008-RU	Replaces: Delco 1116411, 1116429, 1116436, 1116437, 13120469, D677, D685, D698, Delco ASVR 19009752, Delco Electronics 16120469, DE111, DE136, DE137, Original Reference Number 111, 136, 137, 411, 429, 436, 437, 9752 Unit Nos: AM General 5744687, 6006776, 6012512; American Motors 8953-003-803; Caterpillar 8C5510; Chrysler 33002941, 33002942, 33002511, 33002512	DELCO 1116411 1116429 1116436 1116437 D677 D685 D698 USI 71-10041 TRANSPO D411HD	B-Circuit Voltage Set Point 14.60 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication Delco CS121, CS130, CS144 Series IR/EF Alternators	AM General (1992-2001), Asuna (1993-1993), Buick (1987-1996), Cadillac (1986-2000), Caterpillar Ag. & Ind. (1983-2007), Chevrolet (1987-2000), Daewoo (1986-2007), Dodge (1990-1992), Eagle (1988-1992), Geo (1989-1992), GMC (1987-2000), Hummer (2002-2006), Hyster (1985-1992), Isuzu (1989-1994), Jeep (1987-1990), Oldsmobile (1986-1997), Pontiac (1987-1997), Saturn (1991-1997)	




9	ZWD-009-RU			<p>A-Circuit  Voltage Set Point 14.60 V  Soft Start 30 %  LRC 5 sec  Field Shorted Circuit Protection  Under Voltage Indication  Over Voltage Indication</p>		 
10	ZWD-010-RU			<p>B-Circuit  Voltage Set Point 14.20 V  Soft Start 30 %  Field Shorted Circuit Protection  Under Voltage Indication Over  Voltage Indication DFM  Function  Self Exciting Function  For use on: late Delco 22SI</p>		 
11	ZWD-011-RU			<p>B-Circuit  Voltage Set Point 14.50 V  Soft Start 30 % LRC 5 sec  Field Shorted Circuit Protection  Under Voltage Indication  Over Voltage Indication  DFM Function</p>		 

12	ZWD-012-RU			<p>B-Circuit  Voltage Set Point 14.70 V  Soft Start 30 %  Field Shorted Circuit Protection  Under Voltage Indication  Over Voltage Indication  Self Exciting Function</p> <p>For use on: 11SI Alternator</p>		
13	ZWD-013-RU			<p>A-Circuit  Voltage Set Point 14.70 V</p> <p>For use on: 11SI Alternator</p>		
14	ZWD-014-RU		<p>MOBILETRON VR-D717  LESTER 8483 8484  TRANSPO D2206</p>	<p>A-Circuit  Voltage Set Point 14.50 V  Soft Start 30 %  LRC 5 sec  Field Shorted Circuit Protection  Under Voltage Indication  Over Voltage Indication</p> <p>For use on: 11SI Alternator</p>		




15	ZWD-015-RU		DELCO 19020204 207 208 220198 LESTER 8720 8721 8722 TRANSPO D2198	A-Circuit Voltage Set Point 14.30 V  For use on: 11SI Alternator  01-048 A-Circuit Voltage Set Point 28.30 V		 <p>PL IG X</p>
16	ZWD-016-RU	Buick (2006-2006) , Cadillac (2002-2002) , Chevrolet (1999-2010) , GMC (1999- 2006) , Isuzu (2003-2006) , Oldsmobile (1999-2002) , Saab (2005-2006)	DELCO 10458200 10458201 WAI 35-162 TRANSPO D200	B-Circuit Voltage Set Point 14.70 V Soft Start 30 % LRC 5 sec Field Circuit Protection Under Voltage Indication Over Voltage Indication DFM function DELCO 10458200 10458201 WAI 35-162 TRANSPO D200 REGULATOR AD 4622	Replaces: Delco 10458200, 10483643, 10486311, 10494747, 19051915, 19053013, 19053730, Original Reference Number 3643, 6311 Unit Nos: Delco 10311493, 10464395, 10464405, 10464405, 10464443, 10464443, 10464452, 10464453, 10464455, 10464456, 10464476, 10480234, 10480234, 10480285, 10480236	 <p>PL FR S</p>
17	ZWD-017-RU		IK588	A-Circuit Voltage Set Point 14.60 V		




18	ZWD-018-RU	Replaces: Delco 94648534, D673	DELCO 94648534 D673 WAI 35-153 IK589 TRANSPO DE608	A-Circuit Voltage Set Point 14.60 V Delco Brazilian Alternators		
19	ZWD-019-RU	Replaces: Delco 19009708, GM 10493240, Opel 1204288 Unit Nos: Delco 10480225; GM 93175796, 93175943; Opel 62-04-073, 62-04-098, 62-04- 138, 91-17-851, 95-12-784 Lester Nos: 21516	DELCO 19009708 USI 71-10050 TRANSPO DE708	Delco European CS130D Series IR/IF Alternators B-Circuit Voltage Set Point 14.70 V Soft Start 32 % LRC 5 sec Field, Shorted Circuit Protection Under Voltage Indication Over Voltage Indication	Opel - Europe (1998-2009)	
20	ZWD-020-RU	Replaces: Delco 1116380, 1116384, 13003652, 13472406, 3472004, 3472008, 3472014, 3472022, 3472406, 4372008, 7896932, Ducellier 592981, GM 94655898, Jeep-Eagle 8125176, Lucas 21226042, 21226061, UCB701, Marelli 940038031, Opel 1204236 Unit Nos: Delco 3472022, 3472023, 3472024, 3472026, 3472037, 3472038, 3472039, 3472048, 3472049, 3472059, 3472061; Letrika (Tekra) 11 201 028;	DELCO 1116380 1116384 1116387 1116385 1116392 USI 71-10001 WAI 35-101 MOBILETRON VR-D668 TRANSPO D101	A-Circuit Voltage Set Point 14.60 V Delco European Alternators	Opel - Europe (1991-2005) , Vauxhall - Europe (1988- 1992)	












21	ZWD-021-RU	Replaces: Delco 1116432, 432, Delco Electronics 16156659, DE132, Marelli 940038036, Original Reference Number 132 Unit Nos: Delco 10463134, 1101219, 1101816; GM 10463134 Lester Nos: 7954	DELCO 1116432 USI 71-10025 MOBILERTRON VR-D432 TRANSPO D432	B-Circuit Voltage Set Point 14. 50 V Soft Start 32 % Field, Shorted Circuit Protection Under Voltage Indication Over Voltage Indication REGULATOR DELCO CS 432	Pontiac (1988-1989)	
22	ZWD-022-RU	Replaces: Delco 10514476, 10521828 Unit Nos: Cummins 3972735, 4936879, 4993343, 5282841; Delco 8600016, 8600017, 8600020, 8600154, 8600360, 8600407, 8700019; JCB 714-40388, 714-40473, 714-40537; Prestolite MDA3946 Lester Nos: 8708, 8709	DELCO 10521828 10514476 TRANSPO D4476	B-Circuit Voltage Set Point 28.30 V Soft Start 32 % Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function Self Exciting Function REGULATOR 24SI 24V OEM	JCB (2007-2012)	 <p>X FR L P</p>
23	ZWD-023-RU		FOR DAEWOO 271910	A-Circuit Voltage Set Point 14.55 V		 <p>IG L</p>









24	ZWD-024-RU			A-Circuit Voltage Set Point 28.45V		
25	ZWD-025-RU	Replaces: Delco 10454669, 10458202, 15163024, 15163025, 19051739, Original Reference Number 1739 Unit Nos: Delco 10464459, 10464460, 10464461, 10464466, 10464467, 10464478, 10464480, 10464483, 10464484, 10464487, 10464488, 10464489, 10464490, 10464490, 10480270, 10480271, 10480479, 10480480, 15056000, 15056100	DELCO 15163024 15163025 WAI D202XHD TRANSP D202	B-Circuit Voltage Set Point 14.20 V Soft Start 30 % LRC 5 sec Field Circuit Protection Under Voltage Indication Over Voltage Indication DFM function REGULATOR AD1739	Chevrolet (2001-2006) , GMC (2001-2006)	
26	ZWD-026-RU	Replaces: Delco 19009715, Delco ASVR 19009758, Hitachi TR1Z-125 Unit Nos: Acura 06311-P8C-505RM, 31100-P8A-A01, 31100-P8A- A02; Delco 10463963, 10464417, 10480228, 10480453, 10480497; Honda 06311-P8C-505RM, 06311- RCA-505RM, 31100-P8A-A01, 31100-P8A-A02, 31100-P8C- A02, 31100-P8C-A02RM, 31100-RCA-A01, 31100-RCA- A01RM; Original Reference Number 10480228A	DELCO 19009715 10480228 WAI 35-141 TRANSP D9715	B-Circuit Voltage Set Point 14.70 V Soft Start 30 % LRC 5 sec Field, Lamp Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM function Delco CS130D Series IR/IF Alternators	Acura (1997-1999) , Honda (1998-2003)	

27	ZWD-027-RU		DELCO 10SI 12SI 15SI 17SI TRANSCO D713/D10AC	B-Circuit Voltage Set Point 14.60 V Self Exciting Function		
28	ZWD-028-RU	Replaces: Caterpillar 3E5451, 9G5235, 9L6774, Delco 1116389, 1116406, 1116407, 1894489, D669, D672, D686 Unit Nos: Bobcat 6599739, 908221, 908221B; Case 104256A1, 104258A1, 20-1610T91, 22- 702, 423103C91, 424430C91, 47-4089, 528965C91, A130618Z, A139389, A147159, A147239, A147240, A160634, A47057, A47623, A47624, L102693; Caterpillar 0P1522, 0P1600, 0P2702	DELCO 1116389 1116406 1116407 1894489 D669 D672 WAI 35-105 TRANSCO D102HD	A-Circuit Voltage Set Point 14.00 V Delco 10SI/Type 116, 20SI, 27SI/Type 200, 29SI, 30SI, 40SI Series IR/EF Alternators	Allis Chalmers (1972-1986) , Atlas Copco (1996-2006) , Austin Western (1975- 1979) , Autocar HD (1973- 1979) , Bobcat (1976-1997) , Case (1970-1994) , Caterpillar Ag. & Ind. (1970-2007) , Champion (1975-1998) , Chevrolet (1971-1993) , Clark (1973- 1988) , Consolidated Diesel (1991-1992) , Cummins Engines (1980-1993) , Detroit Diesel (1988-1988) , Fiat-Allis (1976-1981) , Ford (1974-1990)	
29	ZWD-029-RU	Replaces: Delco 07C12A0887, 10517755, Original Reference Number 0887 Unit Nos: Delco 10392759, 15093928, 15093929, 15200268, 15225928, 15263858, 15857608, 15857609, 15905871, 15905872, 20989651, 25869451, 25877026, 8400078, 8400105, 8400226, 8400240; GM 10392759, 15093928, 15093929, 15225928, 15263858, 15857608	DELCO 0392759 1509392 15093929 15200268 15263858 15857608 15905871 15905872 25869451 LESTER 8301 8302 TRANSCO D3587	B-Circuit RVC=0 Vset=13.80V RC=70% Vset=14.45V Soft Start 18.75 % LRC 2.5 sec DFM function RVC Regulator Delco DR44G Series IR/IF Alternators	Buick (2007-2007) , Cadillac (2005-2014) , Chevrolet (2005-2014) , GMC (2005-2014) , Hummer (2008-2009) , Isuzu (2007-2008) , Saab (2007-2009)	





30	ZWD-030-RU			<p>B-Circuit  Voltage Set Point 14.50 V  Soft Start 20 %  LRC 5 sec  Field, Lamp Shorted Circuit Protection  Under Voltage Indication Over Voltage Indication DFM function</p>		
31	ZWD-031-RU			<p>B-Circuit  Voltage Set Point 14.50 V  Soft Start 20 %  LRC 5 sec  Field, Lamp Shorted Circuit Protection  Under Voltage Indication Over Voltage Indication DFM function</p>		
32	ZWD-032-RU	<p>Replaces:  Mercury Marine 271840  Unit Nos:  Delco 19020703, 19020706;  Mercury Marine 857006T,  875285T1, 881248T, 889955,  889955A03; Prestolite  20115010TBA  Lester Nos:  8470</p>	<p>DELCO 271840  TRANSPO D840</p>	<p>A-Circuit  Voltage Set Point 14.60 V  For use on: Marine Application  REG 5SI  Delco Korea / Daewo 5SI  Series IR/IF Alternators</p>	<p>Used On:  Mercury (1998-2009)</p>	

33	ZWD-033-RU	Replaces: Mercury Marine 271850 Unit Nos: Delco 19020704, 19020707; Mercury Marine 875286A1, 875286T, 881247A1, 889956; Prestolite 20115011TBA Lester Nos: 8471	DELCO 271850 19020704 19020707 TRANSPO D850	A-Circuit Voltage Set Point 14.60 V For use on: Marine Application REG 5SI Delco Korea / Daewo 5SI Series IR/IF Alternators	Used On: Mercury (1998-2009)	 
34	ZWD-034-RU	Replaces: Delco 271940 Unit Nos: Daewoo 219232; Delco 19020600, 19020601, 19020604, 19020606, 19020608, 19020609, 19020611, 19020612, 19020614, 19020615, 19020616, 19020617, 19020618; Hyster 1469599; Indmar 575010, 575011; Marine Power 4711210, 471200, 471201, 471210; Mercury Marine 219290, 862030, 862030-1, 862030T	DELCO 271940 LESTER 8460 8461 8465 8466 TRANSPO D940	A-Circuit Voltage Set Point 14.60 V Delco Korea / Daewoo 7SI Series IR/IF Alternators	Used On: Crusader (1999-2004) , Hyster (2001-2006) , Marine Power (1997-2008) , Mercruiser (1998-2006) , Mercury (2005-2009) , Pleasurecraft (2001-2004)	 
35	ZWD-035-RU	Unit Nos: Delco 10480403, 10480407; Letrika Old IA 1228; Mercedes-Benz 000-150-08- 50, 000-150-16-50, 000-150- 24-50, A000-150-08-50, A000-150-16-50, A000-150- 24-50 Lester Nos: 23161	ALTERNATOR REFERENCES MERCEDES 001500850 DELPHI 10480403 CARGO 235542 LESTER 23162 TRANSPO DE1750	B-Circuit Voltage Set Point 14.80 V Soft Start 18.75 % LRC 10 Sec Field, Lamp Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function For use on: Audi ater cooling Alternator Delco LT744 Series 190A/12V Liquid Cooled Alternators	Mercedes - Europe (1999- 2002)	 

36	ZWD-036-RU	Replaces: Delco 10458200, 10483643, 10486311, 10494747, 19051915, 19053013, 19053730, Original Reference Number 3643, 6311 Unit Nos: Delco 10311493, 10464395, 10464405, 10464405, 10464443, 10464443, 10464452, 10464453, 10464455, 10464456, 10464476, 10480234, 10480234, 10480285, 10480326, 10480327, 10480241, 10480282	DELCO 10494747 LESTER 8238 TRANSPO D201XHD	B-Circuit Voltage Set Point 14.80 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication REGULATOR AD 4622	Buick (2006-2006) , Cadillac (2002-2002) , Chevrolet (1999-2010) , GMC (1999-2006) , Isuzu (2003-2006) , Oldsmobile (1999-2002) , Saab (2005- 2006)	
37	ZWD-037-RU	Replaces: Delco 19009703, 703 Unit Nos: Delco 10463440, 10463630, 10463966, 10464073, 10464075, 10480043, 10480065, 10480182, 10480240, 10480262, 10480264; GM 10463440, 10464073, 10464075, 19152472 Lester Nos: 8158-5, 8200-11, 8224-11	DELCO 19009703 LESTER 8158 8200 TRANSPO D703	B-Circuit Voltage Set Point 14.80 V Soft Start 30 % LRC 10 sec Field Shorted Circuit Protection Under / Over Voltage Indication For use on: Buick Skylark, Chevrolet Cavalier, Pontiac Grand-Am, Sunfire REGULATOR CS-130D 19009703	Buick (1994-1996) , Chevrolet (1995-1998) , Oldsmobile (1994-1994) , Pontiac (1994-1997)	
38	ZWD-038-RU	Replaces: Delco 19009705, 19009729, 705, Delco ASVR 19009729, 19009763, Original Reference Number 9729 Unit Nos: Delco 10463605, 10463638, 10463639, 10463838, 10463839, 10463840, 10463842, 10463843, 10464069, 10464071, 10464072, 10464084, 10464085, 10464086, 10464087, 10464097, 10464401, 10464409, 10464410, 10464411	DELCO 19009729 LESTER 8275 8276 TRANSPO D729	B-Circuit Voltage Set Point 14.60 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under / Over Voltage Indication DFM Function For use on: Buick Skylark, Chevrolet Cavalier, Pontiac Grand-Am, Sunfire Delco CS130D Series IR/IF Alternators	Buick (1996-1998) , Chevrolet (1995-2003) , GMC (1998-2003) , Isuzu (1998-2000) , Oldsmobile (1996-2001) , Pontiac (1995-2002)	

39	ZWD-039-RU	Replaces: Delco 19009748, Delco ASVR 19009761, Original Reference Number 9748, 9761 Unit Nos: Delco 10244795, 10437987, 10437988, 10447094, 10447096, 10449257, 10464412, 10464413, 10464415, 10464416, 10464424, 10464425, 10464427, 10464429, 10464437, 10464447, 10464448, 10464449, 10464462, 10464465, 10480288, 10480292	DELCO 19009748 19009749 19009761 LESTER 8234 8243 8249 8270 8271 8272 8279 8283 TRANSP0 D749XHD	B-Circuit Voltage Set Point 14.80 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under / Over Voltage Indication DFM Function For use on: Buick Skylark, Chevrolet Cavalier, Pontiac Grand-Am, Sunfire. REGULATOR CS-130D 749	Buick (1999-2001) , Chevrolet (1999-2005) , GMC (2001-2005) , Oldsmobile (2000-2003) , Pontiac (1999-2003)	
40	ZWD-040-RU	Unit Nos: Delco 10480403, 10480407; Letrika Old IA 1228; Mercedes-Benz 000-150-08- 50, 000-150-16-50, 000-150- 24-50, A000-150-08-50, A000-150-16-50, A000-150- 24-50 Lester Nos: 23161	DELCO 10480403 10480407 LESTER 23161 TRANSP0 DE1650	B-Circuit Voltage Set Point 14.80 V Soft Start 18.75 % LRC 10 Sec Field, Lamp Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function For use on: Audi ater cooling Alternator Delco LT744 Series 190A/12V Liquid Cooled Alternators	Mercedes - Europe (1999- 2002)	
41	ZWD-041-RU			A -Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 Sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function		



42	ZWD-042-RU			<p>B-Circuit  RVC=0 Vset=13.80V RC=70%  Vset=14.45V Soft Start 18.75 %  LRC 2.5 sec  DFM function  RVC Regulator</p>		 
43	ZWD-043-RU	<p>Replaces:  Delco 1116413, 1116430,  1116445, 445, D600A, D681,  Delco ASVR 19009730, Delco  Electronics 16130939,  16219841, DE113, DE130,  DE145, Original Reference  Number 113, 130, 145, 430,  9730  Unit Nos:  Delco 10463096, 10463108,  10463119, 10463121,  10463122, 10463189,  10463189, 10463190,  10463294, 10463295,  10463277, 10463285</p>	<p>DELCO 1116413 1116430  1116445 19009730  LESTER 7806 7904 7942  7966  7969 8127 8170 8189  8202 8213 8225 8226  8248  TRANSP0 D445</p>	<p>B-Circuit  Voltage Set Point 14.80 V  Soft Start 30 %  LRC 5 sec  Field Shorted Circuit Protection  Under / Over Voltage  Indication DFM Function  Delco CS130, CS144 Series  IR/EF Alternators</p>	<p>Buick (1996-1999) ,  Cadillac (1986-2002) ,  Chevrolet (1995-1999) ,  Oldsmobile (1996-1999) ,  Pontiac (1995-1999)</p>	 
44	ZWD-044-RU			<p>A -Circuit  Voltage Set Point 14.70 V  Soft Start 32 %  LRC 5 sec  Field Shorted Circuit Protection  Under / Over Voltage  Indication  DFM Function</p>		