

NINGBO ZHONGWANG AUTO FITTINGS CO.,LTD





NO.50-1 TIANFENG ROAD,FENGHUA,ZHEJIANG,CHINA













TEL/FAX:0086-574-88956210/ WhatsApp: 0086-13515886684/ Wechat: 48655709

www.zowoparts.com











zwautoparts@vip.163.com

POWER STEERING PUMP LIST













NO.	DESCRIPTION	FOTO	NO.	DESCRIPTION	FOTO
1	ZW NO.:ZW001-PO OEM NO.:001 466 4301 Ref NO.:ZF 7684 955 198 Nominal displacement:17.0ml/r Maximum Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate: 16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right		2	ZW NO.:ZW002-PO OEM NO.:BENZ 002 460 7580 Ref NO.:ZF 7684 955 190 Nominal displacement:17.0ml/r Maximum Pressure:90bar Highest rotational speed:500-3500r/min Controlled flow rate: 17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right	













3	<p>ZW NO.:ZW003-PO OEM NO.:BENZ 712C/914C/1215C Ref NO.:ZF 7684 955 921 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate: 15.0L/min Fuel feed hole:ø19 Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>		<p>ZW NO.:ZW004-PO OEM NO.: Ref NO.: Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate: 15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
5	<p>ZW NO.:ZW006-PO OEM NO.:BENZ 001 460 2880 Ref NO.:ZF 76845 955 134 Nominal displacement:25.0ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW006-PO OEM NO.:BENZ Ref NO.:ZF 7685 955 164 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>	
7	<p>ZW NO.:ZW007-PO OEM NO.:BENZ 001 460 3080 Ref NO.: Nominal displacement:17.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M18×1.5-6H Direction of rotation:Left</p>		<p>ZW NO.:ZW008-PO OEM NO.:BENZ Ref NO.:ZF 7684 955 121 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>	
9	<p>ZW NO.:ZW009-PO OEM NO.:BENZ 001 460 4480 Ref NO.:ZF 7684 955 139 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		<p>ZW NO.:ZW010-PO OEM NO.:BENZ 001 460 8480 Ref NO.:ZF 7684 955 913 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
11	<p>ZW NO.:ZW011-PO OEM NO.:BENZ OH 1628L/0-400UPA Ref NO.:ZF 7684 955 903 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW012-PO OEM NO.:BENZ 002 460 1380 Ref NO.: Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
13	<p>ZW NO.:ZW013-PO OEM NO.:BENZ A200 460 3180 Ref NO.:ZF 7684 955 251 Nominal displacement:21.0ml/r Maximus Pressure:180bar</p>		<p>ZW NO.:ZW014-PO OEM NO.: Ref NO.:ZF 7684 955 247 Nominal displacement:21.0ml/r Maximus Pressure:150bar</p>	













13	<p>Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Right</p>		14	<p>Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
15	<p>ZW NO.:ZW015-PO OEM NO.:BENZ 000 466 6701 Ref NO.:ZF 7673 955 116 Nominal displacement:16.6ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		16	<p>ZW NO.:ZW016-PO OEM NO.: 001 466 1301 Ref NO.:ZF 7673 955 534 Nominal displacement:16.6ml/r Maximus Pressure:120bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
17	<p>ZW NO.:ZW017-PO OEM NO.: 345 466 0001 Ref NO.:ZF 7673 955 908 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		18	<p>ZW NO.:ZW018-PO OEM NO.: 000 466 7101 Ref NO.:ZF 7673 955 127 Nominal displacement:15.77ml/r Maximus Pressure:100bar Highest rotational speed:500-3500r/min Controlled flow rate:12.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
19	<p>ZW No.:ZW019-PO OEM No.: Ref No.:ZF 7673 955 128 Nominal displacement:15.77ml/r Maximus Pressure:100bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M25×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		20	<p>ZW No.:ZW020-PO OEM No.:BENZ001 460 3080/002 460 0880 Ref No.:LUK 542 0047 10 Nominal displacement:18.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
21	<p>ZW NO.:ZW021-PO OEM NO.:001 460 3180/001 460 5280 Ref NO.:LUK 542 0048 10 Nominal displacement:18ml/r Maximus Pressure:180bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:M25×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		22	<p>ZW NO.:ZW022-PO OEM NO.:BENZ 002 460 8880/003 460 4980 Ref NO.:LUK 542 0453 10 Nominal displacement:25.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
23	<p>ZW No.:ZW023-PO OEM No.:BENZ 001 460 3080 Ref No.: Nominal displacement:25.0ml/r Maximus Pressure:180bar Highest rotational speed:500-4000r/min Controlled flow rate:19.0L/min Fuel feed hole:M27×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Right</p>		24	<p>ZW No.:ZW024-PO OEM No.:003 460 0380/003 460 5280/003 460 5580 Ref No.:LUK 542 0454 10 Nominal displacement:25.0ml/r Maximus Pressure:180bar Highest rotational speed:500-4000r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M18×1.5-6H Direction of rotation:Right</p>	













25	<p>ZW No.:ZW025-PO OEM No.:BENZ 001 466 3901 Ref No.:ZF 7673 955 214 Nominal displacement:16.5ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:14.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		<p>ZW No.:ZW026-PO OEM No.:BENZ 001 466 2701 Ref No.:ZF 7673 955 554 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:13.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
27	<p>ZW No.:ZW027-PO OEM No.:BENZ 000 466 7001 Ref No.:ZF 7673 955 125 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:12.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>ZW No.:ZW028-PO OEM No.: Ref No.:ZF 7673 955 913 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:10.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
29	<p>ZW No.:ZW029-PO OEM No.:BENZ Ref No.:ZF 7673 955 933 Nominal displacement:17.0ml/r Maximus Pressure:70bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Right</p>		<p>ZW No.:ZW030-PO OEM No.:BENZ 001 466 1801/002 460 7680 BENZ 001 460 6080 Ref No.:LUK 542 0032 10 Nominal displacement:17.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
31	<p>ZW No.:ZW031-PO OEM No.:BENZ 001 460 7280/001 460 6880 BENZ 002 460 6480 Ref No.:LUK 542 0050 10 Nominal displacement:21.0ml/r Maximus Pressure:155bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>ZW No.:ZW032-PO OEM No.:BENZ 001 460 7080/BENZ 001 460 7180/BENZ 002 460 6580 Ref No.:LUK 542 0051 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
33	<p>ZW No.:ZW033-PO OEM No.:BENZ A376 466 7801 Ref No.:ZF 7684 955 911 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		<p>ZW No.:ZW034-PO OEM No.:BENZ A002 460 5580/BENZ A000 460 5580 Ref No.:ZF 7684 955 955 Nominal displacement:17.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
35	<p>ZW No.:ZW035-PO OEM No.:BENZ 000 466 5001 Ref No.:LUK 542 0038 10/ZF 767 3955 113 Nominal displacement:17.5ml/r Maximus Pressure:80bar Highest rotational speed:500-3600r/min</p>		<p>ZW No.:ZW036-PO OEM No.:BENZ 001 466 7601 Ref No.:ZF 7677 955 163 Nominal displacement:34.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min</p>	













	<p>Controlled flow rate:11.0L/min Fuel feed hole:M18×1.5 Fuel discharge hole:5/8-18UNF-2B Direction of rotation:Right</p>		<p>Controlled flow rate:21.0L/min Fuel feed hole:M33×1.5 Fuel discharge hole:M22×1.5 Direction of rotation:Right</p>		
37	<p>ZW NO.:ZW037-PO OEM NO.:BENZ 001 460 0580 Ref NO.:ZF 7677 955 201 Nominal displacement:34.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:21.0L/min Fuel feed hole:M33×2 Fuel discharge hole:M22×1.5 Direction of rotation:Right</p>		38	<p>ZW NO.:ZW038-PO OEM NO.:VOLVO 3172197 Ref NO.:LUK 542 0018 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:21.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
39	<p>ZW NO.:ZW038-PO OEM NO.:VOLVO 1628208/3172193 Ref NO.:LUK 542 0037 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		40	<p>ZW No.:ZW040-PO OEM No.:VOLVO 364642 Ref No.:ZF 7673 955 139 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
41	<p>ZW No.:ZW041-PO OEM No.:VOLVO 1589231 Ref No.:ZF 7673 955 225 Nominal displacement:17.5ml/r Maximus Pressure:135bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		42	<p>ZW No.:ZW042-PO OEM No.:VOLVO 1591014 Ref No.:ZF 7673 955 209 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
43	<p>ZW No.:ZW043-PO OEM No.:VOLVO 1089887 Ref No.:ZF 7673 955 243 Nominal displacement:17.5ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		44	<p>ZW No.:ZW044-PO OEM No.:VOLVO 1605904 Ref No.:ZF 7674 955 247 Nominal displacement:21.0ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:19.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>	
45	<p>ZW No.:ZW045-PO OEM No.: Ref No.:ZF 7673 955 963 Nominal displacement:17.5ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>		46	<p>ZW No.:ZW046-PO OEM No.:VOLVO 1583013 Ref No.:ZF 7673 955 211 Nominal displacement:17.5ml/r Maximus Pressure:135bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
	ZW NO.:ZW047-PO			ZW NO.:ZW048-PO	

47	<p>OEM NO.:VOLVO 1587788 Ref No.:ZF 7673 955 219 Nominal displacement:17.5ml/r Maximus Pressure:120bar Highest rotational speed:500-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		<p>OEM NO.:VOLVO 1589925 Ref No.:ZF 7673 955 202 Nominal displacement:17.5ml/r Maximus Pressure:135bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
49	<p>ZW No.:ZW049-PO OEM NO.:VOLVO 8113590 Ref No.:ZF 7673 955 395 Nominal displacement:17.5ml/r Maximus Pressure:115bar Highest rotational speed:500-3200r/min Controlled flow rate:14.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		<p>ZW No.:ZW050-PO OEM NO.:VOLVO 20350652 Ref NO.:LUK 542 0434 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
51	<p>ZW No.:ZW051-PO OEM NO.:VOLVO 3172499/8113461/8112342/6795109 Ref NO.:LUK 542 0007 10 Nominal displacement:17.5ml/r Maximus Pressure:000bar Highest rotational speed:500-3500r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>ZW No.:ZW052-PO OEM NO.:VOLVO 3172488 Ref NO.:LUK 542 0426 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
53	<p>ZW No.:ZW053-PO OEM NO.:VOLVO 3172490 Ref NO.:LUK 542 0425 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW054-PO OEM NO.: Ref NO.: Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
55	<p>ZW NO.:ZW055-PO OEM NO.:VOLVO 3986328 Ref NO.:ZF 784 974 704 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW056-PO OEM NO.:VOLVO Ref NO.:ZF 7685 974 704 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:24.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
57	<p>ZW No.:ZW057-PO OEM NO.:VOLVO 1587787 Ref No.:ZF 7673 955 213 Nominal displacement:17.5ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min</p>		<p>ZW No.:ZW058-PO OEM NO.:VOLVO 1082959 Ref NO.:LUK 542 0001 10 Nominal displacement:21.0ml/r Maximus Pressure:135bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min</p>	












	<p>Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>			<p>Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
59	<p>ZW No.:ZW059-PO OEM NO.:VOLVO 486919 Ref No.:ZF 7673 955 190 Nominal displacement:17.5ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		60	<p>ZW No.:ZW060-PO OEM NO.:VOLVO 24424124/85114318/85000770/85000974 Ref NO.:LUK 542 0001 10 Nominal displacement:25.0ml/r Maximus Pressure:200bar Highest rotational speed:500-3600r/min Controlled flow rate:24.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>	
61	<p>ZW NO.:ZW061-PO OEM NO.:VOLVO 3187858 Ref NO.:LUK 542 0212 10 Nominal displacement:21.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>		62	<p>ZW NO.:ZW062-PO OEM NO.:VOLVO 20453450 Ref NO.:ZF 8694 974 519 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>	
63	<p>ZW NO.:ZW063-PO OEM NO.:VOLVO 85103705/85114317 Ref NO.:ZF 7685 955 791 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:24.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>		64	<p>ZW NO.:ZW064-PO OEM NO.:VOLVO Ref NO.:ZF 8694 974 505 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:22.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>	
65	<p>ZW NO.:ZW065-PO OEM NO.:VOLVO 85000972/85103704 Ref NO.:ZF 7684 955 763 Nominal displacement:17.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M16×1.5-6H Direction of rotation:Left</p>		66	<p>ZW NO.:ZW066-PO OEM NO.:DAF 624702 Ref NO.:zf 7674 955 207 Nominal displacement:18.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5-6H Direction of rotation:Left</p>	
67	<p>ZW NO.:ZW067-PO OEM NO.:VOLVO 647602 Ref NO.:ZF 7673 955 217 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:ZM18 Direction of rotation:Left</p>		68	<p>ZW NO.:ZW068-PO OEM NO.: Ref NO.:ZF 7673 955 227 Nominal displacement:16.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:14.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>	
	<p>ZW NO.:ZW069-PO OEM NO.:</p>			<p>ZW NO.:ZW070-PO OEM NO.:DAF 52663</p>	

<p>69</p> <p>Ref NO.:</p> <p>Nominal displacement:15.77ml/r</p> <p>Maximus Pressure:000bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:17.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M16×1.5</p> <p>Direction of rotation:Left</p>		<p>70</p> <p>Ref NO.:ZF 7672 955 287</p> <p>Nominal displacement:16.0ml/r</p> <p>Maximus Pressure:140bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M16×1.5</p> <p>Direction of rotation:Left</p>	
<p>71</p> <p>ZW NO.:ZW071-PO</p> <p>OEM NO.:DAF 1291227/DAF 1239411</p> <p>Ref NO.:LUK 542 0014 10</p> <p>Nominal displacement:14.0ml/r</p> <p>Maximus Pressure:000bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M18×1.5</p> <p>Direction of rotation:Left</p>		<p>72</p> <p>ZW NO.:ZW072-PO</p> <p>OEM NO.:DAF 1375507/1375508</p> <p>Ref NO.:LH2110004</p> <p>Nominal displacement:14.0ml/r</p> <p>Maximus Pressure:000bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:M26×1.5-6H</p> <p>Fuel discharge hole:M18×1.5-6H</p> <p>Direction of rotation:Left</p>	
<p>73</p> <p>ZW NO.:ZW073-PO</p> <p>OEM NO.:MAN81.47101.6182</p> <p>Ref NO.:ZF 7685 955 184</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:160bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:20.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M18×1.5</p> <p>Direction of rotation:Right</p>		<p>74</p> <p>ZW NO.:ZW074-PO</p> <p>OEM NO.:MAN81.47101.6137</p> <p>Ref NO.:ZF 7685 955 102</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M16×1.5</p> <p>Direction of rotation:Right</p>	
<p>75</p> <p>ZW NO.:ZW075-PO</p> <p>OEM NO.:MAN81.47101.6219</p> <p>Ref NO.:ZF 7685 955 347</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:180bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5-6H</p> <p>Fuel discharge hole:M18×1.5-6H</p> <p>Direction of rotation:Right</p>		<p>76</p> <p>ZW NO.:ZW076-PO</p> <p>OEM NO.:</p> <p>Ref NO.:ZF 7685 955 113</p> <p>Nominal displacement:25.0ml/r</p> <p>Maximus Pressure:175bar</p> <p>Highest rotational speed:500-3500r/min</p> <p>Controlled flow rate:25.0L/min</p> <p>Fuel feed hole:M26×1.5-6H</p> <p>Fuel discharge hole:M18×1.5-6H</p> <p>Direction of rotation:Left</p>	
<p>77</p> <p>ZW NO.:ZW077-PO</p> <p>OEM NO.:MAN81.47101.6137</p> <p>Ref NO.:ZF 7685 955 180</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M16×1.5</p> <p>Direction of rotation:Right</p>		<p>78</p> <p>ZW NO.:ZW078-PO</p> <p>OEM NO.:MAN81.47101.6031</p> <p>Ref NO.:ZF 7674 955 519</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M16×1.5</p> <p>Direction of rotation:Left</p>	
<p>79</p> <p>ZW NO.:ZW079-PO</p> <p>OEM NO.:MAN81.47101.6031</p> <p>Ref NO.:ZF 7674 955 519</p> <p>Nominal displacement:17.5ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p>		<p>80</p> <p>ZW NO.:ZW080-PO</p> <p>OEM NO.:MAN81.47101.6189</p> <p>Ref NO.:ZF 7685 955 152</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p>	

	Fuel discharge hole:M18×1.5 Direction of rotation:Right		Fuel discharge hole:M18×1.5 Direction of rotation:Right	
81	ZW NO.:ZW081-PO OEM NO.:MAN81.47101.6190 Ref NO.:ZF 7685 955 153 Nominal displacement:21.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left		82 ZW NO.:ZW082-PO OEM NO.:MAN81.47101.6140/ 81.47101.6161 Ref NO.:LUK 542 0022 10/4210 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left	
83	ZW NO.:ZW083-PO OEM NO.:MAN81.47101.6122/81.47101.6162 Ref NO.:LUK 542 0023 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right		84 ZW NO.:ZW084-PO OEM NO.:MAN81.47101.6140 Ref NO.:LUK 542 0022 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left	
85	ZW NO.:ZW085-PO OEM NO.:MAN Ref NO.:LUK 542 0067 10/ZF 7685 955 154 Nominal displacement:21.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right		86 ZW NO.:ZW086-PO OEM NO.: Ref NO.:LH2115657 Nominal displacement:21.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M18×1.5-6H Direction of rotation:Left	
87	ZW NO.:ZW087-PO OEM NO.:SCANIA 571364 Ref NO.:ZF 7677 955 106 Nominal displacement:32.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right		88 ZW NO.:ZW088-PO OEM NO.:SCANIA 571366 Ref NO.:ZF 7677 955 107 Nominal displacement:32.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left	
89	ZW NO.:ZW089-PO OEM NO.:SCANIA 571365 Ref NO.:ZF 7677 955 108 Nominal displacement:32.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right		90 ZW NO.:ZW090-PO OEM NO.:SCANIA Ref NO.:ZF 7677 955 116 Nominal displacement:32.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right	
	ZW NO.:ZW091-PO OEM NO.:SCANIA Ref NO.:ZF 7677 955 110		ZW NO.:ZW092-PO OEM NO.:SCANIA 571370 Ref NO.:ZF 7674 955 284	

<p>91</p> <p>Nominal displacement:34.0ml/r Maximus Pressure:85bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>92</p> <p>Nominal displacement:16.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
<p>93</p> <p>ZW NO.:ZW093-PO OEM NO.:SCANIA 571370 Ref NO.:ZF 7674 955 217 Nominal displacement:16.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3000r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		<p>94</p> <p>ZW NO.:ZW094-PO OEM NO.:SCANIA 133790 1457710 Ref NO.:LUK 542 0013 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
<p>95</p> <p>ZW NO.:ZW095-PO OEM NO.:SCANIA 1332653 1457711 Ref NO.:LUK 542 0012 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3000r/min Controlled flow rate:22.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>96</p> <p>ZW NO.:ZW096-PO OEM NO.:SCANIA 1421273/571435/1324223/1457709 Ref NO.:LUK 542 0010 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:600-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
<p>97</p> <p>ZW NO.:ZW097-PO OEM NO.:SCANIA 1421272/1457708/1308495 Ref NO.:LUK 542 0008 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:600-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>		<p>98</p> <p>ZW NO.:ZW098-PO OEM NO.:SCANIA 1571393 Ref NO.:LUK 542 0003 10 Nominal displacement:21.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>	
<p>99</p> <p>ZW NO.:ZW099-PO OEM NO.:SCANIA 1571394 Ref NO.:LUK 542 0004 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Left</p>		<p>100</p> <p>ZW NO.:ZW100-PO OEM NO.:SCANIA 1571395 Ref NO.:LUK 542 0005 10 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:22.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
<p>101</p> <p>ZW NO.:ZW101-PO OEM NO.:SCANIA 1504006 Ref NO.:ZF 7685 955 787 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5</p>		<p>102</p> <p>ZW NO.:ZW102-PO OEM NO.: Ref NO.:ZF 7672 955 253 Nominal displacement:15.0ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:12.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5</p>	

	Direction of rotation:Right		Direction of rotation:Right		
103	ZW NO.:ZW103-PO OEM NO.:IVECO 4896314 Ref NO.:ZF 7685 900 103 Nominal displacement:17.5ml/r Maximum Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:ø23 Fuel discharge hole:M18×1.5 Direction of rotation:Left		104	ZW NO.:ZW104-PO OEM NO.:IVECO 4833411 Ref NO.:ZF 7673 955 322 Nominal displacement:17.5ml/r Maximum Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left	
105	ZW NO.:ZW105-PO OEM NO.:IVECO 42498096 Ref NO.:ZF 7674 955 232 Nominal displacement:21.0ml/r Maximum Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right		106	ZW NO.:ZW106-PO OEM NO.:IVECO 42521697 Ref NO.:ZF 7673 955 311 Nominal displacement:16.0ml/r Maximum Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:15.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left	
107	ZW NO.:ZW107-PO OEM NO.:IVECO 4831152 Ref NO.:ZF 7673 955 294 Nominal displacement:17.5ml/r Maximum Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left		108	ZW NO.:ZW108-PO OEM NO.:IVECO 41211223 Ref NO.:ZF 8695 955 116 Nominal displacement:17.5ml/r Maximum Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left	
109	ZW NO.:ZW109-PO OEM NO.:IVECO 41211093 Ref NO.:ZF 7688 955 505 Nominal displacement:30.0ml/r Maximum Pressure:165bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M18×1.5-6H Direction of rotation:Left		110	ZW NO.:ZW110-PO OEM NO.:4D31/4D32 Ref NO.:57100-5H000 Nominal displacement:9.2ml/r Maximum Pressure:70bar Highest rotational speed:500-7000r/min Controlled flow rate:6.0L/min Fuel feed hole:ø12 Fuel discharge hole:M14×1.5-6H Direction of rotation:Right	
111	ZW NO.:ZW111-PO OEM NO.:4D31/4D32 Ref NO.:57100-45210 Nominal displacement:9.6ml/r Maximum Pressure:80bar Highest rotational speed:500-7000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø13.5 Fuel discharge hole:M14×1.5-6H Direction of rotation:Right		112	ZW NO.:ZW112-PO OEM NO.:4D55 Ref No.: Nominal displacement:10.0ml/r Maximum Pressure:80bar Highest rotational speed:500-3600r/min Controlled flow rate:8.0L/min Fuel feed hole:ø13 Fuel discharge hole:M16×1.5 Direction of rotation:Left	
	ZW NO.:ZW113-PO OEM NO.:8DC9-1/8DC8 Ref NO.: Nominal displacement:30.0ml/r			ZW NO.:ZW114-PO OEM NO.: Ref NO.:57100-6A800 Nominal displacement:14.5ml/r	

113	<p>Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:25.0L/min Fuel feed hole:M33×2 Fuel discharge hole:M22×1.5 Direction of rotation:Right</p>		114	<p>Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:11.0L/min Fuel feed hole:G3/8 Fuel discharge hole:M16×1.5 Direction of rotation:Right</p>	
115	<p>ZW NO.:ZW115-PO OEM NO.:6D22/8DC9/FUSO 320 Ref NO.:MC826183/475-03520 Nominal displacement:20.0ml/r Maximus Pressure:125bar Highest rotational speed:500-3200r/min Controlled flow rate:17.0L/min Fuel feed hole:ø23 Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		116	<p>ZW NO.:ZW116-PO OEM NO.: Ref NO.:ZF 7688 955 522 Nominal displacement:32.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
117	<p>ZW NO.:ZW117-PO OEM NO.:ISSUZU 1146/D0846/D2848/D2156 Ref NO.:65.47101-7025/65.47101-7017/65.47101-7019 Nominal displacement:20.0ml/r Maximus Pressure:125bar Highest rotational speed:500-3600r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>		118	<p>ZW NO.:ZW118-PO OEM NO.:DAEWOO/ISUZU Ref NO.:65.47101-6041/65.47101-7029/65.47101-6040 Nominal displacement:20.0ml/r Maximus Pressure:125bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
119	<p>ZW NO.:ZW119-PO OEM NO.:TATA DAWWOO 34333-00300 Ref NO.:ZF 7685 955 776 Nominal displacement:21.0ml/r Maximus Pressure:125bar Highest rotational speed:500-4500r/min Controlled flow rate:19.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>		120	<p>ZW NO.:ZW120-PO OEM NO.:TATA DAWWOO 34333-00410 Ref NO.:ZF 7685 955 804 Nominal displacement:21.0ml/r Maximus Pressure:125bar Highest rotational speed:500-4500r/min Controlled flow rate:19.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Right</p>	
121	<p>ZW NO.:ZW121-PO OEM NO.:TATA DAWWOO 34333-00410 Ref NO.:ZF 7685 955 513 Nominal displacement:30.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>		122	<p>ZW NO.:ZW122-PO OEM NO.: Ref NO.:ZF 7688 955 508 Nominal displacement:32.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3200r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>	
123	<p>ZW NO.:ZW123-PO OEM NO.:TATA DAWWOO 34333-00350 Ref NO.:ZF 7685 955 282 Nominal displacement:21.0ml/r Maximus Pressure:125bar Highest rotational speed:500-4500r/min Controlled flow rate:19.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left</p>		124	<p>ZW NO.:ZW124-PO OEM NO.:6D16 Ref NO.:MC092059/475-03479 MC092059/475-03498 Nominal displacement:14.33ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M20×1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Right</p>	

125	<p>ZW NO.:ZW125-PO OEM NO.:6D16 Ref NO.:475-03451 Nominal displacement:14.33ml/r Maximus Pressure:140bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:M20×1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW126-PO OEM NO.:6D14/6D15 Ref NO.:MC0403047/475-03434 Nominal displacement:13.0ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:12.0L/min Fuel feed hole:M20×1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Left</p>	
127	<p>ZW NO.:ZW127-PO OEM NO.:6D14/6D15 Ref NO.:MC826124/475-03428 Nominal displacement:13.0ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:12.0L/min Fuel feed hole:M20×1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Left</p>		<p>ZW NO.:ZW128-PO OEM NO.:6D14/6D15 Ref NO.:MC811879/475-03423 MC092058/475-03478 Nominal displacement:13.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:11.0L/min Fuel feed hole:M20×1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Left</p>	
129	<p>ZW NO.:ZW129-PO OEM NO.:4D34 Ref NO.: Nominal displacement:9.5ml/r Maximus Pressure:90bar Highest rotational speed:600-500r/min Controlled flow rate:6.0L/min Fuel feed hole:ø18 Fuel discharge hole:M12×1.25 Direction of rotation:Left</p>		<p>ZW NO.:ZW130-PO OEM NO.: Ref NO.:MK383006/4D34T Nominal displacement:9.5ml/r Maximus Pressure:90bar Highest rotational speed:600-5000r/min Controlled flow rate:6.0L/min Fuel feed hole:ø18 Fuel discharge hole:M12×1.25 Direction of rotation:Left</p>	
131	<p>ZW NO.:ZW131-PO OEM NO.:6D22/8DC9 Ref NO.:MC826183/475-03520 Nominal displacement:20.0ml/r Maximus Pressure:110bar Highest rotational speed:500-3600r/min Controlled flow rate:13.0L/min Fuel feed hole:ø22.8 Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>		<p>ZW NO.:ZW132-PO OEM NO.:MITSUBISHI Ref NO.:4D56 Nominal displacement:9.6ml/r Maximus Pressure:75bar Highest rotational speed:600-8500r/min Controlled flow rate:7.0L/min Fuel feed hole:ø13.5 Fuel discharge hole:ø15.2 Direction of rotation:Right</p>	
133	<p>ZW NO.:ZW133-PO OEM NO.:MITSUBISHI Ref NO.:4D56-L300 Nominal displacement:9.6ml/r Maximus Pressure:75bar Highest rotational speed:600-8500r/min Controlled flow rate:7.0L/min Fuel feed hole:ø16 Fuel discharge hole:M12×1.5-6g Direction of rotation:Right</p>		<p>ZW NO.:ZW134-PO OEM NO.:MITSUBISHI Ref NO.:4M51 Nominal displacement:9.5ml/r Maximus Pressure:90bar Highest rotational speed:600-6000r/min Controlled flow rate:6.5L/min Fuel feed hole:ø18 Fuel discharge hole:M14×1.25 Direction of rotation:Right</p>	
125	<p>ZW NO.:ZW135-PO OEM NO.:MITSUBISHI Ref NO.:FUSO 6D40 Nominal displacement:20.52ml/r Maximus Pressure:130bar</p>		<p>ZW NO.:ZW136-PO OEM NO.:MITSUBISHI Ref NO.:FUSO 6D22T Nominal displacement:2X14.0ml/r Maximus Pressure:110bar</p>	

135	<p>Highest rotational speed:625-3200r/min Controlled flow rate:17.0L/min Fuel feed hole:ø23 Fuel discharge hole:M20×1.5-6H Direction of rotation:Left</p>		136	<p>Highest rotational speed:600-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:ø23.7 Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	
137	<p>ZW NO.:ZW137-PO OEM NO.:HINO HJ08C Ref NO.:44310-2362/44310-2322 Nominal displacement:14.33ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M20X1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>		138	<p>ZW NO.:ZW138-PO OEM NO.:HINO HJ08C Ref NO.:WITH SCREW Nominal displacement:20.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:ø20 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>	
139	<p>ZW NO.:ZW139-PO OEM NO.:HINO Ref NO.:4430-1570 Nominal displacement:20.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:ø26.5 Fuel discharge hole:M16X1.5-6H Direction of rotation:Right</p>		140	<p>ZW NO.:ZW140-PO OEM NO.:HINO H06CT/H07D Ref NO.:44310-1901/44310-1881 Nominal displacement:11.0ml/r Maximus Pressure:85bar Highest rotational speed:500-3600r/min Controlled flow rate:7.0L/min Fuel feed hole:M22X1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
141	<p>ZW NO.:ZW141-PO OEM NO.:HINO H07D-H06CT Ref NO.: Nominal displacement:11.0ml/r Maximus Pressure:110bar Highest rotational speed:500-3600r/min Controlled flow rate:12.0L/min Fuel feed hole:M22X1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		142	<p>ZW NO.:ZW142-PO OEM NO.:HINO EF750 Ref NO.:44300-1641 Nominal displacement:18.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:ø12 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
143	<p>ZW NO.:ZW143-PO OEM NO.:HINO H07C Ref NO.:44310-1880/44310-1930 Nominal displacement:14.33ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:8.0L/min Fuel feed hole:M22X1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		144	<p>ZW NO.:ZW144-PO OEM NO.:HINO EM100/EK100 Ref NO.:44310-1621/44310-1490 Nominal displacement:16.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:ø12 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
145	<p>ZW NO.:ZW145-PO OEM NO.:HINO J08C Ref NO.:8B23864 2232 Nominal displacement:13.6ml/r Maximus Pressure:125bar Highest rotational speed:500-3200r/min Controlled flow rate:8.0L/min Fuel feed hole:ø16 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>		146	<p>ZW NO.:ZW146-PO OEM NO.:HINO H07D Ref NO.:44310-2200 Nominal displacement:14.33ml/r Maximus Pressure:85bar Highest rotational speed:500-3200r/min Controlled flow rate:7.0L/min Fuel feed hole:M22X1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	







<p>147</p> <p>ZW NO.:ZW147-PO OEM NO.:HINO EH700 Ref NO.:44310-1561 Nominal displacement:13ml/r Maximus Pressure:80bar Highest rotational speed:500-3200r/min Controlled flow rate:8.5L/min Fuel feed hole:M22X1.5-6H Fuel discharge hole:M16X1.5-6H Direction of rotation:Right</p>		<p>148</p> <p>ZW NO.:ZW148-PO OEM NO.:HINO EH700 AK/H07C BUS Ref NO.:44310-1791/44310-1990 Nominal displacement:13.6ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:10.0L/min Fuel feed hole:M22X1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
<p>149</p> <p>ZW NO.:ZW149-PO OEM NO.:HINO P11C Ref NO.:44350-1610 Nominal displacement:28.0ml/r Maximus Pressure:140bar Highest rotational speed:625-4790r/min Controlled flow rate:17.0L/min Fuel feed hole:ø27 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>150</p> <p>ZW NO.:ZW150-PO OEM NO.:HINO E13C Ref NO.:44310-E0310 Nominal displacement:28.0ml/r Maximus Pressure:147bar Highest rotational speed:625-4790r/min Controlled flow rate:17.0L/min Fuel feed hole:ø29.3 Fuel discharge hole:M16X1.5-6H Direction of rotation:Right</p>	
<p>151</p> <p>ZW NO.:ZW151-PO OEM NO.:HINO J05C Ref NO.: Nominal displacement:14.5ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:ø29.3 Fuel discharge hole:M16X1.5-6H Direction of rotation:Right</p>		<p>152</p> <p>ZW NO.:ZW152-PO OEM NO.:ISUZU 6HH1(2H0LES) Ref NO.:470-04156 Nominal displacement:9.0ml/r Maximus Pressure:85bar Highest rotational speed:500-3600r/min Controlled flow rate:9.0L/min Fuel feed hole:ø17 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>	
<p>153</p> <p>ZW NO.:ZW153-PO OEM NO.: Ref NO.:475-04158 Nominal displacement:9.0ml/r Maximus Pressure:85bar Highest rotational speed:500-3600r/min Controlled flow rate:9.0L/min Fuel feed hole:ø17 Fuel discharge hole:G3/8 Direction of rotation:Left</p>		<p>154</p> <p>ZW NO.:ZW154-PO OEM NO.:ISUZU 6BG1 Ref No.:470-04065/475-04080/475-03914 Nominal displacement:15.77ml/r Maximus Pressure:85bar Highest rotational speed:500-3200r/min Controlled flow rate:11.0L/min Fuel feed hole:ø12 Fuel discharge hole:M18X1.5 Direction of rotation:Right</p>	
<p>155</p> <p>ZW NO.:ZW155-PO OEM NO.:ISUZU 6SA1 Ref NO.:475-0514/475-0547 Nominal displacement:20.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:ø12 Fuel discharge hole:M18X1.5 Direction of rotation:Left</p>		<p>156</p> <p>ZW NO.:ZW156-PO OEM NO.:ISUZU 10PC1/10PB1 Ref NO.:475-03923/447-03940 Nominal displacement:27.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:ø12 Fuel discharge hole:M18X1.5 Direction of rotation:Right</p>	
<p>157</p> <p>ZW NO.:ZW157-PO OEM NO.:ISUZU 6HEI Ref NO.:470-04148/1-19500-584-0 Nominal displacement:9.0ml/r Maximus Pressure:85bar Highest rotational speed:500-3200r/min</p>		<p>158</p> <p>ZW NO.:ZW158-PO OEM NO.:ISUZU 4BC2(NEW)/4BE1 Ref NO.:44306-1160Q Nominal displacement:12.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min</p>	



	Controlled flow rate:9.0L/min Fuel feed hole:ø17 Fuel discharge hole:M18X1.5 Direction of rotation:Left		Controlled flow rate:10.0L/min Fuel feed hole:ø11 Fuel discharge hole:G1/4 Direction of rotation:Right	
159	ZW NO.:ZW159-PO OEM NO.:ISUZU 4BC2(OLD)4BD1T Ref NO.:44306-1160QA Nominal displacement:12.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:10.0L/min Fuel feed hole:ø18 Fuel discharge hole:3/8 Direction of rotation:Right		160 ZW NO.:ZW160-PO OEM NO.:ISUZU Ref NO.:265252 Nominal displacement:7.2ml/r Maximus Pressure:98bar Highest rotational speed:500-7000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø18 Fuel discharge hole:M12X1.25 Direction of rotation:Right	
161	ZW NO.:ZW161-PO OEM NO.:ISUZU 4HF1 Ref NO.:897115134 Nominal displacement:7.0ml/r Maximus Pressure:100bar Highest rotational speed:500-5000r/min Controlled flow rate:8.0L/min Fuel feed hole:ø17.5 Fuel discharge hole:M12x1.25 Direction of rotation:Left		162 ZW NO.:ZW162-PO OEM NO.:ISUZU Ref NO.:8-971365970-C Nominal displacement:7.0ml/r Maximus Pressure:100bar Highest rotational speed:500-5000r/min Controlled flow rate:8.0L/min Fuel feed hole:ø17 Fuel discharge hole:M12X1.25-6g Direction of rotation:Left	
163	ZW NO.:ZW163-PO OEM NO.:ISUZU Ref NO.:897115135 Nominal displacement:7.0ml/r Maximus Pressure:100bar Highest rotational speed:500-5000r/min Controlled flow rate:8.0L/min Fuel feed hole:ø17.5 Fuel discharge hole:M12x1.25 Direction of rotation:Left		164 ZW NO.:ZW164-PO OEM NO.:ISUZU D-MAX4JA1 Ref NO.:470-03148 Nominal displacement:7.2ml/r Maximus Pressure:100bar Highest rotational speed:500-8000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø16.7 Fuel discharge hole:M12X1.25-6g Direction of rotation:Left	
165	ZW NO.:ZW165-PO OEM NO.:ISUZU 4JB1 Ref NO.: Nominal displacement:7.2ml/r Maximus Pressure:98bar Highest rotational speed:500-5000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø17.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right		166 ZW NO.:ZW166-PO OEM NO.:ISUZU 4JG2 Ref NO.: Nominal displacement:7.2ml/r Maximus Pressure:100bar Highest rotational speed:500-6000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø12 Fuel discharge hole:M16X1.5 Direction of rotation:Right	
167	ZW NO.:ZW152-PO OEM NO.:ISUZU C223 475-2601 Ref NO.:8-94160669-0 Nominal displacement:14.33ml/r Maximus Pressure:85bar Highest rotational speed:500-3200r/min Controlled flow rate:10.0L/min Fuel feed hole:ø18 Fuel discharge hole:M16X1.5 Direction of rotation:Right		168 ZW NO.:ZW152-PO OEM NO.:6SD1 Ref NO.:ISUZU Nominal displacement:26.65ml/r Maximus Pressure:130bar Highest rotational speed:600-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:ø12 Fuel discharge hole:M18X1.5-6H Direction of rotation:Left	
	ZW NO.:ZW169-PO		ZW NO.:ZW170-PO	


169	<p>OEM NO.:4HF1 1-89711-513-1 Ref NO.: Nominal displacement:9.6ml/r Maximus Pressure:100bar Highest rotational speed:500-6000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø18 Fuel discharge hole:ø15.2 Direction of rotation:Left</p>		<p>OEM NO.:ISUZU 10PC1 Ref NO.:Double Cartridge Nominal displacement:2X13.2ml/r Maximus Pressure:150bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:ø12 Fuel discharge hole:M18X1.5 Direction of rotation:Right</p>	
171	<p>ZW NO.:ZW171-PO OEM NO.:ISUZU 4HE1T-4HK1T Ref NO.:475-04951 Nominal displacement:13.4ml/r&9.0ml Maximus Pressure:110bar&90bar Highest rotational speed:500-6000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø17 Fuel discharge hole:M14X1.5 Direction of rotation:Left</p>		<p>ZW NO.:ZW172-PO OEM NO.:44320-60220 Ref NO.:TOYOTA LANDCRUISER Nominal displacement:14.33ml/r Maximus Pressure:85bar Highest rotational speed:500-3600r/min Controlled flow rate:7.0L/min Fuel feed hole:ø22 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
173	<p>ZW NO.:ZW173-PO OEM NO.:44320-60171/44320-36240 Ref NO.:TOYOTA 1HZ Nominal displacement:14.33ml/r Maximus Pressure:110bar Highest rotational speed:500-3600r/min Controlled flow rate:9.0L/min Fuel feed hole:ø22 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW174-PO OEM NO.:TOYOTA 2L Ref NO.: Nominal displacement:11.0ml/r Maximus Pressure:70bar Highest rotational speed:500-5000r/min Controlled flow rate:5.0L/min Fuel feed hole:ø16 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
175	<p>ZW NO.:ZW175-PO OEM NO.: Ref NO.:DAIHATSHU Nominal displacement:11.0ml/r Maximus Pressure:70bar Highest rotational speed:500-5000r/min Controlled flow rate:5.0L/min Fuel feed hole:ø16 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW176-PO OEM NO.:44320-87304 Ref NO.:14B Nominal displacement:14.33ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:7.0L/min Fuel feed hole:ø22 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
177	<p>ZW NO.:ZW177-PO OEM NO.:14B Ref NO.: Nominal displacement:14.33ml/r Maximus Pressure:80bar Highest rotational speed:500-3600r/min Controlled flow rate:7.0L/min Fuel feed hole:ø22 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>ZW NO.:ZW178-PO OEM NO.:44310-35610 Ref NO.:TOYOTA HILUX Nominal displacement:7.20ml/r Maximus Pressure:80bar Highest rotational speed:500-6000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø16 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
179	<p>ZW NO.:ZW179-PO OEM NO.: Ref NO.:TOYOTA 3L Nominal displacement:9.60ml/r Maximus Pressure:90bar Highest rotational speed:500-5500r/min Controlled flow rate:7.0L/min</p>		<p>ZW NO.:ZW180-PO OEM NO.:NISSAN FE6 Ref NO.:14670-Z5607/470-04422 Nominal displacement:12.8ml/r Maximus Pressure:120bar Highest rotational speed:500-5000r/min Controlled flow rate:10.0L/min</p>	













	<p>Fuel feed hole:ø19</p> <p>Fuel discharge hole:M16X1.5-6H</p> <p>Direction of rotation:Right</p>		<p>Fuel feed hole:ø14</p> <p>Fuel discharge hole:M20X1.5-6g</p> <p>Direction of rotation:Right</p>		
181	<p>ZW NO.:ZW181-PO</p> <p>OEM NO.:NISSAN FE6</p> <p>Ref NO.:14670-Z5572</p> <p>Nominal displacement:12.8ml/r</p> <p>Maximus Pressure:110bar</p> <p>Highest rotational speed:500-5000r/min</p> <p>Controlled flow rate:10.0L/min</p> <p>Fuel feed hole:ø14</p> <p>Fuel discharge hole:M20X1.5-6g</p> <p>Direction of rotation:Right</p>		182	<p>ZW NO.:ZW182-PO</p> <p>OEM NO.:NISSAN PE6</p> <p>Ref NO.:475-03380</p> <p>Nominal displacement:13.0ml/r</p> <p>Maximus Pressure:105bar</p> <p>Highest rotational speed:500-3000r/min</p> <p>Controlled flow rate:11.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>	
183	<p>ZW NO.:ZW183-PO</p> <p>OEM NO.:NISSAN CW520R/PF6</p> <p>Ref NO.:14670-96264</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:135bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>		184	<p>ZW NO.:ZW184-PO</p> <p>OEM NO.:NISSAN CW520R/PF8</p> <p>Ref NO.:14670-97312/14670-96367</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:130bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Left</p>	
185	<p>ZW NO.:ZW185-PO</p> <p>OEM NO.:NISSAN CW54L/PF6</p> <p>Ref NO.:14670-96063</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:135bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>		186	<p>ZW NO.:ZW186-PO</p> <p>OEM NO.:NISSAN CW54L/PF8</p> <p>Ref NO.:14670-97178/475-97361</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:135bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Left</p>	
187	<p>ZW NO.:ZW187-PO</p> <p>OEM NO.:NISSAN QF163</p> <p>Ref NO.:RE8 CW52/CW53 14670-97178JP</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:135bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>		188	<p>ZW NO.:ZW188-PO</p> <p>OEM NO.:NISSAN</p> <p>Ref NO.:</p> <p>Nominal displacement:18.0ml/r</p> <p>Maximus Pressure:135bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:ø15</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>	
189	<p>ZW NO.:ZW189-PO</p> <p>OEM NO.:</p> <p>Ref NO.:475-97163</p> <p>Nominal displacement:13.2ml/r</p> <p>Maximus Pressure:105bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:13.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Left</p>		190	<p>ZW NO.:ZW190-PO</p> <p>OEM NO.:</p> <p>Ref NO.:475-97163</p> <p>Nominal displacement:13.2ml/r</p> <p>Maximus Pressure:105bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:13.0L/min</p> <p>Fuel feed hole:ø12</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>	
	<p>ZW NO.:ZW191-PO</p> <p>OEM NO.:NISSAN FE6</p>			<p>ZW NO.:ZW192-PO</p> <p>OEM NO.:NISSAN NE6</p>	













<p>191</p> <p>Ref NO.:14670-Z5660/475-04250475-04345 Nominal displacement:14.33ml/r Maximus Pressure:105bar Highest rotational speed:500-3200r/min Controlled flow rate:12.0L/min Fuel feed hole:ø12 Fuel discharge hole:G3/8-19 Direction of rotation:Right</p>		<p>192</p> <p>Ref NO.:475-04332/14670-95031/475-04212/14720-95003 Nominal displacement:14.33ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:ø12 Fuel discharge hole:G3/8-19 Direction of rotation:Right</p>	
<p>193</p> <p>ZW NO.:ZW193-PO OEM NO.: Ref NO.:44360-1150B Nominal displacement:14.3ml/r Maximus Pressure:120bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:ø12 Fuel discharge hole:G3/8-19 Direction of rotation:Right</p>		<p>194</p> <p>ZW NO.:ZW194-PO OEM NO.:NISSAN FE6 Ref NO.:14670-Z5501 Nominal displacement:13.0ml/r Maximus Pressure:120bar Highest rotational speed:500-5000r/min Controlled flow rate:10.0L/min Fuel feed hole:ø14 Fuel discharge hole:M20X1.5 Direction of rotation:Right</p>	
<p>195</p> <p>ZW NO.:ZW195-PO OEM NO.:NISSAN FE6 CPB15 Ref NO.:14670-Z5560 Nominal displacement:20.5ml/r Maximus Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:ø12 Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		<p>196</p> <p>ZW NO.:ZW196-PO OEM NO.:NISSAN Ref NO.:14670-96364 Nominal displacement:2X15.8ml/r Maximus Pressure:125bar Highest rotational speed:500-3600r/min Controlled flow rate:18.0L/min Fuel feed hole:ø30 Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
<p>197</p> <p>ZW NO.:ZW197-PO OEM NO.:TATA WORLD TRUCK Ref NO.:7685 955 109 Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3500r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>198</p> <p>ZW NO.:ZW198-PO OEM NO.:TATA WORLD TRUCK Ref NO.:7679 955 902 Nominal displacement:28.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3000r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left</p>	
<p>199</p> <p>ZW NO.:ZW199-PO OEM NO.:TATA WORLD TRUCK Ref NO.:2885 4660 0104 Nominal displacement:21.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left</p>		<p>200</p> <p>ZW NO.:ZW200-PO OEM NO.:ID 200714 Ref NO.:TATA Nominal displacement:16.0ml/r Maximus Pressure:130bar Highest rotational speed:500-4500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left</p>	
<p>201</p> <p>ZW NO.:ZW201-PO OEM NO.: Ref NO.:TATA LCV 2641 4680 0143 Nominal displacement:14.0ml/r Maximus Pressure:100bar Highest rotational speed:500-4000r/min Controlled flow rate:9.0L/min Fuel feed hole:M26×1.5</p>		<p>202</p> <p>ZW NO.:ZW202-PO OEM NO.: Ref NO.:2770 4600 0109 Nominal displacement:15.77ml/r Maximus Pressure:120bar Highest rotational speed:500-3000r/min Controlled flow rate:12.0L/min Fuel feed hole:M26×1.5</p>	













	Fuel discharge hole:M16X1.5 Direction of rotation:Right		Fuel discharge hole:M16X1.5 Direction of rotation:Right	
203	ZW NO.:ZW203-PO OEM NO.:TATA Ref NO.:CUMMINS 6BT Nominal displacement:14.5ml/r Maximus Pressure:120bar Highest rotational speed:500-3600r/min Controlled flow rate:12.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right		204 ZW NO.:ZW204-PO OEM NO.:TATA Ref NO.:ZF INDIA 7672955274 Nominal displacement:14.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:9.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right	
205	ZW NO.:ZW205-PO OEM NO.:TATA Ref NO.:ZF 7673 955 304 Nominal displacement:17.5ml/r Maximus Pressure:150bar Highest rotational speed:500-3200r/min Controlled flow rate:14.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left		206 ZW NO.:ZW206-PO OEM NO.:TATA Ref NO.:ZF 7673 955 802 Nominal displacement:18.0ml/r Maximus Pressure:000bar Highest rotational speed:600-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left	
207	ZW NO.:ZW207-PO OEM NO.:TATA LPK 407 Ref NO.:ZF 7613 955 138 Nominal displacement:8.5ml/r Maximus Pressure:100bar Highest rotational speed:500-7000r/min Controlled flow rate:9.0L/min Fuel feed hole:ø17.3 Fuel discharge hole:M16X1.5 Direction of rotation:Right		208 ZW NO.:ZW208-PO OEM NO.: Ref NO.:TATA SUMO 2823 4660 0112 Nominal displacement:9.6ml/r Maximus Pressure:70bar Highest rotational speed:500-8000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø14 Fuel discharge hole:M16X1.5 Direction of rotation:Right	
209	ZW NO.:ZW209-PO OEM NO.:TATA WORLD TRUCK Ref NO.:ZF 7673 955 903 Nominal displacement:28.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3000r/min Controlled flow rate:25.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right		210 ZW NO.:ZW210-PO OEM NO.:TATA WORLD TRUCK Ref NO.:ZF 7685 955 201 Nominal displacement:21.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right	
211	ZW NO.:ZW211-PO OEM NO.:TATA INDICA 2818 4660 0104 Ref NO.:ZF 7690 955 412 Nominal displacement:7.2ml/r Maximus Pressure:70bar Highest rotational speed:500-8000r/min Controlled flow rate:7.0L/min Fuel feed hole:ø17.5 Fuel discharge hole:M14X1.5 Direction of rotation:Right		212 ZW NO.:ZW212-PO OEM NO.:ASHOK LEYLAND Ref NO.:2632 4660 0111 Nominal displacement:15.0ml/r Maximus Pressure:120bar Highest rotational speed:500-3000r/min Controlled flow rate:12.0L/min Fuel feed hole:M26x1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right	
	ZW NO.:ZW213-PO OEM NO.:ASHOK LEYLAND Ref NO.:ZF 7695 988 104		ZW NO.:ZW214-PO OEM NO.:ASHOK LEYLAND Ref NO.:F8809210	













<p>213</p> <p>Nominal displacement:20.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>214</p> <p>Nominal displacement:15.0ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:12.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
<p>215</p> <p>ZW NO.:ZW215-PO OEM NO.:ASHOK LEYLAND Ref NO.:F8802040 Nominal displacement:25.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3600r/min Controlled flow rate:25.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>216</p> <p>ZW NO.:ZW216-PO OEM NO.: Ref NO.:HINO Nominal displacement:15.39ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:12.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>	
<p>217</p> <p>ZW NO.:ZW217-PO OEM NO.:AL F8320900 Ref NO.: Nominal displacement:15.39ml/r Maximus Pressure:105bar Highest rotational speed:500-3600r/min Controlled flow rate:10.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>		<p>218</p> <p>ZW NO.:ZW218-PO OEM NO.:KAMAZ Ref NO.:4310-3407200 Nominal displacement:16.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3600r/min Controlled flow rate:12.0L/min Fuel feed hole:M24×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>	
<p>219</p> <p>ZW NO.:ZW219-PO OEM NO.:KAMAZ Ref NO.:7685 955 138 Nominal displacement:21.0ml/r Maximus Pressure:160bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left</p>		<p>220</p> <p>ZW NO.:ZW220-PO OEM NO.:ZIL Ref NO.:TN7-256b-3407199 Nominal displacement:16.0ml/r Maximus Pressure:100bar Highest rotational speed:500-3200r/min Controlled flow rate:15.0L/min Fuel feed hole:ø18 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
<p>221</p> <p>ZW NO.:ZW221-PO OEM NO.:ZIL Ref NO.:130-3407199 Nominal displacement:15.77ml/r Maximus Pressure:80bar Highest rotational speed:500-3600r/min Controlled flow rate:20.0L/min Fuel feed hole:ø18 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>		<p>222</p> <p>ZW NO.:ZW222-PO OEM NO.:ZIL Ref NO.:256b-3407199-01 Nominal displacement:15.77ml/r Maximus Pressure:80bar Highest rotational speed:500-3600r/min Controlled flow rate:20.0L/min Fuel feed hole:ø18 Fuel discharge hole:M16X1.5 Direction of rotation:Right</p>	
<p>223</p> <p>ZW NO.:ZW223-PO OEM NO.:130-3407200A Ref NO.:66-3407010 Nominal displacement:15.77ml/r Maximus Pressure:70bar Highest rotational speed:500-4800r/min Controlled flow rate:15.0L/min Fuel feed hole:ø11.3 Fuel discharge hole:M16X1.5</p>		<p>224</p> <p>ZW NO.:ZW224-PO OEM NO.:WD615-67 Ref NO.: Nominal displacement:18.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5</p>	

	Direction of rotation:Right			Direction of rotation:Right	
225	ZW NO.:ZW225-PO OEM NO.:WD615-67 Ref NO.:7673 955 280 Nominal displacement:18.0ml/r Maximum Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right		226	ZW NO.:ZW226-PO OEM NO.:HOWO WG9719 4700 37/2 Ref NO.: Nominal displacement:18.0ml/r Maximum Pressure:160bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right	
227	ZW NO.:ZW227-PO OEM NO.:WG 9725 478 037 Ref NO.:ZF 7679 955 603 Nominal displacement:21.0ml/r Maximum Pressure:180bar Highest rotational speed:500-4000r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right		228	ZW NO.:ZW228-PO OEM NO.:WG 9619 470 080 Ref NO.:ZF 7684 955 608 Nominal displacement:17.0ml/r Maximum Pressure:180bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right	
229	ZW NO.:ZW229-PO OEM NO.:WP12 Ref NO.:ZF 7679 955 302 Nominal displacement:17.0ml/r Maximum Pressure:140bar Highest rotational speed:500-4000r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right		230	ZW NO.:ZW230-PO OEM NO.:6126 3003 0005 Ref NO.:ZF 7679 955 306 Nominal displacement:17.0ml/r Maximum Pressure:180bar Highest rotational speed:500-4000r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right	
231	ZW NO.:ZW231-PO OEM NO.:6126 3003 0087 Ref NO.: Nominal displacement:17.0ml/r Maximum Pressure:130bar Highest rotational speed:500-4000r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right		232	ZW NO.:ZW232-PO OEM NO.:153A Ref NO.:3406G-010-C Nominal displacement:16.0ml/r Maximum Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:18.0L/min Fuel feed hole:M30×1.5 Fuel discharge hole:M20X1.5 Direction of rotation:Right	
233	ZW NO.:ZW233-PO OEM NO.: Ref NO.:ZF 7673 955 286 Nominal displacement:16.0ml/r Maximum Pressure:130bar Highest rotational speed:500-3200r/min Controlled flow rate:20.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right		234	ZW NO.:ZW234-PO OEM NO.:FORD Ref NO.:ZF 7683 975 903 Nominal displacement:17.0ml/r Maximum Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:9.0L/min Fuel feed hole:ø19 Fuel discharge hole:3/4-16UNF-2A Direction of rotation:Right	
	ZW NO.:ZW235-PO OEM NO.:International Agrale 4.10 Ref NO.:ZF 7684 955 921 Nominal displacement:15.0ml/r			ZW NO.:ZW236-PO OEM NO.: Ref NO.:ZF 7683 975 900 Nominal displacement:15.0ml/r	

<p>235</p> <p>Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:9.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16X1.5 Direction of rotation:Left</p>		<p>236</p> <p>Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:11.0L/min Fuel feed hole:ø18.2 Fuel discharge hole:3/4-16UNF-2A Direction of rotation:Left</p>	
<p>237</p> <p>ZW NO.:ZW237-PO OEM NO.:AGRALE 7500/8500 Ref NO.:ZF 7684 975 914 Nominal displacement:15.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:10.0L/min Fuel feed hole:ø21 Fuel discharge hole:3/4-16UNF-2A Direction of rotation:Left</p>		<p>238</p> <p>ZW NO.:ZW238-PO OEM NO.:International Agrale 4.10 Ref NO.:ZF 7684 975 922 Nominal displacement:15.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:12.0L/min Fuel feed hole:ø21 Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>	
<p>239</p> <p>ZW NO.:ZW239-PO OEM NO.:FORD B-1618 VOLKS WAGEN Ref NO.:ZF 7685 975 900 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:ø21 Fuel discharge hole:3/4-16UNF-2A Direction of rotation:Left</p>		<p>240</p> <p>ZW NO.:ZW240-PO OEM NO.:CUMMINS 6BT Ref NO.:3406A-010-B Nominal displacement:15.77ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M30X2.0 Fuel discharge hole:M20×1.5 Direction of rotation:Right</p>	
<p>241</p> <p>ZW NO.:ZW241-PO OEM NO.: Ref NO.:CD 7673 955 279 Nominal displacement:18.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:20.0L/min Fuel feed hole:M26X1.5 Fuel discharge hole:M18×1.5-6H Direction of rotation:Right</p>		<p>242</p> <p>ZW NO.:ZW242-PO OEM NO.: Ref NO.:ZF 7684 955 343 Nominal displacement:19.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
<p>243</p> <p>ZW NO.:ZW243-PO OEM NO.: Ref NO.:ZF 7674 955 343 Nominal displacement:21.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>		<p>244</p> <p>ZW NO.:ZW244-PO OEM NO.: Ref NO.:TJG145157 Nominal displacement:19.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:ø21 Fuel discharge hole:3/4-16UNF-2A Direction of rotation:Right</p>	
<p>245</p> <p>ZW NO.:ZW245-PO OEM NO.:2108204 Ref NO.:LUK 52 0359 10 Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:19.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>		<p>246</p> <p>ZW NO.:ZW246-PO OEM NO.:International1663 204 C91 Ref NO.:LUK 52 0130 10 Nominal displacement:17.5ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:19.0L/min Fuel feed hole:1(5/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	













247	<p>ZW NO.:ZW247-PO OEM NO.:International 168 1047 C91 Ref NO.:LUK 52 0239 10 Nominal displacement:17.5ml/r Maximus Pressure:120bar Highest rotational speed:500-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:1(5/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		<p>ZW NO.:ZW248-PO OEM NO.:KENWORTH 2106438 2106749 Ref NO.:LUK 542 0248 10 Nominal displacement:21.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:22.5L/min Fuel feed hole:1(5/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
249	<p>ZW NO.:ZW249-PO OEM NO.: Ref NO.:542 0169 10 3936350 Nominal displacement:21ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:19.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>		<p>ZW NO.:ZW250-PO OEM NO.:International3538860 C91 Ref NO.:LUK 542 0267 10 Nominal displacement:25.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3600r/min Controlled flow rate:25.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
251	<p>ZW NO.:ZW251-PO OEM NO.: Ref NO.:LUK 542 0130 10 Nominal displacement:25.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3600r/min Controlled flow rate:25.0L/min Fuel feed hole:1(5/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		<p>ZW NO.:ZW252-PO OEM NO.: Ref NO.:100 1181 Nominal displacement:25.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3600r/min Controlled flow rate:25.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-12UNF-2B Direction of rotation:Left</p>	
253	<p>ZW NO.:ZW253-PO OEM NO.:DINA Ref NO.:LUK 542 0191 10 Nominal displacement:21.0ml/r Maximus Pressure:160bar Highest rotational speed:500-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:1(5/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>		<p>ZW NO.:ZW254-PO OEM NO.: Ref NO.:LUK 542 0065 10 Nominal displacement:17.5ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:15.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-12UNF-2B Direction of rotation:Right</p>	
255	<p>ZW NO.:ZW255-PO OEM NO.: Ref NO.:LUK 542 0065 10 Nominal displacement:17.5ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:19.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-12UNF-2B Direction of rotation:Right</p>		<p>ZW NO.:ZW256-PO OEM NO.: Ref NO.:LUK 542 0195 10 Nominal displacement:21.0ml/r Maximus Pressure:163bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5-6H Fuel discharge hole:M18×1.5-6H Direction of rotation:Right</p>	
257	<p>ZW NO.:ZW257-PO OEM NO.: Ref NO.: Nominal displacement:17.5ml/r Maximus Pressure:150bar</p>		<p>ZW NO.:ZW258-PO OEM NO.: Ref NO.: Nominal displacement:17.5ml/r Maximus Pressure:150bar</p>	













<p>257</p> <p>Highest rotational speed:500-3600r/min Controlled flow rate:19.0L/min Fuel feed hole:1(5/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>		<p>258</p> <p>Highest rotational speed:500-3600r/min Controlled flow rate:15.0L/min Fuel feed hole:1(5/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
<p>259</p> <p>ZW NO.:ZW259-PO OEM NO.: Ref NO.:LUK 542 0172 10 Nominal displacement:21.0ml/r Maximum Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:15.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>		<p>260</p> <p>ZW NO.:ZW260-PO OEM NO.:DINA 168 2625 C91 Ref NO.:LUK 542 0176 10 Nominal displacement:21.0ml/r Maximum Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:1(5/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>	
<p>261</p> <p>ZW NO.:ZW261-PO OEM NO.: Ref NO.: Nominal displacement:21.0ml/r Maximum Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:14.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		<p>262</p> <p>ZW NO.:ZW262-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximum Pressure:163bar Highest rotational speed:500-3600r/min Controlled flow rate:23.0L/min Fuel feed hole:1(5/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
<p>263</p> <p>ZW NO.:ZW263-PO OEM NO.: Ref NO.:LUK 532 0260 10 Nominal displacement:25.0ml/r Maximum Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		<p>264</p> <p>ZW NO.:ZW264-PO OEM NO.: Ref NO.:ZF 7685 955 301 Nominal displacement:17.0ml/r Maximum Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:M27×1.5-6H Fuel discharge hole:M18×1.5-6H Direction of rotation:Left</p>	
<p>265</p> <p>ZW NO.:ZW265-PO OEM NO.: Ref NO.:EV 221615L101 Nominal displacement:23.0ml/r Maximum Pressure:145bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Left</p>		<p>266</p> <p>ZW NO.:ZW266-PO OEM NO.: Ref NO.:EV 221615R101 Nominal displacement:23.0ml/r Maximum Pressure:145bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
<p>267</p> <p>ZW NO.:ZW267-PO OEM NO.: Ref NO.:EV221618L 10101S Nominal displacement:23.0ml/r Maximum Pressure:185bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>		<p>268</p> <p>ZW NO.:ZW268-PO OEM NO.: Ref NO.:EV 221618R 1010S Nominal displacement:23.0ml/r Maximum Pressure:185bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	

269	<p>ZW NO.:ZW269-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>		270	<p>ZW NO.:ZW270-PO OEM NO.: Ref NO.:PEV1816-15L0 Nominal displacement:18.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
271	<p>ZW NO.:ZW271-PO OEM NO.: Ref NO.:PEV2516-15R101 Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>		272	<p>ZW NO.:ZW272-PO OEM NO.: Ref NO.:PEV1816-15R10 Nominal displacement:18.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	
273	<p>ZW NO.:ZW273-PO OEM NO.: Ref NO.:PEV2520-13R101 Nominal displacement:25.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:20.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>		274	<p>ZW NO.:ZW274-PO OEM NO.: Ref NO.:PEV2824-15R101 Nominal displacement:28.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:24.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	
275	<p>ZW NO.:ZW275-PO OEM NO.:F1HT 3A674AA Ref NO.:ZF 7677 955 180 Nominal displacement:34.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3500r/min Controlled flow rate:24.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		276	<p>ZW NO.:ZW276-PO OEM NO.:F1HT 3A674EA Ref NO.:ZF 7677 955 181 Nominal displacement:34.0ml/r Maximus Pressure:180bar Highest rotational speed:500-3500r/min Controlled flow rate:24.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
277	<p>ZW NO.:ZW277-PO OEM NO.: Ref NO.:V20F1P9P38C6G20 Nominal displacement:29.7ml/r Maximus Pressure:140bar Highest rotational speed:500-3200r/min Controlled flow rate:22.5L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>		278	<p>ZW NO.:ZW278-PO OEM NO.: Ref NO.:V20F1P9P38C6G Nominal displacement:29.7ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:22.5L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF Direction of rotation:Right</p>	
279	<p>ZW NO.:ZW279-PO OEM NO.:VICKERS Ref NO.:V20F1P11P38D6H11 Nominal displacement:36.4ml/r Maximus Pressure:137.6bar Highest rotational speed:500-3200r/min</p>		280	<p>ZW NO.:ZW280-PO OEM NO.:VICKERS Ref NO.:PQN 001740 Nominal displacement:36.4ml/r Maximus Pressure:150bar Highest rotational speed:500-3200r/min</p>	

	Controlled flow rate:22.7L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right		Controlled flow rate:20.0L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left	
281	ZW NO.:ZW281-PO OEM NO.:VICKERS Ref NO.:PQN 001742 Nominal displacement:36.4ml/r Maximus Pressure:120bar Highest rotational speed:500-3200r/min Controlled flow rate:18.0L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right		282 ZW NO.:ZW282-PO OEM NO.:VICKERS Ref NO.:PQN 001748 Nominal displacement:29.7ml/r Maximus Pressure:150bar Highest rotational speed:500-3200r/min Controlled flow rate:16.0L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right	
283	ZW NO.:ZW283-PO OEM NO.:VICKERS Ref NO.:V20F1P11P38B6H22 Nominal displacement:42.4ml/r Maximus Pressure:155bar Highest rotational speed:500-2400r/min Controlled flow rate:19.0L/min Fuel feed hole:NPT1(1/4) Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right		284 ZW NO.:ZW284-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-2700r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right	
285	ZW NO.:ZW285-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-2700r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left		286 ZW NO.:ZW286-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-2700r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right	
287	ZW NO.:ZW287-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-2700r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left		288 ZW NO.:ZW288-PO OEM NO.:International 1686 649 C91 Ref NO.:LUK 542 0273 10 Nominal displacement:21.0ml/r Maximus Pressure:165bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left	
289	ZW NO.:ZW289-PO OEM NO.:VOLKS WAGEN Ref NO.:ZF 7673 975 816 Nominal displacement:17.5ml/r Maximus Pressure:000bar Highest rotational speed:500-5000r/min Controlled flow rate:8.0L/min Fuel feed hole:ø21 Fuel discharge hole:3/4-16UNF-2A Direction of rotation:Left		290 ZW NO.:ZW290-PO OEM NO.:VOLKS WAGEN Ref NO.:ZF 7674 975 960 Nominal displacement:21.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3600r/min Controlled flow rate:15.0L/min Fuel feed hole:ø21 Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right	
	ZW NO.:ZW291-PO		ZW NO.:ZW292-PO	

291	<p>OEM NO.:</p> <p>Ref NO.:v10nf1s6t38c5g</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:110bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:20.0L/min</p> <p>Fuel feed hole:1(5/16)-16UN</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>		<p>OEM NO.:</p> <p>Ref NO.:ppn 001783</p> <p>Nominal displacement:16.0ml/r</p> <p>Maximus Pressure:140bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:1(5/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>	
293	<p>ZW NO.:ZW293-PO</p> <p>OEM NO.:</p> <p>Ref NO.:V10F1P6P38C6G</p> <p>Nominal displacement:20.0ml/r</p> <p>Maximus Pressure:110bar</p> <p>Highest rotational speed:500-3200r/min</p> <p>Controlled flow rate:22.5L/min</p> <p>Fuel feed hole:NPT1</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>		<p>ZW NO.:ZW294-PO</p> <p>OEM NO.:</p> <p>Ref NO.:V10F1P7P38D5G20</p> <p>Nominal displacement:22.8ml/r</p> <p>Maximus Pressure:120bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:20.0L/min</p> <p>Fuel feed hole:NPT1</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>	
295	<p>ZW NO.:ZW295-PO</p> <p>OEM NO.:</p> <p>Ref NO.:VICKERS</p> <p>Nominal displacement:22.8ml/r</p> <p>Maximus Pressure:110bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:19.0L/min</p> <p>Fuel feed hole:NPT1/2-14:NPT1</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>		<p>ZW NO.:ZW296-PO</p> <p>OEM NO.:</p> <p>Ref NO.:VICKERS</p> <p>Nominal displacement:22.8ml/r</p> <p>Maximus Pressure:85bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:19.0L/min</p> <p>Fuel feed hole:NPT1/2-14:NPT1</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>	
297	<p>ZW NO.:ZW297-PO</p> <p>OEM NO.:</p> <p>Ref NO.:VICKERS</p> <p>Nominal displacement:19.4ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:NPT1/2-14:NPT1</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>		<p>ZW NO.:ZW298-PO</p> <p>OEM NO.:PQN 001729</p> <p>Ref NO.:VICKERS</p> <p>Nominal displacement:22.8ml/r</p> <p>Maximus Pressure:170bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:NPT1/2-14:NPT1</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>	
299	<p>ZW NO.:ZW299-PO</p> <p>OEM NO.:ZF 7683 955 114</p> <p>Ref NO.:FIAT(DUCATO)</p> <p>Nominal displacement:15.0ml/r</p> <p>Maximus Pressure:100bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:7.0L/min</p> <p>Fuel feed hole:M18x1.5</p> <p>Fuel discharge hole:M14X1.5</p> <p>Direction of rotation:Left</p>		<p>ZW NO.:ZW300-PO</p> <p>OEM NO.:International 2005337 C91</p> <p>Ref NO.:LUK 5420 0320 10</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:165bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:15.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN</p> <p>Fuel discharge hole:3/4-16UNF</p> <p>Direction of rotation:Right</p>	
301	<p>ZW NO.:ZW301-PO</p> <p>OEM NO.:</p> <p>Ref NO.:</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:140bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p>		<p>ZW NO.:ZW302-PO</p> <p>OEM NO.:</p> <p>Ref NO.:</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:140bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p>	

	<p>Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>			<p>Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
303	<p>ZW NO.:ZW303-PO OEM NO.: Ref NO.:3514595C91 Nominal displacement:25.0ml/r Maximus Pressure:163bar Highest rotational speed:500-3600r/min Controlled flow rate:17.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>		304	<p>ZW NO.:ZW304-PO OEM NO.: Ref NO.:PS282815R11401 Nominal displacement:28.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:26.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	
305	<p>ZW NO.:ZW305-PO OEM NO.:TRWPS Ref NO.:QG-PSR114 Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>		306	<p>ZW NO.:ZW306-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	
307	<p>ZW NO.:ZW307-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:23.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>		308	<p>ZW NO.:ZW308-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
309	<p>ZW NO.:ZW309-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>		310	<p>ZW NO.:ZW310-PO OEM NO.: Ref NO.: Nominal displacement:25.0ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Left</p>	
311	<p>ZW NO.:ZW311-PO OEM NO.: Ref NO.: Nominal displacement:28.0ml/r Maximus Pressure:160bar Highest rotational speed:500-3600r/min Controlled flow rate:28.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>		312	<p>ZW NO.:ZW312-PO OEM NO.: Ref NO.:PS2561-13R102 Nominal displacement:25.0ml/r Maximus Pressure:130bar Highest rotational speed:500-3600r/min Controlled flow rate:16.0L/min Fuel feed hole:1(1/16)-12UN-2B Fuel discharge hole:3/4-16UNF-2B Direction of rotation:Right</p>	
	<p>ZW NO.:ZW313-PO OEM NO.:</p>			<p>ZW NO.:ZW314-PO OEM NO.:</p>	

313	<p>Ref NO.:PS2820-15R102</p> <p>Nominal displacement:28.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:20.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>		314	<p>Ref NO.:PS251615L/105</p> <p>Nominal displacement:25.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>	
315	<p>ZW NO.:ZW315-PO</p> <p>OEM NO.:</p> <p>Ref NO.:</p> <p>Nominal displacement:25.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:15.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>		316	<p>ZW NO.:ZW316-PO</p> <p>OEM NO.:TRW PS</p> <p>Ref NO.:QG-PSL103</p> <p>Nominal displacement:25.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:20.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>	
317	<p>ZW NO.:ZW317-PO</p> <p>OEM NO.:</p> <p>Ref NO.:PS282815L103</p> <p>Nominal displacement:28.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:28.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>		318	<p>ZW NO.:ZW318-PO</p> <p>OEM NO.:TRW PS</p> <p>Ref NO.:QG-PSL116</p> <p>Nominal displacement:22.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>	
319	<p>ZW NO.:ZW319-PO</p> <p>OEM NO.:</p> <p>Ref NO.:PS282815L116</p> <p>Nominal displacement:28.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:26.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Left</p>		320	<p>ZW NO.:ZW320-PO</p> <p>OEM NO.:</p> <p>Ref NO.:PS3224-15R103</p> <p>Nominal displacement:32.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:24.0L/min</p> <p>Fuel feed hole:1(1/16)-12UN-2B</p> <p>Fuel discharge hole:3/4-16UNF-2B</p> <p>Direction of rotation:Right</p>	
321	<p>ZW NO.:ZW321-PO</p> <p>OEM NO.:FORD DEVFATHI</p> <p>Ref NO.:ZF 767455 245</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:130bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M16×1.5</p> <p>Direction of rotation:Right</p>		322	<p>ZW NO.:ZW322-PO</p> <p>OEM NO.:</p> <p>Ref NO.:</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:150bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p> <p>Fuel discharge hole:M18×1.5</p> <p>Direction of rotation:Right</p>	
323	<p>ZW NO.:ZW323-PO</p> <p>OEM NO.:FORD BMCPRO</p> <p>Ref NO.:ZF 7674 955 306</p> <p>Nominal displacement:21.0ml/r</p> <p>Maximus Pressure:000bar</p> <p>Highest rotational speed:500-3600r/min</p> <p>Controlled flow rate:16.0L/min</p> <p>Fuel feed hole:M26×1.5</p>		324	<p>ZW NO.:ZW324-PO</p> <p>OEM NO.:FORD CARGO</p> <p>Ref NO.:ZF 7673 955 580</p> <p>Nominal displacement:17.5ml/r</p> <p>Maximus Pressure:130bar</p> <p>Highest rotational speed:500-3500r/min</p> <p>Controlled flow rate:18.0L/min</p> <p>Fuel feed hole:M26×1.5</p>	

	Fuel discharge hole:M16X1.5 Direction of rotation:Right		Fuel discharge hole:M16X1.5 Direction of rotation:Right	
325	ZW NO.:ZW325-PO OEM NO.:FORD AS950 Ref NO.:ZF 7673 955 702 Nominal displacement:17.5ml/r Maximus Pressure:100bar Highest rotational speed:500-3500r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Left		326 ZW NO.:ZW326-PO OEM NO.: Ref NO.: Nominal displacement:18.0ml/r Maximus Pressure:000bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18X1.5 Direction of rotation:Right	
327	ZW NO.:ZW327-PO OEM NO.: Ref NO.: Nominal displacement:18.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3500r/min Controlled flow rate:16.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left		328 ZW NO.:ZW328-PO OEM NO.: Ref NO.: Nominal displacement:18.0ml/r Maximus Pressure:150bar Highest rotational speed:500-3500r/min Controlled flow rate:21.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M18×1.5 Direction of rotation:Left	
329	ZW NO.:ZW329-PO OEM NO.:FOD BMC162 Ref NO.:ZF 7673 955 572 Nominal displacement:17.5ml/r Maximus Pressure:130bar Highest rotational speed:500-3500r/min Controlled flow rate:18.0L/min Fuel feed hole:M26×1.5 Fuel discharge hole:M16×1.5 Direction of rotation:Right		330 ZW NO.:ZW330-PO OEM NO.:CUMMINS 6CT Ref NO.:3406Z07-010-A Nominal displacement:16.0ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:18.0L/min Fuel feed hole:M22X1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Right	
331	ZW NO.:ZW331-PO OEM NO.:CUMMINS 6BTAA Ref NO.:3406Z07-010-A Nominal displacement:16.0ml/r Maximus Pressure:140bar Highest rotational speed:500-3600r/min Controlled flow rate:18.0L/min Fuel feed hole:M30X1.5 Fuel discharge hole:M20×1.5 Direction of rotation:Right		332 ZW NO.:ZW332-PO OEM NO.:6126 3003 0087 Ref NO.:91102H Nominal displacement:8.5ml/r Maximus Pressure:70bar Highest rotational speed:500-7000r/min Controlled flow rate:8.0L/min Fuel feed hole:ø17.3 Fuel discharge hole:M16×1.5 Direction of rotation:Left	
333	ZW NO.:ZW333-PO OEM NO.:Sprinter Ref NO.:ZF 7691 955 910 Nominal displacement:8.5ml/r Maximus Pressure:100bar Highest rotational speed:500-7000r/min Controlled flow rate:8.0L/min Fuel feed hole:ø17.3 Fuel discharge hole:M16×1.5 Direction of rotation:Left		334 ZW NO.:ZW334-PO OEM NO.: Ref NO.:ZF 7691 955 921 Nominal displacement:8.5ml/r Maximus Pressure:100bar Highest rotational speed:500-7000r/min Controlled flow rate:9.0L/min Fuel feed hole:ø17.3 Fuel discharge hole:M16×1.5 Direction of rotation:Left	