



HEBEI LONG ZHUO TRADE CO., LTD.

NO.88, QILIAN STREET, HIGH-TECH ZONE,

SHIJIAZHUANG, HEBEI 050000, CHINA

TEL: 0086 311 6779 0805

FAX: 0086 311 6779 0806

E-mail: mary@longzhuochn.com

Skype: mary.wang667

19mm PVC Cooling Tower Fill Pack





Cooling tower fill is one of the most important components for exchange of gas and water in cooling tower.

Cooling tower fill is the major parts to improve the efficiency of cooling tower and make sure the economy and safe operation.

Cooling Tower Fill Display

Type	VF610-LC
Material	PP/PVC
Width	305mm, 610mm
Length	as your request
Thickness	from 0.28mm to 0.38mm
Sheet Space	19mm
Application	Used in counterflow cooling tower

PRODUCT DISPLAY



PP

VS



PVC

Cooling Tower Fill Production Process



We can produce the cooling tower fill with various of types, kindly check the specifications as follow, please.

Width (mm)	Length (mm)	Material	Sheet space (mm)	Application
950	950, etc.	PVC	20	Used in cross cooling tower
730, 750, 950	Any	PVC	20	Used in cross cooling tower
915, 1220, 1520	Any	PVC	19	Used in cross cooling tower
750	Any	PVC	20	Used in cross flow cooling tower
305, 610	Any	PVC, PP	19	Used in counter flow cooling tower
300, 600	Any	PVC, PP	12, 15	Used in counter flow cooling tower

Any inquiry or questions for cooling tower fill, no hesitate to contact us, please.

Tel: +86-311-6779 0805

E-mail: mary@longzhuochn.com

Skype: mary.wang667