曲阜卓越重工科技有限公司
Qufu Zhuoyue Heavy Industry Science Technology Co.,Ld

山东曲阜市东开发区创业大道9号
East Economic Development Zone, Qufu, Shandong China 237100
电话/ Tel : +86-537-5052006
传真/ Fax: +86 537-5052005

CARRY

曲阜卓越重工科技有限公司

Qufu Zhuoyue Heavy Industry Science&Technology Co.,Ltd

More than 20 years experience in conveyor roller components
专注于生产托辊轴承座20年

The expert in conveyor industry
托辊组件生产专家

科技产品技术创新
science and technology innovation

宏图事业德信天下
worldwide grand plan

公司简介：

曲阜卓越重工科技有限公司专业制作冲压轴承座20年，是目前国内生产规模最大的冲压轴承做生产厂家。公司占地66,000㎡,7条冲压生产线，一条塑料生产线，日产量70,000套。公司有专业研发设计团队，可根据客户要去设计加工模具。

Company introduction:

As a professional manufacturer of stamped bearing housing for over 20years, Qufu Zhuoyue Heavy Industry has became a respected leader in this industry and have apply our brand “CARRY”.
As company with good reputation, we are always committed to providing high quality, competitive price and best service to our customer.

我们的优势
Our Advantage:

专业生产冲压轴承座20年,同行业中规模最大。
Specialized in manufacturing stamped bearing housing&sealing for 20years and have became NO.1 position in this field.
品种齐全，7条生产线，日产量70,000套
Fullest varieties, more than 500 series,7 stamping productions lines, one plastic injection production 70,000 sets daily production
公司技术团队根据客户需求设计，制作模具
Customize according drawing, design & make mould by our factory selves, save time, save money, save labour , quality tracking all process
满足多种标准 JIS ,DIN ,CEMS ,
Rich experience manufacture bearing housing to meet JIS ,DIN ,CEMA and China standard
质量优良，有严格质量控制体系，先进的检查设备
Reliable quality, strict quality control system, advanced dimension inspect device

TK 型轴承座 TK Bearing Housing



Bearing Size	Bearing Position Dimension	Sealing Position Dimension	Hole Diameter	Height	Depth	Thickness
6204	$47^{0}_{-0.025}$	47.1±0.031	25	45	42.5	2.5
6205	$52^{0}_{-0.030}$	52.1±0.037	30	48	45.5	2.5
6305	$62^{0}_{-0.030}$	62.1±0.037	30	49	46	3.0
6306	$72^{0}_{-0.030}$	72.1±0.037	35	51	48	3.0
6307	$80^{0}_{-0.030}$	80.1±0.043	40	53	49	4.0
6308	$90^{0}_{-0.030}$	90.1±0.043	45	55	51	4.0
6309	$100^{0}_{-0.030}$	100.1±0.043	50	60	56	4.0
6310	$110^{0}_{-0.030}$	110.1±0.043	55	60.5	55.5	5.0
6312	$130^{0}_{-0.030}$	130.1±0.043	65	78	73	5.0
Conveyor Roller Outer Diameter: 60mm,63.5mm,76mm,89mm,102mm,108mm,114mm,127mm,133mm, 140mm,152mm,159mm,165mm,178mm,194mm,219mm						

TKⅡ型轴承座 TKⅡ Bearing Housing





Bearing Size	Bearing Position Dimension	Sealing Position Dimension	Hole Diameter	Height	Depth	Thickness
6204	$47^{0}_{-0.025}$	47.1±0.031	25	28	25.5	2.5
6205	$52^{0}_{-0.030}$	52.1±0.037	30	33	30.5	2.5
6305	$62^{0}_{-0.030}$	62.1±0.037	30	35	32	3.0
6306	$72^{0}_{-0.030}$	72.1±0.037	35	36	33	3.0
6307	$80^{0}_{-0.030}$	80.1±0.043	40	40	36	4.0
6308	$90^{0}_{-0.030}$	90.1±0.043	45	47	43	4.0
6309	$100^{0}_{-0.030}$	100.1±0.043	50	49	45	4.0
6310	$110^{0}_{-0.030}$	110.1±0.043	55	51	46	5.0
6312	$130^{0}_{-0.030}$	130.1±0.043	65	56	51	5.0
Conveyor Roller Outer Diameter: 60mm,63.5mm,76mm,89mm,102mm,108mm,114mm,127mm,133mm, 140mm,152mm,159mm,165mm,178mm,194mm,219mm						

DTⅡ型轴承座 DTⅡ Bearing Housing





Bearing Size	Bearing Position Dimension	Sealing Position Dimension	Hole Diameter	Height	Depth	Thickness
6204	$47^{0}_{-0.025}$	47.1±0.031	25	45	42.5	2.5
6205	$52^{0}_{-0.030}$	52.1±0.037	30	46	43.5	2.5
6305	$62^{0}_{-0.030}$	62.1±0.037	30	49	46	3.0
6306	$72^{0}_{-0.030}$	72.1±0.037	35	51	48	3.0
6307	$80^{0}_{-0.030}$	80.1±0.043	40	52	48	4.0
6308	$90^{0}_{-0.030}$	90.1±0.043	45	55	51	4.0
6309	$100^{0}_{-0.030}$	100.1±0.043	50	57	53	4.0
6310	$110^{0}_{-0.030}$	110.1±0.043	55	60.5	55.5	5.0
6312	$130^{0}_{-0.030}$	130.1±0.043	65	64	59	5.0
Conveyor Roller Outer Diameter: 60mm,63.5mm,76mm,89mm,102mm,108mm,114mm,127mm,133mm, 140mm,152mm,159mm,165mm,178mm,194mm,219mm						

冲压轴承座 Stamped Bearing Housing ShowCase

模具设计制造 Mould Making

质量控制 Quality Control

CARRY bearing housing pass trough ISO 9001 quality inspection before become a key component in your conveyor roller.



金属托辊 Conveyor Roller

We also can supply conveyor roller OEM service to our clients. There are 2 semi–robot production lines, self–motion idler dimension test device, electrostatic spraying paint line. Steel roller, Rubber impact roller, Polymer roller, Rubber coated roller.



Product Finish :

★Special roller steel pipe
高精度托辊专用管

★Stamped bearing housing
冲压轴承座

★Deep Groove ball bearing
深沟球形轴承

★Labyrinth sealing
迷宫密封

★Cold drawn steel bar
冷拔轴

Feature:

★Smallrotational resistance<2.4N
旋转阻力<2.4N

★low Radial run–out <0.3
径向跳动<0.3

★low Shaft movement<0.2
轴向跳动<0.2

★Long service time>30.000 h
使用寿命>30.000 h

★Water–proof and dust, free maintenance
密封良好，免维护

Bearing Size	Shaft Diameter	Roller Tube Thickness	Roller Diameter
6204	20	3	63
		3	76
		3	89
		3	102
		3.5	108
		3.5	114
		4	127
		4	133
		4	140
6205	25	3	76
		3	89
		3	102
		3.5	108
		4	114
		4	127
		4	133
		4	140
		4	152
		4.5	159
		4.5	165
6305	25	3	89
		3	102
		3.5	108
		4	127
		4	133
		4	140
		4	152
		4.5	159
		4.5	165
6306	30	89	3
		108	3.5
		133	4
		159	4.5
6307	35	3.5	108
		4	133
		4.5	159
		5	194
6308	40	3.5	108
		4	133
		4.5	159
		5	165

高分子托辊 Polymer Conveyor Roller



1.Roller Pipe 2.Shaft 3. Inner Circlip 4. Bearing Housing 5.Bearing 6.Male Sealing 7.Female Sealing 8.Inner Sealing 9.Sealing Ring 10.Outer Sealing 11. Outer Circlip

Our company research & design new polymer roller RPVC conveyor roller. The roller pipe ,roller bearing housing and sealing are polymer materials ,It have feature of flame resistance,anti- static electricity, low rotational resistance ,long service time. It is labyrinth sealing and can solve the problem of pollution of water, dust and coal slime.

我们公司设计制造的新型塑料托辊RPVC托辊。管体，轴承座，密封材质均为塑料聚合物。具有阻燃，防静电，耐腐蚀，旋转阻力小，使用寿命长等优点。

It is widely used in underground mining ,power plant, salt industry, cement industry ,chemical factory and other high corrosive outdoor environment.Temperaure-10℃～+40℃.

广泛应用于地下矿井，电厂，盐场，水泥厂，化工厂等具有腐蚀性场合，使用温度-10℃～+40℃.

Bearing Size	Shaft Diameter mm	Thickness mm	Pipe Diameter mm
6204	20	9	Φ89，Φ108，Φ114
6205	25	9	Φ108
6305	25	9 10	Φ108，Φ133
6306	30	10 14	Φ133，Φ159
6307	35	14	Φ159
6308	40	14	Φ152，Φ159

其他相关产品 Others Products

客户图片 Our Clients

Over the 20 years, ZHUOYUE INDUSTRY have supplied high precision bearing housing to our clients come from more than 20 nations.